

- CONTAINER SYSTEMS FOR STERILIZATION
- SURGICAL MOTOR SYSTEMS
- STERILE DISPOSABLE MEDICAL PRODUCTS
- MEDICAL ILLUMINATION SYSTEMS

AYGÜN[®]
SURGICAL INSTRUMENTS CO., INC.

Organize Sanayi Bölgesi
Yaşar Doğu Cad. No:76
55330 Kutlukent-SAMSUN
TÜRKİYE


Tel : 90 (362) 266 66 80
Fax : 90 (362) 266 93 30
E-mail : aygun@aygun.com
Web : www.aygun.com

Edition 9

■ Aygün has the right to modify and develop the products declared in this catalogue and its production program.

■ The weight and dimensional information given in our catalog are approximate values.

KA - 3010-Y1 Copyright © Aygün Co., Inc
2018 All Rights Reserved, Printed in Turkey



www.aygun.com

Since 1988



AYGUN®

SURGICAL INSTRUMENTS CO., INC.

**STERILE
CONTAINER
SYSTEMS**




**SURGICAL
MOTOR
SYSTEMS**



**MEDICAL
ILLUMINATION
SYSTEMS**



**DISPOSABLE
STERILE
PRODUCTS**



meeting point for
surgery...

AYGÜN®

SURGICAL INSTRUMENTS CO., INC.

AYGÜN, one of the leading establishments of Turkey in the field of Medical Industry, was founded in 1988.

It manufactures Container Systems for sterilization, Surgical Motor Systems, Medical Illumination Systems and Single Use Medical Systems in its facility at Samsun Central Organized Industrial Zone. AYGÜN meets the needs of significant part of Turkey as a result of its continuous R&D works and the capacity increasing. It manufactures its products in international standards and put them to the world market with a high competitive power. Moreover with its integrated quality management system, it proves that it is a specialized establishment.

Besides being a manufacturer, AYGÜN is also a designer company and with its continuous product development works it increases number of its patents, on the other hand, is contributing career development of rising generation by acting as a school.





■ VISION

The vision of AYGÜN is to grow in health sector according to the developing technology and sectoral innovations and serve humanity by managing new project and products appropriate to these innovations.

■ MISSION

AYGÜN builds projects that can contribute to human health all over the world and integrates these projects to its production area and products in the light of technological developments. It constantly stays active with its innovative and explorer soul and remains taking part among the leader companies ruling the sector.



Production

Sense of high-grade quality in each process from raw material supply to shipment,



■ TECHNICAL INFRASTRUCTURE

- CNC Machines
- Hydraulic and Eccentric Presses
- Hot Presses
- Conventional CNC Machines
- Mold Design and Molding Technology
- 3D Modelling Technology
- Thermoforming
- Cutting Machines
- Electronic Design and Manufacturing Engineering
- Software Technology
- Mechanical Surface Finishing Techniques

■ QUALITY MANAGEMENT SYSTEM

- ISO 9001:2008
 - ISO 13485:2003
 - ISO 14001
 - 2007/42/EC
 - OHSAS 18001
 - FDA 510 (K)
- Sense of high-grade quality in each process from raw material supply to shipment. Quality management system and policy according to standards:



Aygün Surgical Instruments Co., Inc. which has been exporting to 92 countries with its expert staff in its field, has become a pioneer company providing added value to the country with its developing vision.



Aygün Surgical Instruments Co., Inc. has a growing, active position in the sector through using high technology and innovative, open-minded and researching institutional structure.

Factory, headquarter...

Since 1988

VALUES AND PRINCIPLES

Aygün Surgical Instruments Co., Inc. which combines the latest equipments with qualified and expert workforce, keeps product standarts at the highest level with control mechanisms, and adopt quality as one of its priorities. Aygün Surgical Instruments regards its customers as business partners, owing to its approach focused on success and customer satisfaction and maintains its services in mutual communication. With the awareness of the responsibilities it has, Aygün Surgical Instruments adopt business ethics, professionalism, respect and social responsibility as its principles.





SURGICAL MOTOR SYSTEMS

The expertise of AYGÜN in surgical motor systems gathered up many designs and systems that have special structures servicing from neuro and spinal surgery to many fields like cardiovascular, orthopedic, plastic, hand & foot and maxillofacial surgery. The quality, power and ergonomic design of the new generation of high-tech battery powered surgical motor systems once again demonstrates AYGÜN's expertise in the medical field.



SURGICAL MOTOR SYSTEM MODELS

- Karinca 206
- Praxis 3B
- Praxis 3
- Praxis 2
- Sternal Saw 3B
- HSM Micro System
- HSM Neuro System
- Dermatome
- Skin Graft Mesher
- Mini Surgical Motor
- Mini Compact
- Neuro Air Power
- Standart Macro
- Eps Motor System
- Macro Compact
- Mobil Stator
- Shaver System



BATTERY + ELECTRO SYSTEM



MICRO SYSTEM 40.000 RPM

For further details:

Surgical motor systems...

Quality, power and ergonomic design,



KARINCA 206

Surgical Motor Systems

B a t t e r y O p e r a t e d



DERMATOM & SKIN GRAFT MESHER



DERMATOM & SKIN GRAFT MESHER



SET ORGANIZATION



HSM NEURO SYSTEM 90.000 RPM



DERMATOME ST5 SYSTEM

AYGÜN®

SURGICAL INSTRUMENTS CO., INC.

Aygün is furthering a number of R&D projects simultaneously thanks to its advanced R&D infrastructure, team of engineers and technical personnel specialized in their field. Thus, the company holds tens of patents and models actively used in the medical sector.

All type of mechanical systems, electronics, software and optical applications are being designed, developed and offered to the use of medical sector upon clinical research in compliance with international standards by the dedicated technical team of the company.

Moreover, Aygün has completed many R&D projects supported by TUBITAK and KOSGEB and continues to grow in the sector with its know-how, R&D infrastructure, and end-product outcomes.



Wireless controller tablet with graphical user interface


Endo-Led

Advanced LED Technology






Super Optical Performance

To see what you could not see before

Almost perfect color rendition,

CRI

R _a
95

CRI (Color Rendering index) is a parameter of how well a light source reproduce colors.


Adjustable color control				
				
3,500 K	4,000 K	4,500 K	5,000 K	5,600 K

I-LIGHT provides adjustable color temperature to optimize visualization of red tissues. Color temperature is variable from 3500K - 5600K.

RED

R ₉
98

CRI light source how much quality light a production of And description.



- Advanced LED Technology
- Super Optical Performance
- Multiple light beam configuration for shadowless illumination
- Almost perfect light quality (TYP CRI>95)
- Wireless controlled tablet pc with graphical user interface,
- ENDO-MOD
- Membrane switch for camera and lighting control
- Wall-mounted control panel
- Adjustable light beam diameter,
- Maximum aerodynamic design for minimal turbulance,
- HD camera and widescreen HD LCD for multimedia solutions,





DISPOSABLE STERILE PRODUCTS

AYGÜN, by completing its new project soon, plans to announce to the world market the sales of completely silicone medical drainage systems for surgical needs. With its clean room and by carrying its expertise on sterilization solutions one step further, AYGÜN aims to offer professional service to its valued customers in a new product group. AYGÜN continues expanding its product range by adding other single use medical products to the completely silicone medical drainage systems needed by surgery.



DISPOSABLE STERILE PRODUCTS MODELS

- Reusable Laryngeal Mask
- Silicone Pernos Drain Tube
- Spiral Entube Tubes
- Silicone Nutrition Sondage
- Silicone Round Drain
- Silicone Flat-Soft Drain
- Silicone Flet Dren
- Entubation Tube
- Pvc Larengeal Mask
- Silicone Pernos Dren
- Silicone Thorax Drain
- Tracheostomy tube
- Entubation Tube
- Vac Silicone Drain
- Oxygen Mask



For further details: _____

Disposable sterile products...






Silicone, PVC,



RESEARCH, DEVELOPMENT, QUALITY


AYGÜN increases its power with its endless R&D works. It makes all needed investments so as to research and develop even the smallest part of the complicated products manufactured and carries out successful projects with its professional engineer team. It both develops the existing products with today's technology and performs serious works on new product designs.

New product development desire and need began in minds becomes sharable and interpretable with 3D printers and technical drawings. After setting themodels and testing the prototypes, the production process starts for the approved designs. The production starts with combination of high technology production machines and perfect craftsmanship. The production process is completed with sterilization and packing made in clean room environment when needed.



Research, Development, Quality...

Combination of precious high technology production machines and perfect craftsmanship,





■ Standard Model



■ Bio-Barrier Model



■ High Performance Polymer PPSU Lids



■ B3-PTFE - Valve - Biostop



■ Plasma Model



■ Window Model



■ A1 Model



■ Dental, Mini Model



Catalogues...

New website, tens of high quality catalogues and thousands of products,



■ Karınca 206



■ HSM 2



■ Mini Bone



■ Compact 2



■ Dermatome



■ Electro Pneumatic Surgical Motor



■ HSM Micro System



■ HSM Neuro System



■ Macro Compact 2



■ Mini Compact



■ Mini Surgical Motor



■ NAP Neuro Air Power



■ Praxis 3



■ Praxis 3B



■ Standard Macro



■ Standard Micro

QUALITY MANAGEMENT SYSTEMS AND PATENTS

AYGÜN, meeting needs of surgeons and giving particular importance to the health and safety of patients with its expert team and its products appropriate to the world standards, perform its production in accordance with ISO 9001, ISO 13485 standards and CE 2007/42/EEC directives. As an addition to these standards and directives, it also has FDA 510 (K) approval. Within the scope of Integrated Management System Policy, it has taken all needed precautions about Quality, Environment and Occupational Health and Safety with a management approach identified by objectives and certified for these requirements. It determined its working principle in consideration of legal obligations and fulfills all production conditions suitable to these obligations.



ISO 9001:2008
CERTIFIED
ISO 13485:2003
CERTIFIED



Meeting Point For Surgery

SINCE 1988



CONTAINER SYSTEMS FOR STERILIZATION



SURGICAL MOTOR SYSTEM KARINCA 206



SURGICAL ILLUMINATION SYSTEM



HSM NEURO & SPINE, HIGH SPEED MICRO MOTOR



DERMATOME FOR SKIN TRANSPLANTATION



WIRE BASKETS



DISPOSABLE MEDICAL PRODUCTS



PRAXIS 3-B



PPSU TRAY FOR SET ORGANIZATION



Custom Made Product

We perform our customers' special production requests in a manner that does not violate international patent and intellectual property rights. In this way, we increase the flexibility and competitiveness of our valued customers.



We move our customers one step further; All of our products are branded and supplied with our company logo or your company logo by laser marking according to your request, depending on the OEM agreement.

Our products are marked, signed, numbered as free of charge and adjusted according to your company's requirement. The products which are marked according to your company's requirement establish a strong, permanent bond in traceability and receive feedback between your company and your customers.

STERILE CONTAINER SYSTEMS

Aygün manufactures sterilization container systems in medical industry since 1988 and release the quality that takes human health under best protection. Aygün sterilization container systems are made of special alloy - 2mm high quality raw material and serviced to the whole world as 7 different models and colors coding easy distinctiveness. The single block label holders on both sides of the containers also serve for that purpose while carrying handles having 90° mobility and ergonomic design provide easy and secure carrying facilities and the gasket inside the lid ensures perfect tightness.

All Aygün sterilization container systems are designed for perfect steam penetration, traceability, safety and stability. The locking mechanisms secure excellent grip and ensure up and down movement of the lids under steam pressure during the sterilization.

Besides providing a greener alternative to wrapping method, Aygün sterilization container systems also generate a great return on investment. Aygün meets needs of the market and preferred by many users all over the world because of its high quality, reasonable prices and variety of products that appeal to every user.

MODELS

Aygün does not ignore the user habits and ease of use and provides many different models, filtering systems and sizes.



STANDART MODEL



BIO-BARRIER MODEL



PPSU MODEL



B3 MODEL



PLASMA MODEL



WINDOW MODEL



A1 MODEL



SAFE MODEL

* All bottoms and lids are suitable with each other in all models except window model sterilization containers.

* Each model has distinctive characteristics.

* In order to get information about the models, please check pre-start part of related product model in following sections.

see page 31 for Standard Model

see page 65 for Bio-Barrier Model

see page 99 for PPSU Model

see page 121 for Window Model

see page 141 for B3 Model

see page 175 for Plasma Model

see page 187 for A1 Model

Container system for sterilization...

SIZES

Aygün sterilization container systems, with most general point of view, are separated into 5 different dimension groups as 1/2, 3/4, 1/1, Extra Large and Extra Long models. Additionally we can supply smaller models like Dental and Mini Sterilization Containers.

You can check below table for detailed information.

SIZE	DIMENSION (LENGTH AND WIDTH)	HEIGHTS	ALUMINUM LIDS	PPSU LIDS	BARRIER MODEL LIDS	SAFETY LID
1/1 FULL SIZE	580 MM X 280 MM	110/135/150/200/260 MM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3/4 QUARTER SIZE	465 MM X 280 MM	110/135/150 MM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1/2 HALF SIZE	285 MM X 280 MM	110/135/150/200/260 MM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
EXTRA LARGE SIZE	590 MM X 370 MM	120/185 MM	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
EXTRA LONG SIZE	710 MM X 280 MM	140/205 MM	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
LARGE DENTAL	365 MM X 250 MM	110/135/150 MM	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
DENTAL	320 MM X 190 MM	50/70/130 MM	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
1/2 DENTAL	222 MM X 166 MM	60/100/130 MM	<input checked="" type="checkbox"/>			
MINI	320 MM X 140 MM	40/70/100 MM	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
FLAT	285 MM X 280 MM	55/85 MM	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
ENDO MODEL	535 MM X 160 MM	75/100 MM	<input checked="" type="checkbox"/>			
IMPLANT	300 MM X 150 MM 500 MM X 170 MM	75 MM	<input checked="" type="checkbox"/>			
MINI IMPLANT	160 MM X 70 MM 200 MM X 145 MM	60 MM	<input checked="" type="checkbox"/>			
SCOPY	260 MM X 70 MM 460 MM X 80 MM	60 MM	<input checked="" type="checkbox"/>			
BRUSH	285 MM X 280 MM	60 MM	<input checked="" type="checkbox"/>			

WHY CONTAINER SYSTEM?

As you know, there are two general methods for the sterilization and protection of surgical instruments: single-use wrap and reusable sterilization container systems.

The main differences between these methods are efficiency and return on investment.

Return on Investment: The single-use wraps seem more economical at first view. They are single-use and disposable. However these medical wastes are 5-10% of the total medical waste streams of hospitals. Furthermore, single-use wraps can tear during the sterilization process because of any reason. In this case, sterilization is performed again and this may cause many delays. The aluminum sterilization containers can be considered as non-economic at first view but the lifetime of them is more than 5 years. When the lifetime is based on, the total cost reduces approximately at a rate of 70-80% more when compared with the cost of single-use wraps and that's why they are more economical choice.

Environmental Awareness: The sterilization containers has a big role for the care that we need to take for our life space which is polluted more day by day. The sterilization containers do not cause any kind of medical waste streams and protect the environment.

Efficiency: You do not face with any tearing and containerization is a more effective method for the sterilization. In terms of following and detecting the sterilization period and result, It increases the efficiency with accessories like automatic lock, indicator window and security seal.

Reliability: They protects the surgical instruments in the maximum level with the help of their hard and sheltered structure.

Ease of Identification: Reaching the information of instruments inside the sterilization container is easier due to the face plate that sterilization containers have in both sides. Moreover they provide ease of identification with the help of different lid color options creating color coding.

Safe Handling: They enable more proper, easier and safer transportation with their ergonomic design and handles.

AYGUN®

SURGICAL INSTRUMENTS CO., INC.

Special lid design for stackability!

Optional OEM marking possibility!


Internal gasket of the lid assures safe seal of the container.

- No extra cost for OEM marking!
- No extra cost for label marking!
- 6 different color for lid, labels and silicone handle options!

Corrosion resistant **lid and bottom** made of **2 mm** high quality special alloy aluminium!

Container system for sterilization...

A greener alternative to wrapping method in sterilization,



Sealed filter retainers having 2 springs inside and pre-tensioning feature enable fast, easy and secure change of the filters by seating solidly on the surface.



Locking mechanism ensures better grip with its flexible design structure including 2 springs inside and performing "single-step" movement.



Face plates on both sides of the container are made of one single piece!

Emulating indicator window placed inside the container provides visual control without opening the lid after sterilization.

Heat sensitive modular auto lock mechanism offers safer result for sterilization process.

Identification labels can be marked with up to 18 - 24 letters.

Wide, special design, silicone coated handles let easy and safe handling of the container and avoids hand injuries.

CONTENTS



STANDARD MODEL 31-64

1/1 Full Size	33-38
3/4 Quarter Size	39-44
1/2 Half Size	45-50
Extra Large Size	51-56
Extra Long Size	57-62



BIO-BARRIER MODEL 65-98

1/1 Full Size	67-72
3/4 Quarter Size	73-78
1/2 Half Size	79-84
Extra Large Size	85-90
Extra Long Size	91-96



HIGH PERFORMANCE POLYMERS PPSU LIDS 99-120

1/1 Full Size	101-106
3/4 Quarter Size	107-112
1/2 Half Size	113-118



PPSU

It has a high heat distortion temperature up to 190° C and can be easily sterilized by superheated steam.



WINDOW MODEL 121-140

1/1 Full Size	123-128
3/4 Quarter Size	129-134
1/2 Half Size	135-140



B₃ Barrier MODEL (PTFE Valve Biostop) 141-174

1/1 Full Size	143-148
3/4 Quarter Size	149-154
1/2 Half Size	155-160
Extra Large Size	161-166
Extra Long Size	167-172



PLASMA MODEL (H₂O₂ for sterrad) 175-186

1/1 Full Size	178-179
3/4 Quarter Size	180-181
1/2 Half Size	182-183
Dental, Mini Model	184
1/2 Dental Model	185
Endo Model	186
Tray Laparoscopy	186



A1 MODEL 187-206

1/1 Full Size	189-194
3/4 Quarter Size	195-200
1/2 Half Size	201-206



DENTAL, MINI, SPECIAL MODEL 207-224

Large Dental Model	208-211
Dental Model	212-213
1/2 Dental Model	214-215
Mini Model	216-217
Flat Model	218-219
Endo Model	220-221
Implant Model	222
Scopy Model	223
Brush Model	224



BASKETS 225-244

Basket Made From Stainless Steel Wire Mesh	226-229
Wire Basket With Perforated Metal Plate	230-231
Basket Made From Stainless Steel Sheet	232-233
Dental Basket & Trays	234-235
Dental, Mini Baskets	236
Small Fine Mesh Baskets With Lid	237
Laundry Baskets	238-239
Drape	239
Endoscope Baskets	240
Aluminium Basket, With Lid	241
Washer Tube for K-WIRES	242-243



Window For Emulating Indicator / Modular Auto Lock Mechanism 245-252




ACCESSORIES 253-280

Labels - Security Seals - Handles - Filters	254-261
Silicone Mats	263
Sterilization Racks	264-265
Silicone Fixation System - Fixation Clamps & Divider	266-275
Trolleys	277
Goods Compatibility Table	278-280



PPSU TRAYS FOR SET ORGANIZATION 120

 PPSU
It has a high heat distortion temperature up to 190° C and can be easily sterilized by superheated steam.



CONTAINER SYSTEMS FOR STERILIZATION



Auto Lock Mechanism (Modular)

➤ Patent Pending

A heat-sensitive automatic locking system in order to ease the sterilization control in CSSD.



Window For Emulating Indicator

➤ Patent Pending

The result of emulating indicator can easily be observed from the window after sterilization.



Silicone handle has available in six different colors and detachable by user.



Locking flaps are movable 180° on a pivot and can be secured in any position.



Plastic security seals are used to keep the container lock safe from unauthorized opening and automatically breaks up when locking flap is lifted.



By means of the locking latches, the holders of the filters enable the filters be changed quickly.




The mechanism of the lock can be utilized as the lid handle.




In reliable position, the containers can be put on top of each others without sliding over the sides.



Container lids made of PPSU polymer have an option of six different colors and a transparent one.



B3 container systems are available with an integrated safety lid which is optionally made from PPS or Aluminium.




B3 biostop mechanism filtering system is also optionally available as PPS or Aluminium. Biostop mechanism is a maintenance free filtering system which provides lifetime use and protection according to Pasteur's swan neck flask experiment. The labyrinth shape air channel stops microorganisms and germs and does not need any consumables for reuse.



B3 PTFE filtering system is used with a 2000 cycles Teflon Filter which can easily be changed by the user.



B3 valve filtering system runs with mechanical valves inside it which is easy to open, clean and change the spares. The proper running of the mechanism can be smoothly checked by one touch control pin at the center of the system.



PTFE ⇄ Valve ⇄ Biostop

This container model can be used with PTFE filter, mechanical valve or biostop system without any extra lid cost.



Silicone fixation systems for fixing and protecting the instruments during sterilization and transportation.



Colored aluminium labels give the description and department of the sterile item and can easily slide into their slots.



Silicone gaskets placed around inside of the lid ensure a secure seal of the container.

SUITABILITY OF OUR STERILE CONTAINERS FOR STEAM STERILIZATION PROCEDURES 1)
as per DIN 58953 part 9

Sterilization container	Packing		Steam sterilization procedure acc. to DIN 58946, part 1				
	Description	Symbolic representation and packing system	Gravitation procedure	Pre-vacuum procedure	Fractional vacuum procedure	Fractional flow procedure	Steam injection procedure
with filters (StB-F)	Textiles in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+	+	+	+	+
			○	○	+	+	+
	Textiles in sterilization container with filter in lid, bottom not perforated acc. to DIN 58952 part 1		-	-	+	+	+
			-	-	+	+	○
	Textiles in sterilization container with filter in bottom lid, not perforated acc. to DIN 58952 part 1		○	+	+	+	+
			-	○	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+ ³⁾	+	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom not perforated acc. to DIN 58952 part 1		-	+ ²⁾	+ ²⁾	+ ²⁾	+ ²⁾
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in bottom acc. to DIN 58952 part 1		○	+	+	+	+
	with Valves (StB-V)	Textiles in sterilization container with valves in lid and bottom acc. to DIN 58952 part 1		-	○	+	+
			-	-	+	+	○
Textiles in sterilization container with valves in lid no valves on the bottom			-	-	+	+	-
			-	-	+	+	-
Instruments in wire basket in sterilization container with valve in lid and bottom			-	+ ²⁾	+ ²⁾	+ ²⁾	+ ²⁾
Instruments in wire basket in sterilization container with valve in lid and not perforated			-	+ ²⁾	+ ²⁾	+ ²⁾	+ ²⁾

Explanation of symbols: + applicable - not applicable ○ limited application

- 1) In order to avoid mistakes with regards to service, operation and/or when loading the sterilizer, please refer to table 1 for correct or wrong combination of sterilization containers for standardized steam sterilization procedures.
- 2) Only sterilization containers guaranteeing evaporation or discharge of condensate are suitable above.
- 3) Gravitation procedures having no drying device do not guarantee a sufficient after-drying effect.

STERILE CONTAINER SYSTEMS STANDARD MODEL



1/1 FULL SIZE



3/4 QUARTER SIZE



1/2 HALF SIZE



EXTRA LARGE SIZE



EXTRA LONG SIZE

Aygün standard model container systems are designed for perfect steam flow and penetration for loads suitable to the standards and can be used with single use paper filter or reusable PTFE Teflon filters. The standard model sterilization containers are equipped with silicone coated carrying handles which have 90° mobility and its ergonomic design provides easy and secure carrying facilities. The gaskets inside the lid and filter retainer ensure perfect tightness while locking mechanism of this system provides excellent grip with its flexible structure.

Aygün standard model sterilization container systems are manufactured as five different length, width and height and can be supplied with perforated or non-perforated boxes, perforated lids and safety lids for effective external protection. These safety lids do not interfere with sterilization and they provides protection to the perforated lid and the filter system against hard objects, liquids and dust as a second lid. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.



STERILE CONTAINER SYSTEMS





Standard Model

» *1/1 Full Size*

1/1 STANDARD MODEL

W: 285 mm

L: 600 mm




Specifications		Lid (Perforated)		Safety Lid	
		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Perforated)
H: 110 mm		K6-010	K6-040	K6-150	K6-180
		K6-011	K6-041	K6-151	K6-181
		K6-012	K6-042	K6-152	K6-182
		K6-013	K6-043	K6-153	K6-183
		K6-014	K6-044	K6-154	K6-184
H: 135 mm		K6-015	K6-045	K6-155	K6-185
		K6-016	K6-046	K6-156	K6-186
		K6-017	K6-047	K6-157	K6-187
		K6-018	K6-048	K6-158	K6-188
		K6-019	K6-049	K6-159	K6-189
H: 155 mm		K6-020	K6-050	K6-160	K6-190
		K6-021	K6-051	K6-161	K6-191
		K6-022	K6-052	K6-162	K6-192
		K6-023	K6-053	K6-163	K6-193
		K6-024	K6-054	K6-164	K6-194
H: 205 mm		K6-025	K6-055	K6-165	K6-195
		K6-026	K6-056	K6-166	K6-196
		K6-027	K6-057	K6-167	K6-197
		K6-028	K6-058	K6-168	K6-198
		K6-029	K6-059	K6-169	K6-199
H: 255 mm		K6-030	K6-060	K6-170	K6-200
		K6-031	K6-061	K6-171	K6-201
		K6-032	K6-062	K6-172	K6-202
		K6-033	K6-063	K6-173	K6-203
		K6-034	K6-064	K6-174	K6-204
H: 255 mm		K6-035	K6-065	K6-175	K6-205
		K6-036	K6-066	K6-176	K6-206
		K6-037	K6-067	K6-177	K6-207
		K6-038	K6-068	K6-178	K6-208
		K6-039	K6-069	K6-179	K6-209

Ps: All container measurements cover the outer size of the lids.


BOX (perforated)



outside dimension



outside dimension



inside dimension




code	outside dimension	inside dimension	weight
K6-100	600 x 272 h:100 mm	543 x 258 h:83 mm	2216 g
K6-101	600 x 272 h:116 mm	543 x 258 h:99 mm	2362 g
K6-102	600 x 272 h:138 mm	543 x 258 h:121 mm	2520 g
K6-103	600 x 272 h:190 mm	543 x 258 h:173 mm	2873 g
K6-104	600 x 272 h:235 mm	543 x 258 h:218 mm	3290 g


BOX (non perforated)




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-105	600 x 272 h:100 mm	543 x 258 h:94 mm	1900 g
K6-106	600 x 272 h:116 mm	543 x 258 h:110 mm	2096 g
K6-107	600 x 272 h:138 mm	543 x 258 h:132 mm	2205 g
K6-108	600 x 272 h:190 mm	543 x 258 h:184 mm	2648 g
K6-109	600 x 272 h:235 mm	543 x 258 h:229 mm	3040 g

PERFORATED LIDS



code	color	weight
K6-120		1310 g
K6-121		
K6-122		
K6-123		
K6-124		
K6-125		

Dimension: 602 x 285 mm

REMOVAL LIDS (non perforated)



code	color	weight
K6-130		1046 g
K6-131		
K6-132		
K6-133		
K6-134		
K6-135		

Dimension: 602 x 285 mm

SAFETY LIDS



code	color	weight
K6-230		988 g
K6-231		
K6-232		
K6-233		
K6-234		
K6-235		

Dimension: 606 x 288 mm

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator


245

ACCESSORIES

253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET




code	outside dimension
K2-460	540 x 245 h:30 mm
K2-461	540 x 245 h:50 mm
K2-462	540 x 245 h:70 mm
K2-463	540 x 245 h:100 mm

K2-450	480 x 245 h:30 mm
K2-451	480 x 245 h:50 mm
K2-452	480 x 245 h:70 mm
K2-453	480 x 245 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1010	540 x 245 h:35 mm
K3-1011	540 x 245 h:55 mm
K3-1012	540 x 245 h:75 mm
K3-1013	540 x 245 h:105 mm
K3-1014	ONLY LID, for baskets

K3-1020	480 x 245 h:35 mm
K3-1021	480 x 245 h:55 mm
K3-1022	480 x 245 h:75 mm
K3-1023	480 x 245 h:105 mm
K3-1024	ONLY LID, for baskets




WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-461 P	540 x 245 h:50 mm
K2-462 P	540 x 245 h:70 mm
K2-463 P	540 x 245 h:100 mm

K2-451 P	480 x 245 h:50 mm
K2-452 P	480 x 245 h:70 mm
K2-453 P	480 x 245 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1011 P	540 x 245 h:55 mm
K3-1012 P	540 x 245 h:75 mm
K3-1013 P	540 x 245 h:105 mm
K3-1014 P	ONLY LID, for baskets

K3-1021 P	480 x 245 h:55 mm
K3-1022 P	480 x 245 h:75 mm
K3-1023 P	480 x 245 h:105 mm
K3-1024 P	ONLY LID, for baskets




BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid	K3-720	546 x 259 h:44 mm
	K3-721	546 x 259 h:64 mm
	K3-722	546 x 259 h:84 mm
	K3-723	546 x 259 h:114 mm
Box	K3-740	540 x 253 h:40 mm
	K3-741	540 x 253 h:60 mm
	K3-742	540 x 253 h:80 mm
	K3-743	540 x 253 h:110 mm
Lid	K3-760	ONLY LID, for baskets



BASKET (with stand)



	code	outside dimension
Box and Lid	K3-724	491 x 259 h:44 mm
	K3-725	491 x 259 h:64 mm
	K3-726	491 x 259 h:84 mm
	K3-727	491 x 259 h:114 mm
Box	K3-744	485 x 253 h:40 mm
	K3-745	485 x 253 h:60 mm
	K3-746	485 x 253 h:80 mm
	K3-747	485 x 253 h:110 mm
Lid	K3-761	ONLY LID, for baskets

STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



Grey colored recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL 31

BIO-BARRIER MODEL 65

Polymer's PPSU Lids 99

WINDOW MODEL 121

B₃ Barrier MODEL 141

PLASMA MODEL 175

A1 MODEL 187

Dental, Mini, Special 207

BASKETS 225

Autolock Mechanism Emulating Indicator 245

ACCESSORIES 253

DIVIDERS



K2-428
540 x 250 x 130 mm
K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm
K2-426
540 x 250 x 180 mm

RACK (for endoscopy)



K3-1090
505 x 250 x 125 mm
• Holds 10 endoscopic instruments
• Fits into a 1/1 size 20 cm deep container
• Wire basket 1/1 50 mm
• Container 1/1 200 mm
• Silicone mat 520 x 230 mm

DRAPE RETAINER



K2-420
545 x 255 x 30 mm

DRAPE RETAINER



K2-400
545 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-526
520 x 230 mm
K2-528
475 x 230 mm







SILICONE MESH MAT



K2-531
485 x 250 mm
K2-533
534 x 247 mm

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

PAPER FILTER




K2-740
Single use 100 pcs with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER




K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER




K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)

K2-663
100 pcs. with indicator. made of plastic



SECURITY SEAL (blue)

K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)

K2-661
100 pcs. with number. made of plastic



SECURITY SEAL (red)

K2-662
100 pcs. with indicator. made of plastic



SECURITY SEAL (red)

K2-660
100 pcs. made of plastic



SECURITY SEAL (red)

K2-665
100 pcs. with number. made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

STERILE CONTAINER SYSTEMS





Standard Model

» 3/4 Quarter Size

3/4 STANDARD MODEL

W: 285 mm

L: 475 mm




Specifications		Lid (Perforated)	Lid (Perforated)	Safety Lid	Safety Lid
		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Perforated)
Height H: 110 mm		K6-240	K6-260	K6-350	K6-370
		K6-241	K6-261	K6-351	K6-371
		K6-242	K6-262	K6-352	K6-372
		K6-243	K6-263	K6-353	K6-373
		K6-244	K6-264	K6-354	K6-374
		K6-245	K6-265	K6-355	K6-375
Height H: 130 mm		K6-246	K6-266	K6-356	K6-376
		K6-247	K6-267	K6-357	K6-377
		K6-248	K6-268	K6-358	K6-378
		K6-249	K6-269	K6-359	K6-379
		K6-250	K6-270	K6-360	K6-380
		K6-251	K6-271	K6-361	K6-381
Height H: 155 mm		K6-252	K6-272	K6-362	K6-382
		K6-253	K6-273	K6-363	K6-383
		K6-254	K6-274	K6-364	K6-384
		K6-255	K6-275	K6-365	K6-385
		K6-256	K6-276	K6-366	K6-386
		K6-257	K6-277	K6-367	K6-387

Ps: All container measurements cover the outer size of the lids.

BOX (perforated)




outside dimension



outside dimension



inside dimension




code	outside dimension	inside dimension	weight
K6-300	475 x 272 h:100 mm	422 x 258 h:83 mm	1792 g
K6-301	475 x 272 h:116 mm	422 x 258 h:99 mm	1836 g
K6-302	475 x 272 h:138 mm	422 x 258 h:121 mm	1980 g
K6-303	475 x 272 h:185 mm	422 x 258 h:168 mm	2240 g


BOX (non perforated)




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-305	475 x 272 h:100 mm	422 x 258 h:94 mm	1609 g
K6-306	475 x 272 h:116 mm	422 x 258 h:110 mm	1714 g
K6-307	475 x 272 h:138 mm	422 x 258 h:132 mm	1842 g
K6-308	475 x 272 h:185 mm	422 x 258 h:179 mm	2117 g

PERFORATED LIDS



code	color	weight
K6-340		1014 g
K6-341		
K6-342		
K6-343		
K6-344		
K6-345		

Dimension: 477 x 285 mm

REMOVAL LIDS (non perforated)



code	color	weight
K6-320		940 g
K6-321		
K6-322		
K6-323		
K6-324		
K6-325		

Dimension: 477 x 285 mm

SAFETY LIDS



code	color	weight
K6-410		903 g
K6-411		
K6-412		
K6-413		
K6-414		
K6-415		

Dimension: 483 x 290 mm

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator

245

ACCESSORIES


253

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET



code	outside dimension
K2-1500	405 x 245 x h:30 mm
K2-1501	405 x 245 x h:50 mm
K2-1502	405 x 245 x h:70 mm
K2-1503	405 x 245 x h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1030	405 x 245 h:35 mm
K3-1031	405 x 245 h:55 mm
K3-1032	405 x 245 h:75 mm
K3-1033	405 x 245 h:105 mm
K3-1034	ONLY LID, for baskets



WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET




code	outside dimension
K2-1501 P	405 x 246 x h:50 mm
K2-1502 P	405 x 246 x h:70 mm
K2-1503 P	405 x 246 x h:100 mm



WIRE BASKET WITH LID







code	outside dimension
K3-1031 P	405 x 246 x h:55 mm
K3-1032 P	405 x 246 x h:75 mm
K3-1033 P	405 x 246 x h:105 mm
K3-1034 P	ONLY LID, for baskets




BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-728	411 x 259 h:44 mm
	K3-729	411 x 259 h:64 mm
	K3-730	411 x 259 h:84 mm
	K3-731	411 x 259 h:114 mm
Box 	K3-748	405 x 253 h:40 mm
	K3-749	405 x 253 h:60 mm
	K3-750	405 x 253 h:80 mm
	K3-751	405 x 253 h:110 mm
Lid 	K3-762	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



Grey colored recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator

245

ACCESSORIES

253

DIVIDERS



K2-1540
405 x 250 x 80 mm
K2-1541
405 x 250 x 110 mm
K2-1542
405 x 250 x 130 mm

WIRE BASE



K2-1522
405 x 255 x 30 mm

DIVIDERS



K2-1530
405 x 250 x 80 mm
K2-1531
405 x 250 x 110 mm
K2-1532
405 x 250 x 130 mm

(-)

DRAPE RETAINER



K2-1521
405 x 255 x 30 mm

DRAPE RETAINER



K2-1520
405 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-524
380 x 230 mm
K2-525
440 x 230 mm







SILICONE MESH MAT



K2-534
395 x 245 mm

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

PAPER FILTER




K2-740
Single use 100 pcs with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER



K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER



K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers

(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator. made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)
K2-661
100 pcs. with number. made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator. made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



SECURITY SEAL (red)
K2-665
100 pcs. with number. made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

STERILE CONTAINER SYSTEMS




Standard Model

» *1/2 Half Size*

1/2 STANDARD MODEL

W: 280 mm

L: 310 mm




Specifications		Lid (Perforated)		Safety Lid	
		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Perforated)
H:110 mm		K6-500	K6-530	K6-640	K6-670
		K6-501	K6-531	K6-641	K6-671
		K6-502	K6-532	K6-642	K6-672
		K6-503	K6-533	K6-643	K6-673
		K6-504	K6-534	K6-644	K6-674
		K6-505	K6-535	K6-645	K6-675
H:130 mm		K6-506	K6-536	K6-646	K6-676
		K6-507	K6-537	K6-647	K6-677
		K6-508	K6-538	K6-648	K6-678
		K6-509	K6-539	K6-649	K6-679
		K6-510	K6-540	K6-650	K6-680
		K6-511	K6-541	K6-651	K6-681
H:150 mm		K6-512	K6-542	K6-652	K6-682
		K6-513	K6-543	K6-653	K6-683
		K6-514	K6-544	K6-654	K6-684
		K6-515	K6-545	K6-655	K6-685
		K6-516	K6-546	K6-656	K6-686
		K6-517	K6-547	K6-657	K6-687
H:200 mm		K6-518	K6-548	K6-658	K6-688
		K6-519	K6-549	K6-659	K6-689
		K6-520	K6-550	K6-660	K6-690
		K6-521	K6-551	K6-661	K6-691
		K6-522	K6-552	K6-662	K6-692
		K6-523	K6-553	K6-663	K6-693
H:250 mm		K6-524	K6-554	K6-664	K6-694
		K6-525	K6-555	K6-665	K6-695
		K6-526	K6-556	K6-666	K6-696
		K6-527	K6-557	K6-667	K6-697
		K6-528	K6-558	K6-668	K6-698
		K6-529	K6-559	K6-669	K6-699

Ps: All container measurements cover the outer size of the lids.

BOX (perforated)




outside dimension



outside dimension



inside dimension




code	outside dimension	inside dimension	weight
K6-600	310 x 272 h:100 mm	253 x 258 h:83 mm	1385 g
K6-601	310 x 272 h:116 mm	253 x 258 h:99 mm	1417 g
K6-602	310 x 272 h:138 mm	253 x 258 h:121 mm	1590 g
K6-603	310 x 272 h:190 mm	253 x 258 h:173 mm	1821 g
K6-604	310 x 272 h:235 mm	253 x 258 h:218 mm	1947 g

BOX (non perforated)




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-605	310 x 272 h:100 mm	253 x 258 h:94 mm	1267 g
K6-606	310 x 272 h:116 mm	253 x 258 h:110 mm	1315 g
K6-607	310 x 272 h:138 mm	253 x 258 h:132 mm	1427 g
K6-608	310 x 272 h:190 mm	253 x 258 h:184 mm	1660 g
K6-609	310 x 272 h:235 mm	253 x 258 h:229 mm	1940 g

PERFORATED LIDS



code	color	weight
K6-630		727 g
K6-631		
K6-632		
K6-633		
K6-634		
K6-635		

Dimension: 312 x 280 mm

REMOVAL LIDS (non perforated)



code	color	weight
K6-620		629 g
K6-621		
K6-622		
K6-623		
K6-624		
K6-625		

Dimension: 312 x 280 mm

SAFETY LIDS



code	color	weight
K6-700		775 g
K6-701		
K6-702		
K6-703		
K6-704		
K6-705		

Dimension: 317 x 285 mm

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207


BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-490	246 x 246 x h:30 mm
K2-491	246 x 246 x h:50 mm
K2-492	246 x 246 x h:70 mm
K2-493	246 x 246 x h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1040	246 x 246 h:35 mm
K3-1041	246 x 246 h:55 mm
K3-1042	246 x 246 h:75 mm
K3-1043	246 x 246 h:105 mm
K3-1045	ONLY LID, for baskets


WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-491 P	246 x 246 x h:50 mm
K2-492 P	246 x 246 x h:70 mm
K2-493 P	246 x 246 x h:100 mm

WIRE BASKET WITH LID








code	outside dimension
K3-1041 P	246 x 246 x h:55 mm
K3-1042 P	246 x 246 x h:75 mm
K3-1043 P	246 x 246 x h:105 mm
K3-1045 P	ONLY LID, for baskets

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-732	250 x 259 h:44 mm
	K3-733	250 x 259 h:64 mm
	K3-734	250 x 259 h:84 mm
	K3-735	250 x 259 h:114 mm
Box 	K3-752	244 x 253 h:40 mm
	K3-753	244 x 253 h:60 mm
	K3-754	244 x 253 h:80 mm
	K3-755	244 x 253 h:110 mm
Lid 	K3-763	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



⦿ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

DIVIDERS



K2-483
255 x 245 x 130 mm
K2-484
255 x 245 x 180 mm

WIRE BASE



K2-482
255 x 255 x 30 mm

(-)

RACK (for kerrison)



K3-1094
220 x 250 x 160 mm
• Holds 10 kerrison punches
• Fits into a 1/2 and 1/1 size
• 20 cm deep container
• Wire basket 1/2 50 mm
• Wire basket 1/1 50 mm
• Container 1/2 200 mm
• Container 1/1 200 mm

DRAPE RETAINER



K3-481
255 x 255 x 30 mm

DRAPE RETAINER



K2-480
255 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-521
250 x 235 mm







SILICONE MESH MAT



K2-530
250 x 240 mm

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

PAPER FILTER




K2-740
Single use 100 pcs with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER



K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER




K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator. made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)
K2-661
100 pcs. with number. made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator. made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



SECURITY SEAL (red)
K2-665
100 pcs. with number. made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

STERILE CONTAINER SYSTEMS



Standard Model



» *Extra Large Size*

EXTRA LARGE SIZE



W: 372 mm


L: 600 mm



Specifications		Lid (Perforated)	
Height		Box (Non Perforated)	Box (Perforated)
	H: 120 mm		K6-136
		K6-137	K6-211
		K6-138	K6-212
		K6-139	K6-213
		K6-140	K6-214
		K6-141	K6-215
H: 185 mm		K6-142	K6-216
		K6-143	K6-217
		K6-144	K6-218
		K6-145	K6-219
		K6-146	K6-220
		K6-147	K6-221


Ps: All container measurements cover the outer size of the lids.

BOX (perforated)



code	outside dimension	inside dimension	weight
K6-400	600 x 365 h:105 mm	543 x 350 h:88 mm	2480 g
K6-401	600 x 365 h:167 mm	543 x 350 h:150 mm	3122 g

BOX (non perforated)



code	outside dimension	inside dimension	weight
K6-402	600 x 365 h:105 mm	543 x 350 h:99 mm	2271 g
K6-403	600 x 365 h:167 mm	543 x 350 h:161 mm	2856 g

PERFORATED LIDS

Dimension: 602 x 370 mm
Weight: 1076 g



- K6-326**
Grey
- K6-327**
Yellow
- K6-328**
Green
- K6-329**
Blue
- K6-330**
Red
- K6-331**
Black

REMOVAL LIDS (non perforated)

Dimension: 602 x 370 mm
Weight: 1405 g



- K6-332**
Grey
- K6-333**
Yellow
- K6-334**
Green
- K6-335**
Blue
- K6-336**
Red
- K6-337**
Black

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator

245

ACCESSORIES

253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-1701	533 x 337 h:50 mm
K2-1702	533 x 337 h:70 mm
K2-1703	533 x 337 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1704	533 x 337 h:55 mm
K3-1705	533 x 337 h:75 mm
K3-1706	533 x 337 h:105 mm
K3-1707	ONLY LID, for baskets



IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black


Coloured identification labels
Engraved to your specification








➤ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-701	539 x 346 h:44 mm
	K3-702	539 x 346 h:64 mm
	K3-703	539 x 346 h:84 mm
	K3-704	539 x 346 h:114 mm
Box 	K3-705	533 x 340 h:40 mm
	K3-706	533 x 340 h:60 mm
	K3-707	533 x 340 h:80 mm
	K3-708	533 x 340 h:110 mm
Lid 	K3-709	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225


Autolock Mechanism Emulating Indicator

245

ACCESSORIES


253

DIVIDERS



(-)

DIVIDERS




DRAPE RETAINER



DRAPE RETAINER



SILICONE MESH MAT



SILICONE HANDLE



ALUMINIUM BASKET (with lid)




ALUMINIUM BASKET (with lid)




ALUMINIUM BASKET (with lid)



PAPER FILTER




TEFLON FILTER




FILTER DISPENSER




IDENTIFICATION LABELS (aluminium)



LABELS (paper)



LABELS (paper)



(-)

AUTO LOCK MECHANISM



EMULATING INDICATOR CARD (class 6)



SECURITY SEAL (blue)



SECURITY SEAL (blue)



SECURITY SEAL (blue)



SECURITY SEAL (red)




SECURITY SEAL (red)



SECURITY SEAL (red)



DISPOSAL STAMP



LABEL HOLDER



(-)

STERILE CONTAINER SYSTEMS



Standard Model



» *Extra Long Size*

EXTRA LONG SIZE



W: 285 mm




L: 725 mm



Specifications		Lid (Perforated)	Lid (Perforated)
		Box (Non Perforated)	Box (Perforated)
Height H: 140 mm		K6-2010	K6-2040
		K6-2011	K6-2041
		K6-2012	K6-2042
		K6-2013	K6-2043
		K6-2014	K6-2044
		K6-2015	K6-2045
Height H: 205 mm		K6-2016	K6-2046
		K6-2017	K6-2047
		K6-2018	K6-2048
		K6-2019	K6-2049
		K6-2020	K6-2050
		K6-2021	K6-2051




Ps: All container measurements cover the outer size of the lids.

BOX (perforated)



code	outside dimension	inside dimension	weight
K6-2000	725 x 272 h:127 mm	687 x 258 h:110 mm	2646 g
K6-2001	725 x 272 h:192 mm	687 x 258 h:175 mm	3136 g

BOX (non perforated)



code	outside dimension	inside dimension	weight
K6-2005	725 x 272 h:127 mm	687 x 258 h:121 mm	2446 g
K6-2006	725 x 272 h:192 mm	687 x 258 h:186 mm	2974 g

PERFORATED LIDS



Dimension: 726 x 285 mm
Weight: 1348 g

- K6-2120**
Grey
- K6-2121**
Yellow
- K6-2122**
Green
- K6-2123**
Blue
- K6-2124**
Red
- K6-2125**
Black

REMOVAL LIDS (non perforated)



Dimension: 726 x 285 mm
Weight: 1287 g

- K6-2130**
Grey
- K6-2131**
Yellow
- K6-2132**
Green
- K6-2133**
Blue
- K6-2134**
Red
- K6-2135**
Black

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator

245

ACCESSORIES

253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET




code	outside dimension
K2-1801	665 x 250 h:50 mm
K2-1802	665 x 250 h:70 mm
K2-1803	665 x 250 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1804	665 x 250 h:55 mm
K3-1805	665 x 250 h:75 mm
K3-1806	665 x 250 h:105 mm
K3-1807	ONLY LID, for baskets



IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification








➤ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-715	671 x 259 h:44 mm
	K3-716	671 x 259 h:64 mm
	K3-717	671 x 259 h:84 mm
	K3-718	671 x 259 h:114 mm
Box 	K3-711	665 x 253 h:40 mm
	K3-712	665 x 253 h:60 mm
	K3-713	665 x 253 h:80 mm
	K3-714	665 x 253 h:110 mm
Lid 	K3-710	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND




code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

RACK (for endoscopy)



K3-1093
550 x 250 x 130 mm

- Holds 10 endoscopic instruments
- Fits into a Extra Long size 18 cm deep container
- Wire basket Extra Long 50 mm
- Container Extra Long 180 mm
- Silicone mat 340x230 (2pcs)

RACK (for kerrison)



K3-1094
220 x 250 x 160 mm

- Holds 10 kerrison punches
- Fits into a 1/2, 1/1 20 cm and Extra Long size 18 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm
- Wire basket Extra long 50 mm
- Container Extra long 180 mm

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator

245

ACCESSORIES

253

DIVIDERS



K2-428
540 x 250 x 130 mm
K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm
K2-426
540 x 250 x 180 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-522
340 x 230 mm
(2 pcs)







SILICONE MESH MAT



K2-536
658 x 247 mm

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

PAPER FILTER



K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER




K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS (paper)



K2-672
100 pcs. With indicator.

For full and
Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

K2-660
100 pcs. made of plastic



SECURITY SEAL (red)

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)



STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymers PPSU Lids	99
WINDOW MODEL	121
B ₃ Barrier MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253

Assembly and disassembly method of safety lid for safe model containers.



STERILE CONTAINER SYSTEMS BIO-BARRIER MODEL



1/1 FULL SIZE



3/4 QUARTER SIZE



1/2 HALF SIZE



EXTRA LARGE SIZE



EXTRA LONG SIZE

Aygün Bio-Barrier model sterilization container systems are designed with mechanical valves both in bottom and lid which run in a way that they do not need any disposable filter use and can be used minimum 5000 cycles. The mechanical valve systems set on the lid or box run with atmospheric pressure occurring in the autoclave during sterilization. When the sterilization process starts, because of the occurring (plus) pressure, the valves open and let the steam penetration into the sterilization container. When the vacuum process starts at the end of the sterilization, because of the occurring (minus) pressure, the steam outlet valve opens and the steam exhausts from the box. When the sterilization process is completed, as there is no pressure (plus or minus) in autoclave, both valves are in closed position. By this way, it gains qualification to keep the products in it as sterilized. The valves are ensured to be closed %100 due to the special silicone gaskets on mechanical valve systems. Moreover, the mechanical valve system these sterilization containers is demountable by the user in order to control it when desired.

Aygün Bio-Barrier model sterilization container systems are manufactured as five different length, width and height and can be supplied with safety lids for effective external protection. These safety lids do not interfere with sterilization and they provides protection to the valve mechanism against liquids and dust as a second lid. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.



STERILE CONTAINER SYSTEMS




Bio-Barrier Model


































































































































» *1/1 Full Size*

1/1 BIO-BARRIER MODEL

W: 285 mm


L: 600 mm



Specifications ➔	Lid (with barrier)	Lid (with barrier)	Safety Lid Lid (with barrier)	Safety Lid Lid (with barrier)
				
	Box (Non Perforated)	Box (with barrier)	Box (Non Perforated)	Box (with barrier)
	K7-010 	K7-040 	K7-150 	K7-180 
	K7-011 	K7-041 	K7-151 	K7-181 
	K7-012 	K7-042 	K7-152 	K7-182 
	K7-013 	K7-043 	K7-153 	K7-183 
	K7-014 	K7-044 	K7-154 	K7-184 
	K7-015 	K7-045 	K7-155 	K7-185 
h:120 mm	h:130 mm	h:130 mm	h:140 mm	
	K7-016 	K7-046 	K7-156 	K7-186 
	K7-017 	K7-047 	K7-157 	K7-187 
	K7-018 	K7-048 	K7-158 	K7-188 
	K7-019 	K7-049 	K7-159 	K7-189 
	K7-020 	K7-050 	K7-160 	K7-190 
	K7-021 	K7-051 	K7-161 	K7-191 
h:145 mm	h:155 mm	h:150 mm	h:160 mm	
	K7-022 	K7-052 	K7-162 	K7-192 
	K7-023 	K7-053 	K7-163 	K7-193 
	K7-024 	K7-054 	K7-164 	K7-194 
	K7-025 	K7-055 	K7-165 	K7-195 
	K7-026 	K7-056 	K7-166 	K7-196 
	K7-027 	K7-057 	K7-167 	K7-197 
h:165 mm	h:175 mm	h:170 mm	h:180 mm	
	K7-028 	K7-058 	K7-168 	K7-198 
	K7-029 	K7-059 	K7-169 	K7-199 
	K7-030 	K7-060 	K7-170 	K7-200 
	K7-031 	K7-061 	K7-171 	K7-201 
	K7-032 	K7-062 	K7-172 	K7-202 
	K7-033 	K7-063 	K7-173 	K7-203 
h:215 mm	h:225 mm	h:220 mm	h:230 mm	
	K7-034 	K7-064 	K7-174 	K7-204 
	K7-035 	K7-065 	K7-175 	K7-205 
	K7-036 	K7-066 	K7-176 	K7-206 
	K7-037 	K7-067 	K7-177 	K7-207 
	K7-038 	K7-068 	K7-178 	K7-208 
	K7-039 	K7-069 	K7-179 	K7-209 
h:265 mm	h:275 mm	h:270 mm	h:280 mm	


➔ Ps: All container measurements cover the outer size of the lids.

BOX (with barrier)



code	outside dimension	inside dimension	weight
K7-100	600 x 272 h:100 mm	543 x 258 h:60 mm	2638 g
K7-101	600 x 272 h:116 mm	543 x 258 h:76 mm	2834 g
K7-102	600 x 272 h:138 mm	543 x 258 h:98 mm	2943 g
K7-103	600 x 272 h:190 mm	543 x 258 h:150 mm	3386 g
K7-104	600 x 272 h:235 mm	543 x 258 h:195 mm	3778 g

BOX (non perforated)



code	outside dimension	inside dimension	weight
K6-105	600 x 272 h:100 mm	543 x 258 h:94 mm	1900 g
K6-106	600 x 272 h:116 mm	543 x 258 h:110 mm	2096 g
K6-107	600 x 272 h:138 mm	543 x 258 h:132 mm	2205 g
K6-108	600 x 272 h:190 mm	543 x 258 h:184 mm	2648 g
K6-109	600 x 272 h:235 mm	543 x 258 h:229 mm	3040 g

LID-BARRIER SYSTEM



code	color	weight
K7-120		1830 g
K7-121		
K7-122		
K7-123		
K7-124		
K7-125		

Dimension: 602 x 285 mm

SAFETY LIDS



code	color	weight
K7-400		1164 g
K7-401		
K7-402		
K7-403		
K7-404		
K7-405		

Dimension: 606 x 288 mm

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator


245

ACCESSORIES

253

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET



code	outside dimension
K2-460	540 x 245 h:30 mm
K2-461	540 x 245 h:50 mm
K2-462	540 x 245 h:70 mm
K2-463	540 x 245 h:100 mm
K2-450	480 x 245 h:30 mm
K2-451	480 x 245 h:50 mm
K2-452	480 x 245 h:70 mm
K2-453	480 x 245 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1010	540 x 245 h:35 mm
K3-1011	540 x 245 h:55 mm
K3-1012	540 x 245 h:75 mm
K3-1013	540 x 245 h:105 mm
K3-1014	ONLY LID, for baskets
K3-1020	480 x 245 h:35 mm
K3-1021	480 x 245 h:55 mm
K3-1022	480 x 245 h:75 mm
K3-1023	480 x 245 h:105 mm
K3-1024	ONLY LID, for baskets




WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-461 P	540 x 245 h:50 mm
K2-462 P	540 x 245 h:70 mm
K2-463 P	540 x 245 h:100 mm
K2-451 P	480 x 245 h:50 mm
K2-452 P	480 x 245 h:70 mm
K2-453 P	480 x 245 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1011 P	540 x 245 h:55 mm
K3-1012 P	540 x 245 h:75 mm
K3-1013 P	540 x 245 h:105 mm
K3-1014 P	ONLY LID, for baskets
K3-1021 P	480 x 245 h:55 mm
K3-1022 P	480 x 245 h:75 mm
K3-1023 P	480 x 245 h:105 mm
K3-1024 P	ONLY LID, for baskets




BASKET MADE FROM STAINLESS STEEL SHEET


BASKET (with stand)



	code	outside dimension
Box and Lid	K3-720	546 x 259 h:44 mm
	K3-721	546 x 259 h:64 mm
	K3-722	546 x 259 h:84 mm
	K3-723	546 x 259 h:114 mm
Box	K3-740	540 x 253 h:40 mm
	K3-741	540 x 253 h:60 mm
	K3-742	540 x 253 h:80 mm
	K3-743	540 x 253 h:110 mm
Lid	K3-760	ONLY LID, for baskets



BASKET (with stand)



	code	outside dimension
Box and Lid	K3-724	491 x 259 h:44 mm
	K3-725	491 x 259 h:64 mm
	K3-726	491 x 259 h:84 mm
	K3-727	491 x 259 h:114 mm
Box	K3-744	485 x 253 h:40 mm
	K3-745	485 x 253 h:60 mm
	K3-746	485 x 253 h:80 mm
	K3-747	485 x 253 h:110 mm
Lid	K3-761	ONLY LID, for baskets

STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



⦿ Grey colored recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

DIVIDERS




K2-428
540 x 250 x 130 mm
K2-429
540 x 250 x 180 mm

WIRE BASE




K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm
K2-426
540 x 250 x 180 mm

RACK (for endoscopy)



K3-1090
505 x 250 x 125 mm
• Holds 10 endoscopic instruments
• Fits into a 1/1 size 20 cm deep container
• Wire basket 1/1 50 mm
• Container 1/1 200 mm
• Silicone mat 520 x 230 mm

DRAPE RETAINER



K2-420
545 x 255 x 30 mm

DRAPE RETAINER



K2-400
545 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-526
520 x 230 mm
K2-528
475 x 230 mm







SILICONE MESH MAT



K2-531
485 x 250 mm
K2-533
534 x 247 mm







SILICONE HANDLE




K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

K2-660
100 pcs. made of plastic



SECURITY SEAL (red)

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

STERILE CONTAINER SYSTEMS





Bio-Barrier Model
















































































» 3/4 Quarter Size

3/4 BIO-BARRIER MODEL

W: 285 mm

L: 475 mm




Specifications ➤	Lid (with barrier)	Lid (with barrier)	Safety Lid Lid (with barrier)	Safety Lid Lid (with barrier)
				
	Box (Non Perforated)	Box (with barrier)	Box (Non Perforated)	Box (with barrier)
	K7-240 	K7-260 	K7-350 	K7-370 
	K7-241 	K7-261 	K7-351 	K7-371 
	K7-242 	K7-262 	K7-352 	K7-372 
	K7-243 	K7-263 	K7-353 	K7-373 
	K7-244 	K7-264 	K7-354 	K7-374 
	K7-245 	K7-265 	K7-355 	K7-375 
	K7-246 	K7-266 	K7-356 	K7-376 
	K7-247 	K7-267 	K7-357 	K7-377 
	K7-248 	K7-268 	K7-358 	K7-378 
	K7-249 	K7-269 	K7-359 	K7-379 
	K7-250 	K7-270 	K7-360 	K7-380 
	K7-251 	K7-271 	K7-361 	K7-381 
	K7-252 	K7-272 	K7-362 	K7-382 
	K7-253 	K7-273 	K7-363 	K7-383 
	K7-254 	K7-274 	K7-364 	K7-384 
	K7-255 	K7-275 	K7-365 	K7-385 
	K7-256 	K7-276 	K7-366 	K7-386 
	K7-257 	K7-277 	K7-367 	K7-387 

➤ Ps: All container measurements cover the outer size of the lids.


BOX (with barrier)




outside dimension



outside dimension



inside dimension




code	outside dimension	inside dimension	weight
K7-300	475 x 272 h:100 mm	422 x 258 h:60 mm	2024 g
K7-301	475 x 272 h:116 mm	422 x 258 h:76 mm	2129 g
K7-302	475 x 272 h:138 mm	422 x 258 h:98 mm	2257 g
K7-303	475 x 272 h:185 mm	422 x 258 h:145 mm	2532 g


BOX (non perforated)




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-305	475 x 272 h:100 mm	422 x 258 h:94 mm	1609 g
K6-306	475 x 272 h:116 mm	422 x 258 h:110 mm	1714 g
K6-307	475 x 272 h:138 mm	422 x 258 h:132 mm	1842 g
K6-308	475 x 272 h:185 mm	422 x 258 h:179 mm	2117 g

LID-BARRIER SYSTEM

Dimension: 477 x 285 mm



code	color	weight
K7-340		1212 g
K7-341		
K7-342		
K7-343		
K7-344		
K7-345		

SAFETY LIDS

Dimension: 483 x 290 mm



code	color	weight
K7-406		998 g
K7-407		
K7-408		
K7-409		
K7-410		
K7-411		

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator


245

ACCESSORIES


253

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET



code	outside dimension
K2-1500	405 x 245 x h:30 mm
K2-1501	405 x 245 x h:50 mm
K2-1502	405 x 245 x h:70 mm
K2-1503	405 x 245 x h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1030	405 x 245 h:35 mm
K3-1031	405 x 245 h:55 mm
K3-1032	405 x 245 h:75 mm
K3-1033	405 x 245 h:105 mm
K3-1034	ONLY LID, for baskets




WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-1501 P	405 x 246 x h:50 mm
K2-1502 P	405 x 246 x h:70 mm
K2-1503 P	405 x 246 x h:100 mm



WIRE BASKET WITH LID






code	outside dimension
K3-1031 P	405 x 246 x h:55 mm
K3-1032 P	405 x 246 x h:75 mm
K3-1033 P	405 x 246 x h:105 mm
K3-1034 P	ONLY LID, for baskets





BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-728	411 x 259 h:44 mm
	K3-729	411 x 259 h:64 mm
	K3-730	411 x 259 h:84 mm
	K3-731	411 x 259 h:114 mm
Box 	K3-748	405 x 253 h:40 mm
	K3-749	405 x 253 h:60 mm
	K3-750	405 x 253 h:80 mm
	K3-751	405 x 253 h:110 mm
Lid 	K3-762	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



⦿ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymer's PPSU Lids	99
WINDOW MODEL	121
B ₃ Barrier MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253

DIVIDERS




K2-1540
405 x 250 x 80 mm
K2-1541
405 x 250 x 110 mm
K2-1542
405 x 250 x 130 mm

WIRE BASE



K2-1522
405 x 255 x 30 mm

DIVIDERS



K2-1530
405 x 250 x 80 mm
K2-1531
405 x 250 x 110 mm
K2-1532
405 x 250 x 130 mm

(-)

DRAPE RETAINER



K2-1521
405 x 255 x 30 mm

DRAPE RETAINER



K2-1520
405 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-524
380 x 230 mm
K2-525
440 x 230 mm

SILICONE MESH MAT



K2-534
395 x 245 mm

SILICONE HANDLE




K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

IDENTIFICATION LABELS (aluminium)



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

K2-660
100 pcs. made of plastic



SECURITY SEAL (red)

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

STERILE CONTAINER SYSTEMS





Bio-Barrier Model

» 1/2 Half Size

1/2 BIO-BARRIER MODEL

W: 280 mm

L: 310 mm




Specifications ➤	Lid (with barrier)	Lid (with barrier)	Safety Lid Lid (with barrier)	Safety Lid Lid (with barrier)
	Box (Non Perforated)	Box (with barrier)	Box (Non Perforated)	Box (with barrier)
	K7-500	K7-530	K7-640	K7-670
	K7-501	K7-531	K7-641	K7-671
	K7-502	K7-532	K7-642	K7-672
	K7-503	K7-533	K7-643	K7-673
	K7-504	K7-534	K7-644	K7-674
	K7-505	K7-535	K7-645	K7-675
	K7-506	K7-536	K7-646	K7-676
	K7-507	K7-537	K7-647	K7-677
	K7-508	K7-538	K7-648	K7-678
	K7-509	K7-539	K7-649	K7-679
	K7-510	K7-540	K7-650	K7-680
	K7-511	K7-541	K7-651	K7-681
	K7-512	K7-542	K7-652	K7-682
	K7-513	K7-543	K7-653	K7-683
	K7-514	K7-544	K7-654	K7-684
	K7-515	K7-545	K7-655	K7-685
	K7-516	K7-546	K7-656	K7-686
	K7-517	K7-547	K7-657	K7-687
	K7-518	K7-548	K7-658	K7-688
	K7-519	K7-549	K7-659	K7-689
	K7-520	K7-550	K7-660	K7-690
	K7-521	K7-551	K7-661	K7-691
	K7-522	K7-552	K7-662	K7-692
	K7-523	K7-553	K7-663	K7-693
	K7-524	K7-554	K7-664	K7-694
	K7-525	K7-555	K7-665	K7-695
	K7-526	K7-556	K7-666	K7-696
	K7-527	K7-557	K7-667	K7-697
	K7-528	K7-558	K7-668	K7-698
	K7-529	K7-559	K7-669	K7-699

➤ Ps: All container measurements cover the outer size of the lids.


BOX (with barrier)




outside dimension



outside dimension



inside dimension




code	outside dimension	inside dimension	weight
K7-600	310 x 272 h:100 mm	253 x 258 h:60 mm	1682 g
K7-601	310 x 272 h:116 mm	253 x 258 h:76 mm	1730 g
K7-602	310 x 272 h:138 mm	253 x 258 h:98 mm	1842 g
K7-603	310 x 272 h:190 mm	253 x 258 h:150 mm	2075 g
K7-604	310 x 272 h:235 mm	253 x 258 h:195 mm	2355 g

BOX (non perforated)




outside dimension



outside dimension




inside dimension



code	outside dimension	inside dimension	weight
K6-605	310 x 272 h:100 mm	253 x 258 h:94 mm	1267 g
K6-606	310 x 272 h:116 mm	253 x 258 h:110 mm	1315 g
K6-607	310 x 272 h:138 mm	253 x 258 h:132 mm	1427 g
K6-608	310 x 272 h:190 mm	253 x 258 h:184 mm	1660 g
K6-609	310 x 272 h:235 mm	253 x 258 h:229 mm	1940 g

LID-BARRIER SYSTEM

Dimension: 312 x 280 mm



code	color	weight
K7-630		960 g
K7-631		
K7-632		
K7-633		
K7-634		
K7-635		

SAFETY LIDS

Dimension: 317 x 286 mm



code	color	weight
K7-412		675 g
K7-413		
K7-414		
K7-415		
K7-416		
K7-417		

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator

245

ACCESSORIES

253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-490	246 x 246 x h:30 mm
K2-491	246 x 246 x h:50 mm
K2-492	246 x 246 x h:70 mm
K2-493	246 x 246 x h:100 mm


WIRE BASKET WITH LID



code	outside dimension
K3-1040	246 x 246 h:35 mm
K3-1041	246 x 246 h:55 mm
K3-1042	246 x 246 h:75 mm
K3-1043	246 x 246 h:105 mm
K3-1045	ONLY LID, for baskets


WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-491 P	246 x 246 x h:50 mm
K2-492 P	246 x 246 x h:70 mm
K2-493 P	246 x 246 x h:100 mm

WIRE BASKET WITH LID








code	outside dimension
K3-1041 P	246 x 246 x h:55 mm
K3-1042 P	246 x 246 x h:75 mm
K3-1043 P	246 x 246 x h:105 mm
K3-1045 P	ONLY LID, for baskets

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-732	250 x 259 h:44 mm
	K3-733	250 x 259 h:64 mm
	K3-734	250 x 259 h:84 mm
	K3-735	250 x 259 h:114 mm
Box 	K3-752	244 x 253 h:40 mm
	K3-753	244 x 253 h:60 mm
	K3-754	244 x 253 h:80 mm
	K3-755	244 x 253 h:110 mm
Lid 	K3-763	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



⦿ Grey colored recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymer's PPSU Lids	99
WINDOW MODEL	121
B ₃ Barrier MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253

DIVIDERS



K2-483
255 x 245 x 130 mm
K2-484
255 x 245 x 180 mm

WIRE BASE



K2-482
255 x 255 x 30 mm

(-)

RACK (for kerrison)



K3-1094
220 x 250 x 160 mm
• Holds 10 kerrison punches
• Fits into a 1/2 and 1/1 size
• 20 cm deep container
• Wire basket 1/2 50 mm
• Wire basket 1/1 50 mm
• Container 1/2 200 mm
• Container 1/1 200 mm

DRAPE RETAINER



K3-481
255 x 255 x 30 mm

DRAPE RETAINER



K2-480
255 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-521
250 x 235 mm







SILICONE MESH MAT




K2-530
250 x 240 mm







SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)
K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



SECURITY SEAL (red)
K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

STERILE CONTAINER SYSTEMS



Bio-Barrier Model



» *Extra Large Size*

EXTRA LARGE SIZE



W: 372 mm


L: 600 mm



Specifications	Lid (with barrier)	Lid (with barrier)
	Box (Non Perforated)	Box (with barrier)
	K7-136	K7-210
	K7-137	K7-211
	K7-138	K7-212
	K7-139	K7-213
	K7-140	K7-214
	K7-141	K7-215
	h:130 mm	h:140 mm
	K7-142	K7-216
	K7-143	K7-217
	K7-144	K7-218
	K7-145	K7-219
	K7-146	K7-220
	K7-147	K7-221
	h:195 mm	h:205 mm


Ps: All container measurements cover the outer size of the lids.

BOX (with barrier)



code	outside dimension	inside dimension	weight
K7-700	600 x 365 h:105 mm	543 x 350 h:65 mm	3009 g
K7-701	600 x 365 h:167 mm	543 x 350 h:127 mm	3594 g

BOX (non perforated)



code	outside dimension	inside dimension	weight
K6-402	600 x 365 h:105 mm	543 x 350 h:99 mm	2271 g
K6-403	600 x 365 h:167 mm	543 x 350 h:161 mm	2856 g

LID BARRIER SYSTEM



Dimension: 602 x 372 mm

code	color	weight
K7-326		2055 g
K7-327		
K7-328		
K7-329		
K7-330		
K7-331		

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-1701	533 x 337 h:50 mm
K2-1702	533 x 337 h:70 mm
K2-1703	533 x 337 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1704	533 x 337 h:55 mm
K3-1705	533 x 337 h:75 mm
K3-1706	533 x 337 h:105 mm
K3-1707	ONLY LID, for baskets



IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black


Coloured identification labels
Engraved to your specification








➤ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-701	539 x 346 h:44 mm
	K3-702	539 x 346 h:64 mm
	K3-703	539 x 346 h:84 mm
	K3-704	539 x 346 h:114 mm
Box 	K3-705	533 x 340 h:40 mm
	K3-706	533 x 340 h:60 mm
	K3-707	533 x 340 h:80 mm
	K3-708	533 x 340 h:110 mm
Lid 	K3-709	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator

245

ACCESSORIES

253

DIVIDERS



K2-1731
533 x 337 x 70 mm
K2-1732
533 x 337 x 120 mm

(-)

DIVIDERS



K2-1721
533 x 337 x 70 mm
K2-1722
533 x 337 x 120 mm

DRAPE RETAINER



K2-1712
533 x 337 x 30 mm


(-)

DRAPE RETAINER



K2-1711
533 x 337 mm

SILICONE MESH MAT









K2-535
527 x 335 mm

(-)

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)




K3-1120
245 x 130 x 70 mm







ALUMINIUM BASKET (with lid)



K3-1121
245 x 130 x 105 mm

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers

(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)
K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



SECURITY SEAL (red)
K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

STERILE CONTAINER SYSTEMS



Bio-Barrier Model



» *Extra Long Size*

EXTRA LONG SIZE



W: 285 mm


L: 725 mm



Specifications	Lid (with barrier)	Lid (with barrier)
	Box (Non Perforated)	Box (with barrier)
	K7-2010	K7-2040
	K7-2011	K7-2041
	K7-2012	K7-2042
	K7-2013	K7-2043
	K7-2014	K7-2044
	K7-2015	K7-2045
	h:150 mm	h:160 mm
	K7-2016	K7-2046
	K7-2017	K7-2047
	K7-2018	K7-2048
	K7-2019	K7-2049
	K7-2020	K7-2050
	K7-2021	K7-2051
	h:215 mm	h:225 mm


Ps: All container measurements cover the outer size of the lids.

BOX (perforated)



code	outside dimension	inside dimension	weight
K7-2000	725 x 272 h:127 mm	687 x 258 h:87 mm	3184 g
K7-2001	725 x 272 h:192 mm	687 x 258 h:152 mm	3712 g

BOX (non perforated)



code	outside dimension	inside dimension	weight
K6-2005	725 x 272 h:127 mm	687 x 258 h:121 mm	2446 g
K6-2006	725 x 272 h:192 mm	687 x 258 h:186 mm	2974 g

PERFORATED LIDS



Dimension: 726 x 285 mm

code	color	weight
K7-2120		1937 g
K7-2121		
K7-2122		
K7-2123		
K7-2124		
K7-2125		

STANDARD MODEL

31

BIO-BARRIER MODEL

65

Polymer's PPSU Lids

99

WINDOW MODEL

121

B₃ Barrier MODEL

141

PLASMA MODEL

175

A1 MODEL

187

Dental, Mini, Special

207

BASKETS

225

Autolock Mechanism Emulating Indicator

245

ACCESSORIES


253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET




code	outside dimension
K2-1801	665 x 250 h:50 mm
K2-1802	665 x 250 h:70 mm
K2-1803	665 x 250 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1804	665 x 250 h:55 mm
K3-1805	665 x 250 h:75 mm
K3-1806	665 x 250 h:105 mm
K3-1807	ONLY LID, for baskets



IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification








➤ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-715	671 x 259 h:44 mm
	K3-716	671 x 259 h:64 mm
	K3-717	671 x 259 h:84 mm
	K3-718	671 x 259 h:114 mm
Box 	K3-711	665 x 253 h:40 mm
	K3-712	665 x 253 h:60 mm
	K3-713	665 x 253 h:80 mm
	K3-714	665 x 253 h:110 mm
Lid 	K3-710	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND




code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

RACK (for endoscopy)



K3-1093
550 x 250 x 130 mm

- Holds 10 endoscopic instruments
- Fits into a Extra Long size 18 cm deep container
- Wire basket Extra Long 50 mm
- Container Extra Long 180 mm
- Silicone mat 340x230 (2pcs)

RACK (for kerrison)



K3-1094
220 x 250 x 160 mm

- Holds 10 kerrison punches
- Fits into a 1/2, 1/1 20 cm and Extra Long size 18 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm
- Wire basket Extra long 50 mm
- Container Extra long 180 mm

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

DIVIDERS



K2-428
540 x 250 x 130 mm
K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm
K2-426
540 x 250 x 180 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-522
340 x 230 mm
(2 pcs)







SILICONE MESH MAT



K2-536
658 x 247 mm







SILICONE HANDLE




K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

K2-660
100 pcs. made of plastic



SECURITY SEAL (red)

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)




STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymers PPSU Lids	99
WINDOW MODEL	121
B ₃ Barrier MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253




The Barrier Model is a mechanical filtering systems. The valves of Barrier Model Systems have three different positions during sterilization cycles such as relax position, before sterilization and after sterilization position. It can be used at least 5000 sterilization cycle.


1 Before sterilization cycle the valves of the Barrier Model Container are closed and in relax position.




2 At the beginning of the sterilization cycle, by the effect of vacuum the valves are opened completely and dry air goes out of the container.




3 During the sterilization cycle the valves are opened with effect of pressure in the reverse way totally opposite of the way moved by the effect of vacuum.



4 At the end of the sterilization cycle the autoclave (sterilizer) equates the pressure level and the valves opened the way by effect of vacuum.



5 After sterilization cycle the valves of the Barrier Model Container are closed and in relax position.



STERILE CONTAINER SYSTEMS PPSU MODEL



1/1 FULL SIZE



3/4 QUARTER SIZE



1/2 HALF SIZE

Aygün PPSU model sterilization container systems are structured with aluminum boxes and High Performance Polymer Lids. PPSU model sterilization container systems are resistant against high temperature (up to 190°C), impacts, scratches, deformation, discoloration and chemicals. The PPSU model lids are lighter compared to aluminum lids. As an addition to basic six different colors, these sterilization container systems are also available with transparent lid option that provides the users see inside the container without opening the lid.

Aygün PPSU model sterilization container systems can be used with single use paper filter or reusable PTFE Teflon filters. It can also be manufactured with Bio-Barrier or Bio-Stop model.

Aygün PPSU model sterilization container systems are manufactured as five different length, width and height. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.



STERILE CONTAINER SYSTEMS





High Performance Polymers PPSU Lids

» *1/1 Full Size*

1/1 POLYMER PPSU LID MODEL

W: 285 mm

L: 600 mm




Specifications	Lid (Perforated)	Lid (Perforated)	Lid (with barrier)	Lid (with barrier)
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (with barrier)
	KP6-010	KP6-040	KP7-010	KP7-040
	KP6-011	KP6-041	KP7-011	KP7-041
	KP6-012	KP6-042	KP7-012	KP7-042
	KP6-013	KP6-043	KP7-013	KP7-043
	KP6-014	KP6-044	KP7-014	KP7-044
	KP6-015	KP6-045	KP7-015	KP7-045
	KT6-010	KT6-040	KT7-010	KT7-040
	KP6-016	KP6-046	KP7-016	KP7-046
	KP6-017	KP6-047	KP7-017	KP7-047
	KP6-018	KP6-048	KP7-018	KP7-048
	KP6-019	KP6-049	KP7-019	KP7-049
	KP6-020	KP6-050	KP7-020	KP7-050
	KP6-021	KP6-051	KP7-021	KP7-051
	KT6-016	KT6-046	KT7-016	KT7-046
	KP6-022	KP6-052	KP7-022	KP7-052
	KP6-023	KP6-053	KP7-023	KP7-053
	KP6-024	KP6-054	KP7-024	KP7-054
	KP6-025	KP6-055	KP7-025	KP7-055
	KP6-026	KP6-056	KP7-026	KP7-056
	KP6-027	KP6-057	KP7-027	KP7-057
	KT6-022	KT6-052	KT7-022	KT7-052
	KP6-028	KP6-058	KP7-028	KP7-058
	KP6-029	KP6-059	KP7-029	KP7-059
	KP6-030	KP6-060	KP7-030	KP7-060
	KP6-031	KP6-061	KP7-031	KP7-061
	KP6-032	KP6-062	KP7-032	KP7-062
	KP6-033	KP6-063	KP7-033	KP7-063
	KT6-028	KT6-058	KT7-028	KT7-058
	KP6-034	KP6-064	KP7-034	KP7-064
	KP6-035	KP6-065	KP7-035	KP7-065
	KP6-036	KP6-066	KP7-036	KP7-066
	KP6-037	KP6-067	KP7-037	KP7-067
	KP6-038	KP6-068	KP7-038	KP7-068
	KP6-039	KP6-069	KP7-039	KP7-069
	KT6-034	KT6-064	KT7-034	KT7-064

Ps: All container measurements cover the outer size of the lids.

BOX (perforated)




outside dimension



outside dimension



inside dimension




code	outside dimension	inside dimension	weight
K6-100	600 x 272 h:100 mm	543 x 258 h:83 mm	2216 g
K6-101	600 x 272 h:116 mm	543 x 258 h:99 mm	2362 g
K6-102	600 x 272 h:138 mm	543 x 258 h:121 mm	2520 g
K6-103	600 x 272 h:190 mm	543 x 258 h:173 mm	2873 g
K6-104	600 x 272 h:235 mm	543 x 258 h:218 mm	3290 g


BOX (non perforated)




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-105	600 x 272 h:100 mm	543 x 258 h:94 mm	1900 g
K6-106	600 x 272 h:116 mm	543 x 258 h:110 mm	2096 g
K6-107	600 x 272 h:138 mm	543 x 258 h:132 mm	2205 g
K6-108	600 x 272 h:190 mm	543 x 258 h:184 mm	2648 g
K6-109	600 x 272 h:235 mm	543 x 258 h:229 mm	3040 g

PERFORATED LIDS

Dimension: 602 x 285 mm
Weight: 1333 g



BIO-BARRIER LIDS

Dimension: 602 x 285 mm
Weight: 1868 g



STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207


BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253


BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-460	540 x 245 h:30 mm
K2-461	540 x 245 h:50 mm
K2-462	540 x 245 h:70 mm
K2-463	540 x 245 h:100 mm
K2-450	480 x 245 h:30 mm
K2-451	480 x 245 h:50 mm
K2-452	480 x 245 h:70 mm
K2-453	480 x 245 h:100 mm


WIRE BASKET WITH LID



code	outside dimension
K3-1010	540 x 245 h:35 mm
K3-1011	540 x 245 h:55 mm
K3-1012	540 x 245 h:75 mm
K3-1013	540 x 245 h:105 mm
K3-1014	ONLY LID, for baskets
K3-1020	480 x 245 h:35 mm
K3-1021	480 x 245 h:55 mm
K3-1022	480 x 245 h:75 mm
K3-1023	480 x 245 h:105 mm
K3-1024	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-461 P	540 x 245 h:50 mm
K2-462 P	540 x 245 h:70 mm
K2-463 P	540 x 245 h:100 mm
K2-451 P	480 x 245 h:50 mm
K2-452 P	480 x 245 h:70 mm
K2-453 P	480 x 245 h:100 mm

WIRE BASKET WITH LID





code	outside dimension
K3-1011 P	540 x 245 h:55 mm
K3-1012 P	540 x 245 h:75 mm
K3-1013 P	540 x 245 h:105 mm
K3-1014 P	ONLY LID, for baskets
K3-1021 P	480 x 245 h:55 mm
K3-1022 P	480 x 245 h:75 mm
K3-1023 P	480 x 245 h:105 mm
K3-1024 P	ONLY LID, for baskets

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid	K3-720	546 x 259 h:44 mm
	K3-721	546 x 259 h:64 mm
	K3-722	546 x 259 h:84 mm
	K3-723	546 x 259 h:114 mm
Box	K3-740	540 x 253 h:40 mm
	K3-741	540 x 253 h:60 mm
	K3-742	540 x 253 h:80 mm
	K3-743	540 x 253 h:110 mm
Lid	K3-760	ONLY LID, for baskets



BASKET (with stand)



	code	outside dimension
Box and Lid	K3-724	491 x 259 h:44 mm
	K3-725	491 x 259 h:64 mm
	K3-726	491 x 259 h:84 mm
	K3-727	491 x 259 h:114 mm
Box	K3-744	485 x 253 h:40 mm
	K3-745	485 x 253 h:60 mm
	K3-746	485 x 253 h:80 mm
	K3-747	485 x 253 h:110 mm
Lid	K3-761	ONLY LID, for baskets

STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



⦿ Grey colored recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

DIVIDERS




K2-428
540 x 250 x 130 mm
K2-429
540 x 250 x 180 mm

WIRE BASE




K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm
K2-426
540 x 250 x 180 mm

RACK (for endoscopy)



K3-1090
505 x 250 x 125 mm
• Holds 10 endoscopic instruments
• Fits into a 1/1 size 20 cm deep container
• Wire basket 1/1 50 mm
• Container 1/1 200 mm
• Silicone mat 520 x 230 mm

DRAPE RETAINER



K2-420
545 x 255 x 30 mm

DRAPE RETAINER



K2-400
545 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-526
520 x 230 mm
K2-528
475 x 230 mm







SILICONE MESH MAT



K2-531
485 x 250 mm
K2-533
534 x 247 mm

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

PAPER FILTER




K2-740
Single use 100 pcs with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER



K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER




K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator. made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator. made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels



SECURITY SEAL (red)
K2-665
100 pcs. with number. made of plastic

(-)

STERILE CONTAINER SYSTEMS




High Performance Polymers PPSU Lids

» 3/4 Quarter Size

3/4 POLYMER PPSU LID MODEL

W: 285 mm

L: 475 mm




Specifications	Lid (Perforated)	Lid (Perforated)	Lid (with barrier)	Lid (with barrier)		
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (with barrier)		
	KP6-240 KP6-241 KP6-242 KP6-243 KP6-244 KP6-245 KT6-240	KP6-260 KP6-261 KP6-262 KP6-263 KP6-264 KP6-265 KT6-260	KP7-240 KP7-241 KP7-242 KP7-243 KP7-244 KP7-245 KT7-240	KP7-260 KP7-261 KP7-262 KP7-263 KP7-264 KP7-265 KT7-260		
	h:110 mm	h:110 mm	h:120 mm	h:130 mm		
		KP6-246 KP6-247 KP6-248 KP6-249 KP6-250 KP6-251 KT6-246	KP6-266 KP6-267 KP6-268 KP6-269 KP6-270 KP6-271 KT6-266	KP7-246 KP7-247 KP7-248 KP7-249 KP7-250 KP7-251 KT7-246	KP7-266 KP7-267 KP7-268 KP7-269 KP7-270 KP7-271 KT7-266	
		h:130 mm	h:130 mm	h:140 mm	h:150 mm	
			KP6-252 KP6-253 KP6-254 KP6-255 KP6-256 KP6-257 KT6-252	KP6-272 KP6-273 KP6-274 KP6-275 KP6-276 KP6-277 KT6-272	KP7-252 KP7-253 KP7-254 KP7-255 KP7-256 KP7-257 KT7-252	KP7-272 KP7-273 KP7-274 KP7-275 KP7-276 KP7-277 KT7-272
			h:155 mm	h:155 mm	h:165 mm	h:175 mm

Ps: All container measurements cover the outer size of the lids.

BOX (perforated)




outside dimension



outside dimension



inside dimension




code	outside dimension	inside dimension	weight
K6-300	475 x 272 h:100 mm	422 x 258 h:83 mm	1792 g
K6-301	475 x 272 h:116 mm	422 x 258 h:99 mm	1836 g
K6-302	475 x 272 h:138 mm	422 x 258 h:121 mm	1980 g
K6-303	475 x 272 h:185 mm	422 x 258 h:168 mm	2240 g


BOX (non perforated)




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-305	475 x 272 h:100 mm	422 x 258 h:94 mm	1609 g
K6-306	475 x 272 h:116 mm	422 x 258 h:110 mm	1714 g
K6-307	475 x 272 h:138 mm	422 x 258 h:132 mm	1842 g
K6-308	475 x 272 h:185 mm	422 x 258 h:179 mm	2117 g

PERFORATED LIDS

Dimension: 477 x 285 mm
Weight: 985 g



- KP6-340** Grey
- KP6-341** Yellow
- KP6-342** Green
- KP6-343** Blue
- KP6-344** Red
- KP6-345** Black
- KT6-340** Transparent

BIO-BARRIER LIDS

Dimension: 477 x 285 mm
Weight: 1221 g




- KP7-340** Grey
- KP7-341** Yellow
- KP7-342** Green
- KP7-343** Blue
- KP7-344** Red
- KP7-345** Black
- KT7-340** Transparent


STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymer's PPSU Lids	99
WINDOW MODEL	121
B ₃ Barrier MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET



code	outside dimension
K2-1500	405 x 245 x h:30 mm
K2-1501	405 x 245 x h:50 mm
K2-1502	405 x 245 x h:70 mm
K2-1503	405 x 245 x h:100 mm



WIRE BASKET WITH LID




code	outside dimension
K3-1030	405 x 245 h:35 mm
K3-1031	405 x 245 h:55 mm
K3-1032	405 x 245 h:75 mm
K3-1033	405 x 245 h:105 mm
K3-1034	ONLY LID, for baskets



WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET




code	outside dimension
K2-1501 P	405 x 246 x h:50 mm
K2-1502 P	405 x 246 x h:70 mm
K2-1503 P	405 x 246 x h:100 mm



WIRE BASKET WITH LID







code	outside dimension
K3-1031 P	405 x 246 x h:55 mm
K3-1032 P	405 x 246 x h:75 mm
K3-1033 P	405 x 246 x h:105 mm
K3-1034 P	ONLY LID, for baskets




BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-728	411 x 259 h:44 mm
	K3-729	411 x 259 h:64 mm
	K3-730	411 x 259 h:84 mm
	K3-731	411 x 259 h:114 mm
Box 	K3-748	405 x 253 h:40 mm
	K3-749	405 x 253 h:60 mm
	K3-750	405 x 253 h:80 mm
	K3-751	405 x 253 h:110 mm
Lid 	K3-762	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



⦿ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymer's PPSU Lids	99
WINDOW MODEL	121
B ₃ Barrier MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253

DIVIDERS



K2-1540
405 x 250 x 80 mm
K2-1541
405 x 250 x 110 mm
K2-1542
405 x 250 x 130 mm

WIRE BASE



K2-1522
405 x 255 x 30 mm

DIVIDERS



K2-1530
405 x 250 x 80 mm
K2-1531
405 x 250 x 110 mm
K2-1532
405 x 250 x 130 mm

(-)

DRAPE RETAINER



K2-1521
405 x 255 x 30 mm

DRAPE RETAINER



K2-1520
405 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-524
380 x 230 mm
K2-525
440 x 230 mm







SILICONE MESH MAT



K2-534
395 x 245 mm

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

PAPER FILTER




K2-740
Single use 100 pcs with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER



K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER



K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers

(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)
K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



SECURITY SEAL (red)
K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

STERILE CONTAINER SYSTEMS




High Performance Polymers PPSU Lids

» 1/2 Half Size

1/2 POLYMER PPSU LID MODEL

W: 285 mm

L: 310 mm




Specifications	Lid (Perforated)	Lid (Perforated)	Lid (with barrier)	Lid (with barrier)
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (with barrier)
	KP6-500	KP6-530	KP7-500	KP7-530
	KP6-501	KP6-531	KP7-501	KP7-531
	KP6-502	KP6-532	KP7-502	KP7-532
	KP6-503	KP6-533	KP7-503	KP7-533
	KP6-504	KP6-534	KP7-504	KP7-534
	KP6-505	KP6-535	KP7-505	KP7-535
	KT6-500	KT6-530	KT7-500	KT7-530
	KP6-506	KP6-536	KP7-506	KP7-536
	KP6-507	KP6-537	KP7-507	KP7-537
	KP6-508	KP6-538	KP7-508	KP7-538
	KP6-509	KP6-539	KP7-509	KP7-539
	KP6-510	KP6-540	KP7-510	KP7-540
	KP6-511	KP6-541	KP7-511	KP7-541
	KT6-506	KT6-536	KT7-506	KT7-536
	KP6-512	KP6-542	KP7-512	KP7-542
	KP6-513	KP6-543	KP7-513	KP7-543
	KP6-514	KP6-544	KP7-514	KP7-544
	KP6-515	KP6-545	KP7-515	KP7-545
	KP6-516	KP6-546	KP7-516	KP7-546
	KP6-517	KP6-547	KP7-517	KP7-547
	KT6-512	KT6-542	KT7-512	KT7-542
	KP6-518	KP6-548	KP7-518	KP7-548
	KP6-519	KP6-549	KP7-519	KP7-549
	KP6-520	KP6-550	KP7-520	KP7-550
	KP6-521	KP6-551	KP7-521	KP7-551
	KP6-522	KP6-552	KP7-522	KP7-552
	KP6-523	KP6-553	KP7-523	KP7-553
	KT6-518	KT6-548	KT7-518	KT7-548
	KP6-524	KP6-554	KP7-524	KP7-554
	KP6-525	KP6-555	KP7-525	KP7-555
	KP6-526	KP6-556	KP7-526	KP7-556
	KP6-527	KP6-557	KP7-527	KP7-557
	KP6-528	KP6-558	KP7-528	KP7-558
	KP6-529	KP6-559	KP7-529	KP7-559
	KT6-524	KT6-554	KT7-524	KT7-554

Ps: All container measurements cover the outer size of the lids.


BOX (perforated)




outside dimension



outside dimension



inside dimension




code	outside dimension	inside dimension	weight
K6-600	310 x 272 h:100 mm	253 x 258 h:83 mm	1385 g
K6-601	310 x 272 h:116 mm	253 x 258 h:99 mm	1417 g
K6-602	310 x 272 h:138 mm	253 x 258 h:121 mm	1590 g
K6-603	310 x 272 h:190 mm	253 x 258 h:173 mm	1821 g
K6-604	310 x 272 h:235 mm	253 x 258 h:218 mm	1947 g


BOX (non perforated)




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-605	310 x 272 h:100 mm	253 x 258 h:94 mm	1267 g
K6-606	310 x 272 h:116 mm	253 x 258 h:110 mm	1315 g
K6-607	310 x 272 h:138 mm	253 x 258 h:132 mm	1427 g
K6-608	310 x 272 h:190 mm	253 x 258 h:184 mm	1660 g
K6-609	310 x 272 h:235 mm	253 x 258 h:229 mm	1940 g

PERFORATED LIDS

Dimension: 312 x 280 mm
Weight: 770 g



- KP6-630** Grey
- KP6-631** Yellow
- KP6-632** Green
- KP6-633** Blue
- KP6-634** Red
- KP6-635** Black
- KT6-630** Transparent

BIO-BARRIER LIDS

Dimension: 312 x 280 mm
Weight: 993 g



- KP7-630** Grey
- KP7-631** Yellow
- KP7-632** Green
- KP7-633** Blue
- KP7-634** Red
- KP7-635** Black
- KT7-630** Transparent

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207


BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-490	246 x 246 x h:30 mm
K2-491	246 x 246 x h:50 mm
K2-492	246 x 246 x h:70 mm
K2-493	246 x 246 x h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1040	246 x 246 h:35 mm
K3-1041	246 x 246 h:55 mm
K3-1042	246 x 246 h:75 mm
K3-1043	246 x 246 h:105 mm
K3-1045	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-491 P	246 x 246 x h:50 mm
K2-492 P	246 x 246 x h:70 mm
K2-493 P	246 x 246 x h:100 mm

WIRE BASKET WITH LID









code	outside dimension
K3-1041 P	246 x 246 x h:55 mm
K3-1042 P	246 x 246 x h:75 mm
K3-1043 P	246 x 246 x h:105 mm
K3-1045 P	ONLY LID, for baskets

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-732	244 x 253 h:43 mm
	K3-733	244 x 253 h:63 mm
	K3-734	244 x 253 h:83 mm
	K3-735	244 x 253 h:113 mm
Box 	K3-752	244 x 253 h:40 mm
	K3-753	244 x 253 h:60 mm
	K3-754	244 x 253 h:80 mm
	K3-755	244 x 253 h:110 mm
Lid 	K3-763	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



⦿ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymer's PPSU Lids	99
WINDOW MODEL	121
B ₃ Barrier MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253

DIVIDERS



K2-483
255 x 245 x 130 mm
K2-484
255 x 245 x 180 mm

WIRE BASE



K2-482
255 x 255 x 30 mm

(-)

RACK (for kerrison)



K3-1094
220 x 250 x 160 mm
• Holds 10 kerrison punches
• Fits into a 1/2 and 1/1 size
• 20 cm deep container
• Wire basket 1/2 50 mm
• Wire basket 1/1 50 mm
• Container 1/2 200 mm
• Container 1/1 200 mm

DRAPE RETAINER



K3-481
255 x 255 x 30 mm

DRAPE RETAINER



K2-480
255 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-521
250 x 235 mm







SILICONE MESH MAT



K2-530
250 x 240 mm

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

PAPER FILTER




K2-740
Single use 100 pcs with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER



K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER




K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator. made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)
K2-661
100 pcs. with number. made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator. made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



SECURITY SEAL (red)
K2-665
100 pcs. with number. made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)



PPSU Polymer Lids



STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

$B_{3\text{Strer}}$ MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

PPSU Polymer Trays

We perform our customers' special production requests in a manner that does not violate international patent and intellectual property rights. In this way, we increase the flexibility and competitiveness of our valued customers.



WHAT IS PPSU?

PPSU is Polyphenylsulfone, an amorphous plastic. This material combines a high melting temperature with quite a low moisture absorption. PPSU has a high impact strength and chemical resistance. The material is also resistant to detergents and disinfectants. It has a high heat distortion temperature up to 190 °C and can be easily sterilized by superheated steam.

Polymer PPSU lids are;

- ✓ High Quality
- ✓ Lighter
- ✓ Six Different Colors + Transparent Option

And resistant against;

- ✓ Impact
- ✓ Scratch
- ✓ Deformation
- ✓ Discoloration
- ✓ Heat
- ✓ Chemical

Pay attention to;

- ✓ Solvents such as acetone, thinner, and gas should not be used.
- ✓ Distilled water or water without mineral should be used for the last rinsing procedure.



STERILE CONTAINER SYSTEMS WINDOW MODEL



1/1 FULL SIZE



3/4 QUARTER SIZE



1/2 HALF SIZE

Aygün window model sterilization container system is one of its patented products. What makes this model different from the others is the window on the lid which its name comes from. This window is made of high performance PPSU transparent material which is resistant against high temperature, impacts, scratches, deformation, discoloration and chemicals and it opens users a way to visually check inside of the sterilization container without opening the lid. The window model lids assure great tightness due to its special assembly method and the gasket system in it.

As there is no filtering mechanism on the lid, window model sterilization container boxes strictly must be bottom perforated. Either single use paper or 2000 cycles PTFE Teflon Filters can be used in the box. In order to allow the air flow and reach to perfect steam penetration the filtering mechanism of this model must have enough space. For that purpose, this sterilization container model is supplied with a wire base inside the container as standard. Except for this container model, all Aygün boxes and lids are compatible with each other.

Aygün window model sterilization container systems are manufactured as five different length, width and height. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.



STERILE CONTAINER SYSTEMS





Window Model

» *1/1 Full Size*

1/1 WINDOW MODEL

W: 285 mm

L: 600 mm




➤ Shipped with wire base.

Specifications ➤		Lid (Perforated)	
Height		Box (Perforated)	
h: 130 mm		K6-010D	
		K6-011D	
		K6-012D	
		K6-013D	
		K6-014D	
		K6-015D	
h: 155 mm		K6-016D	
		K6-017D	
		K6-018D	
		K6-019D	
		K6-020D	
		K6-021D	
h: 175 mm		K6-022D	
		K6-023D	
		K6-024D	
		K6-025D	
		K6-026D	
		K6-027D	
h: 225 mm		K6-028D	
		K6-029D	
		K6-030D	
		K6-031D	
		K6-032D	
		K6-033D	
h: 275 mm		K6-034D	
		K6-035D	
		K6-036D	
		K6-037D	
		K6-038D	
		K6-039D	



➤ Ps: All container measurements cover the outer size of the lids.

BOX (perforated)



➡ Shipped with wire base.

code	outside dimension	inside dimension	weight
K6-100D	600 x 272 h:115 mm	543 x 258 h:66 mm	3003 g
K6-101D	600 x 272 h:131 mm	543 x 258 h:82 mm	3149 g
K6-102D	600 x 272 h:153 mm	543 x 258 h:104 mm	3307 g
K6-103D	600 x 272 h:205 mm	543 x 258 h:156 mm	3660 g
K6-104D	600 x 272 h:250 mm	543 x 258 h:201 mm	4077 g

LID WINDOW



Dimension: 602 x 285 mm

code	color	weight
K6-120D		1305 g
K6-121D		
K6-122D		
K6-123D		
K6-124D		
K6-125D		

STANDARD MODEL 31

BIO-BARRIER MODEL 65

Polymer's PPSU Lids 99

WINDOW MODEL 121

B₃ Stirrer MODEL 141

PLASMA MODEL 175

A1 MODEL 187

Dental, Mini, Special 207


BASKETS 225

Autolock Mechanism Emulating Indicator 245

ACCESSORIES 253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET




code	outside dimension
K2-460	540 x 245 h:30 mm
K2-461	540 x 245 h:50 mm
K2-462	540 x 245 h:70 mm
K2-463	540 x 245 h:100 mm

K2-450	480 x 245 h:30 mm
K2-451	480 x 245 h:50 mm
K2-452	480 x 245 h:70 mm
K2-453	480 x 245 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1010	540 x 245 h:35 mm
K3-1011	540 x 245 h:55 mm
K3-1012	540 x 245 h:75 mm
K3-1013	540 x 245 h:105 mm
K3-1014	ONLY LID, for baskets

K3-1020	480 x 245 h:35 mm
K3-1021	480 x 245 h:55 mm
K3-1022	480 x 245 h:75 mm
K3-1023	480 x 245 h:105 mm
K3-1024	ONLY LID, for baskets




WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-461 P	540 x 245 h:50 mm
K2-462 P	540 x 245 h:70 mm
K2-463 P	540 x 245 h:100 mm

K2-451 P	480 x 245 h:50 mm
K2-452 P	480 x 245 h:70 mm
K2-453 P	480 x 245 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1011 P	540 x 245 h:55 mm
K3-1012 P	540 x 245 h:75 mm
K3-1013 P	540 x 245 h:105 mm
K3-1014 P	ONLY LID, for baskets

K3-1021 P	480 x 245 h:55 mm
K3-1022 P	480 x 245 h:75 mm
K3-1023 P	480 x 245 h:105 mm
K3-1024 P	ONLY LID, for baskets




BASKET MADE FROM STAINLESS STEEL SHEET


BASKET (with stand)



	code	outside dimension
Box and Lid	K3-720	546 x 259 h:44 mm
	K3-721	546 x 259 h:64 mm
	K3-722	546 x 259 h:84 mm
	K3-723	546 x 259 h:114 mm
Box	K3-740	540 x 253 h:40 mm
	K3-741	540 x 253 h:60 mm
	K3-742	540 x 253 h:80 mm
	K3-743	540 x 253 h:110 mm
Lid	K3-760	ONLY LID, for baskets



BASKET (with stand)



	code	outside dimension
Box and Lid	K3-724	491 x 259 h:44 mm
	K3-725	491 x 259 h:64 mm
	K3-726	491 x 259 h:84 mm
	K3-727	491 x 259 h:114 mm
Box	K3-744	485 x 253 h:40 mm
	K3-745	485 x 253 h:60 mm
	K3-746	485 x 253 h:80 mm
	K3-747	485 x 253 h:110 mm
Lid	K3-761	ONLY LID, for baskets

STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



Grey colored recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

DIVIDERS




K2-428
540 x 250 x 130 mm
K2-429
540 x 250 x 180 mm

WIRE BASE




K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm
K2-426
540 x 250 x 180 mm

RACK (for endoscopy)



K3-1090
505 x 250 x 125 mm
• Holds 10 endoscopic instruments
• Fits into a 1/1 size 20 cm deep container
• Wire basket 1/1 50 mm
• Container 1/1 200 mm
• Silicone mat 520 x 230 mm

DRAPE RETAINER



K2-420
545 x 255 x 30 mm

DRAPE RETAINER



K2-400
545 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-526
520 x 230 mm
K2-528
475 x 230 mm







SILICONE MESH MAT



K2-531
485 x 250 mm
K2-533
534 x 247 mm

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

PAPER FILTER



K2-740
Single use 100 pcs with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER




K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER




K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator. made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator. made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels



SECURITY SEAL (red)
K2-665
100 pcs. with number. made of plastic



(-)

STERILE CONTAINER SYSTEMS





Window Model

» 3/4 Quarter Size

3/4 WINDOW MODEL

W: 285 mm


L: 475 mm



➤ Shipped with wire base.


Specifications ➤		Lid (Perforated)	
Height		Box (Perforated)	
		h:130 mm	
K6-241D			
K6-242D			
K6-243D			
K6-244D			
h:150 mm		K6-245D	
		K6-246D	
		K6-247D	
		K6-248D	
		K6-249D	
h:175 mm		K6-250D	
		K6-251D	
		K6-252D	
		K6-253D	
		K6-254D	
		K6-255D	
		K6-256D	
		K6-257D	

➤ Ps: All container measurements cover the outer size of the lids.



BOX (perforated)


outside dimension



outside dimension



inside dimension



➡ Shipped with wire base.

code	outside dimension	inside dimension	weight
K6-300D	475 x 272 h:115 mm	422 x 258 h:66 mm	2363 g
K6-301D	475 x 272 h:131 mm	422 x 258 h:82 mm	2407 g
K6-302D	475 x 272 h:153 mm	422 x 258 h:104 mm	2551 g
K6-303D	475 x 272 h:200 mm	422 x 258 h:151 mm	2811 g

LID WINDOW



Dimension: 477 x 285 mm

code	color	weight
K6-340D		918 g
K6-341D		
K6-342D		
K6-343D		
K6-344D		
K6-345D		

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207


BASKETS
225

Autolock Mechanism Emulating Indicator
245


ACCESSORIES
253

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET



code	outside dimension
K2-1500	405 x 245 x h:30 mm
K2-1501	405 x 245 x h:50 mm
K2-1502	405 x 245 x h:70 mm
K2-1503	405 x 245 x h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1030	405 x 245 h:35 mm
K3-1031	405 x 245 h:55 mm
K3-1032	405 x 245 h:75 mm
K3-1033	405 x 245 h:105 mm
K3-1034	ONLY LID, for baskets



WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-1501 P	405 x 246 x h:50 mm
K2-1502 P	405 x 246 x h:70 mm
K2-1503 P	405 x 246 x h:100 mm



WIRE BASKET WITH LID






code	outside dimension
K3-1031 P	405 x 246 x h:55 mm
K3-1032 P	405 x 246 x h:75 mm
K3-1033 P	405 x 246 x h:105 mm
K3-1034 P	ONLY LID, for baskets





BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-728	411 x 259 h:44 mm
	K3-729	411 x 259 h:64 mm
	K3-730	411 x 259 h:84 mm
	K3-731	411 x 259 h:114 mm
Box 	K3-748	405 x 253 h:40 mm
	K3-749	405 x 253 h:60 mm
	K3-750	405 x 253 h:80 mm
	K3-751	405 x 253 h:110 mm
Lid 	K3-762	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



⦿ Grey colored recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymer's PPSU Lids	99
WINDOW MODEL	121
B ₃ Barrier MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253

DIVIDERS



K2-1540
405 x 250 x 80 mm
K2-1541
405 x 250 x 110 mm
K2-1542
405 x 250 x 130 mm

WIRE BASE



K2-1522
405 x 255 x 30 mm

DIVIDERS



K2-1530
405 x 250 x 80 mm
K2-1531
405 x 250 x 110 mm
K2-1532
405 x 250 x 130 mm

(-)

DRAPE RETAINER



K2-1521
405 x 255 x 30 mm

DRAPE RETAINER



K2-1520
405 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-524
380 x 230 mm
K2-525
440 x 230 mm







SILICONE MESH MAT



K2-534
395 x 245 mm

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

PAPER FILTER




K2-740
Single use 100 pcs with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER



K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER




K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)
K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



SECURITY SEAL (red)
K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

STERILE CONTAINER SYSTEMS




Window Model

» 1/2 Half Size

1/2 WINDOW MODEL

W: 280 mm

L: 310 mm



➤ Shipped with wire base.


Specifications ➤		Lid (Perforated)
Height	↙	
		Box (Perforated)
h: 130 mm		K6-500D <input type="checkbox"/> K6-501D <input type="checkbox"/> K6-502D <input type="checkbox"/> K6-503D <input type="checkbox"/> K6-504D <input type="checkbox"/> K6-505D <input type="checkbox"/>
h: 150 mm		K6-506D <input type="checkbox"/> K6-507D <input type="checkbox"/> K6-508D <input type="checkbox"/> K6-509D <input type="checkbox"/> K6-510D <input type="checkbox"/> K6-511D <input type="checkbox"/>
h: 170 mm		K6-512D <input type="checkbox"/> K6-513D <input type="checkbox"/> K6-514D <input type="checkbox"/> K6-515D <input type="checkbox"/> K6-516D <input type="checkbox"/> K6-517D <input type="checkbox"/>
h: 220 mm		K6-518D <input type="checkbox"/> K6-519D <input type="checkbox"/> K6-520D <input type="checkbox"/> K6-521D <input type="checkbox"/> K6-522D <input type="checkbox"/> K6-523D <input type="checkbox"/>
h: 270 mm		K6-524D <input type="checkbox"/> K6-525D <input type="checkbox"/> K6-526D <input type="checkbox"/> K6-527D <input type="checkbox"/> K6-528D <input type="checkbox"/> K6-529D <input type="checkbox"/>




➤ Ps: All container measurements cover the outer size of the lids.

BOX (perforated)


outside dimension



outside dimension



inside dimension



➔ Shipped with wire base.

code	outside dimension	inside dimension	weight
K6-600D	310 x 272 h:115 mm	253 x 258 h:66 mm	1801 g
K6-601D	310 x 272 h:131 mm	253 x 258 h:82 mm	1833 g
K6-602D	310 x 272 h:153 mm	253 x 258 h:104 mm	2006 g
K6-603D	310 x 272 h:205 mm	253 x 258 h:156 mm	2237 g
K6-604D	310 x 272 h:250 mm	253 x 258 h:201 mm	2363 g

LID WINDOW



Dimension: 312 x 280 mm

code	color	weight
K6-630D		736 g
K6-631D		
K6-632D		
K6-633D		
K6-634D		
K6-635D		

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-490	246 x 246 x h:30 mm
K2-491	246 x 246 x h:50 mm
K2-492	246 x 246 x h:70 mm
K2-493	246 x 246 x h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1040	246 x 246 h:35 mm
K3-1041	246 x 246 h:55 mm
K3-1042	246 x 246 h:75 mm
K3-1043	246 x 246 h:105 mm
K3-1045	ONLY LID, for baskets


WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-491 P	246 x 246 x h:50 mm
K2-492 P	246 x 246 x h:70 mm
K2-493 P	246 x 246 x h:100 mm

WIRE BASKET WITH LID









code	outside dimension
K3-1041 P	246 x 246 x h:55 mm
K3-1042 P	246 x 246 x h:75 mm
K3-1043 P	246 x 246 x h:105 mm
K3-1045 P	ONLY LID, for baskets

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-732	250 x 259 h:44 mm
	K3-733	250 x 259 h:64 mm
	K3-734	250 x 259 h:84 mm
	K3-735	250 x 259 h:114 mm
Box 	K3-752	244 x 253 h:40 mm
	K3-753	244 x 253 h:60 mm
	K3-754	244 x 253 h:80 mm
	K3-755	244 x 253 h:110 mm
Lid 	K3-763	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



⦿ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymer's PPSU Lids	99
WINDOW MODEL	121
B ₃ Barrier MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253

DIVIDERS



K2-483
255 x 245 x 130 mm
K2-484
255 x 245 x 180 mm

WIRE BASE



K2-482
255 x 255 x 30 mm

(-)

RACK (for kerrison)



K3-1094
220 x 250 x 160 mm
• Holds 10 kerrison punches
• Fits into a 1/2 and 1/1 size
• 20 cm deep container
• Wire basket 1/2 50 mm
• Wire basket 1/1 50 mm
• Container 1/2 200 mm
• Container 1/1 200 mm

DRAPE RETAINER



K3-481
255 x 255 x 30 mm

DRAPE RETAINER



K2-480
255 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-521
250 x 235 mm







SILICONE MESH MAT



K2-530
250 x 240 mm

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

PAPER FILTER




K2-740
Single use 100 pcs with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER



K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER



K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)

K2-663
100 pcs. with indicator. made of plastic



SECURITY SEAL (blue)

K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)

K2-661
100 pcs. with number. made of plastic



SECURITY SEAL (red)

K2-662
100 pcs. with indicator. made of plastic



SECURITY SEAL (red)

K2-660
100 pcs. made of plastic



SECURITY SEAL (red)

K2-665
100 pcs. with number. made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

STERILE CONTAINER SYSTEMS B3 MODEL



1/1 FULL SIZE



3/4 QUARTER SIZE



1/2 HALF SIZE



EXTRA LARGE SIZE



EXTRA LONG SIZE

Aygün B3 model sterilization container systems are designed to provide different filtering mechanisms in a single sterilization container according to user preference. Without buying a new lid, the users are able to change the filtering system on the lid. Aygün B3 model sterilization container systems can be used with 3 different filtering mechanisms.

PTFE system: This filtering mechanism is used with 2000 cycles PTFE Teflon Filter which can be changed by the user easily like in standard model filter-based sterilization containers. The filter used in this system is provided only by Aygün which is placed in a cassette.

Valve system: Valve system is modernized new model of Aygün Bio-Barrier systems and has the same running principal. This system works with mechanic valve with positive and negative pressure occurred during sterilization in autoclave and can be used minimum 5000 cycles.

Bio-Stop system: The Bio-Stop system is a flow inhibition system based on a principle discovered by Louis Pasteur. With a separation efficiency of 99.99 %, it offers significantly better protection against microbes and particles. This system can be used minimum 5000 cycles.

Aygün B3 model sterilization container systems are manufactured as five different length, width and height. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.





STERILE CONTAINER SYSTEMS



B₃ Barrier Container System

PTFE  Valve  Biostop

» 1/1 Full Size

1/1 BOX (B³ARRIER model)




➤ with K2-440 wire base.

outside dimension

L: 600 mm




W: 272 mm




inside dimension

L: 543 mm



W: 258 mm



BIOSTOP
Aluminium



Specifications ➤		PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium
height					
h 110 mm h² 63 mm		K8-100P	K8-100V	K8-100B	K8-100BA
h 130 mm h² 81 mm		K8-101P	K8-101V	K8-101B	K8-101BA
h 150 mm h² 101 mm		K8-102P	K8-102V	K8-102B	K8-102BA
h 200 mm h² 153 mm		K8-103P	K8-103V	K8-103B	K8-103BA
h 250 mm h² 199 mm		K8-104P	K8-104V	K8-104B	K8-104BA

PTFE pps
code **K1-970**

weight: 151 g

VALVE pps
code **K1-980**

weight: 163 g

BIOSTOP pps
code **K1-990**

weight: 281 g


BIOSTOP aluminium
code **K1-990A**

weight: 434 g


1/1 BOX (non perforated)




outside dimension



outside dimension



inside dimension




code	outside dimension	inside dimension	weight
K6-105	600 x 272 h:100 mm	543 x 258 h:94 mm	1900 g
K6-106	600 x 272 h:116 mm	543 x 258 h:110 mm	2096 g
K6-107	600 x 272 h:138 mm	543 x 258 h:132 mm	2205 g
K6-108	600 x 272 h:190 mm	543 x 258 h:184 mm	2648 g
K6-109	600 x 272 h:235 mm	543 x 258 h:229 mm	3040 g

LID (B³ Barrier model)

L: 602 mm



W: 285 mm



color	PTFE	VALVE	BIOSTOP
	K8-120P	K8-120V	K8-120B
	K8-121P	K8-121V	K8-121B
	K8-122P	K8-122V	K8-122B
	K8-123P	K8-123V	K8-123B
	K8-124P	K8-124V	K8-124B
	K8-125P	K8-125V	K8-125B
	weight 1566 g	weight 1590 g	weight 1826 g

BIOSTOP Aluminium
K8-120BA
K8-121BA
K8-122BA
K8-123BA
K8-124BA
K8-125BA
weight 2357 g



PTFE pps
code **K1-970**

weight: 151 g

VALVE pps
code **K1-980**

weight: 163 g

BIOSTOP pps
code **K1-990**

weight: 281 g

BIOSTOP aluminium
code **K1-990A**

weight: 434 g

SAFETY LIDS



code	color	weight
K6-230		988 g
K6-231		
K6-232		
K6-233		
K6-234		
K6-235		

Dimension: 606 x 288 mm

STANDARD MODEL 31

BIO-BARRIER MODEL 65

Polymer's PPSU Lids 99

WINDOW MODEL 121

B³ Barrier MODEL 141

PLASMA MODEL 175

A1 MODEL 187

Dental, Mini, Special 207


BASKETS 225

Autolock Mechanism Emulating Indicator 245

ACCESSORIES 253


BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-460	540 x 245 h:30 mm
K2-461	540 x 245 h:50 mm
K2-462	540 x 245 h:70 mm
K2-463	540 x 245 h:100 mm
K2-450	480 x 245 h:30 mm
K2-451	480 x 245 h:50 mm
K2-452	480 x 245 h:70 mm
K2-453	480 x 245 h:100 mm


WIRE BASKET WITH LID



code	outside dimension
K3-1010	540 x 245 h:35 mm
K3-1011	540 x 245 h:55 mm
K3-1012	540 x 245 h:75 mm
K3-1013	540 x 245 h:105 mm
K3-1014	ONLY LID, for baskets
K3-1020	480 x 245 h:35 mm
K3-1021	480 x 245 h:55 mm
K3-1022	480 x 245 h:75 mm
K3-1023	480 x 245 h:105 mm
K3-1024	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-461 P	540 x 245 h:50 mm
K2-462 P	540 x 245 h:70 mm
K2-463 P	540 x 245 h:100 mm
K2-451 P	480 x 245 h:50 mm
K2-452 P	480 x 245 h:70 mm
K2-453 P	480 x 245 h:100 mm

WIRE BASKET WITH LID





code	outside dimension
K3-1011 P	540 x 245 h:55 mm
K3-1012 P	540 x 245 h:75 mm
K3-1013 P	540 x 245 h:105 mm
K3-1014 P	ONLY LID, for baskets
K3-1021 P	480 x 245 h:55 mm
K3-1022 P	480 x 245 h:75 mm
K3-1023 P	480 x 245 h:105 mm
K3-1024 P	ONLY LID, for baskets

BASKET MADE FROM STAINLESS STEEL SHEET


BASKET (with stand)



	code	outside dimension
Box and Lid	K3-720	546 x 259 h:44 mm
	K3-721	546 x 259 h:64 mm
	K3-722	546 x 259 h:84 mm
	K3-723	546 x 259 h:114 mm
Box	K3-740	540 x 253 h:40 mm
	K3-741	540 x 253 h:60 mm
	K3-742	540 x 253 h:80 mm
	K3-743	540 x 253 h:110 mm
Lid	K3-760	ONLY LID, for baskets



BASKET (with stand)



	code	outside dimension
Box and Lid	K3-724	491 x 259 h:44 mm
	K3-725	491 x 259 h:64 mm
	K3-726	491 x 259 h:84 mm
	K3-727	491 x 259 h:114 mm
Box	K3-744	485 x 253 h:40 mm
	K3-745	485 x 253 h:60 mm
	K3-746	485 x 253 h:80 mm
	K3-747	485 x 253 h:110 mm
Lid	K3-761	ONLY LID, for baskets

STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



Grey colored recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B₃ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

DIVIDERS




K2-428
540 x 250 x 130 mm
K2-429
540 x 250 x 180 mm

WIRE BASE




K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm
K2-426
540 x 250 x 180 mm

RACK (for endoscopy)



K3-1090
505 x 250 x 125 mm
• Holds 10 endoscopic instruments
• Fits into a 1/1 size 20 cm deep container
• Wire basket 1/1 50 mm
• Container 1/1 200 mm
• Silicone mat 520 x 230 mm

DRAPE RETAINER



K2-420
545 x 255 x 30 mm

DRAPE RETAINER



K2-400
545 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-526
520 x 230 mm
K2-528
475 x 230 mm







SILICONE MESH MAT




K2-531
485 x 250 mm
K2-533
534 x 247 mm







SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

K2-660
100 pcs. made of plastic



SECURITY SEAL (red)

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)



STERILE CONTAINER SYSTEMS




B₃^{Barrier} Container System

PTFE  Valve  Biostop

» 3/4 Quarter Size


3/4 BOX (B³ barrier model)



with K2-1522 wire base.

outside dimension


L: 475 mm



W: 272 mm


inside dimension




L: 422 mm




W: 258 mm

BIOSTOP
Aluminium



Specifications ↗	PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium				
<p>height</p> <table border="1" style="width: 100px;"> <tr><td>h</td><td>110 mm</td></tr> <tr><td>h²</td><td>63 mm</td></tr> </table> 	h	110 mm	h ²	63 mm	K8-300P	K8-300V	K8-300B	K8-300BA
h	110 mm							
h ²	63 mm							
<table border="1" style="width: 100px;"> <tr><td>h</td><td>130 mm</td></tr> <tr><td>h²</td><td>81 mm</td></tr> </table> 	h	130 mm	h ²	81 mm	K8-301P	K8-301V	K8-301B	K8-301BA
h	130 mm							
h ²	81 mm							
<table border="1" style="width: 100px;"> <tr><td>h</td><td>150 mm</td></tr> <tr><td>h²</td><td>101 mm</td></tr> </table> 	h	150 mm	h ²	101 mm	K8-302P	K8-302V	K8-302B	K8-302BA
h	150 mm							
h ²	101 mm							

PTFE pps
code **K1-970**



weight: 151 g

VALVE pps
code **K1-980**



weight: 163 g

BIOSTOP pps
code **K1-990**



weight: 281 g

BIOSTOP aluminium
code **K1-990A**




weight: 434 g


3/4 BOX (non perforated)




outside dimension



outside dimension




inside dimension



code	outside dimension	inside dimension	weight
K6-305	475 x 272 h:100 mm	422 x 258 h:94 mm	1609 g
K6-306	475 x 272 h:116 mm	422 x 258 h:110 mm	1714 g
K6-307	475 x 272 h:138 mm	422 x 258 h:132 mm	1842 g
K6-308	475 x 272 h:185 mm	422 x 258 h:179 mm	2117 g

LID (B₃ barrier model)



color	PTFE	VALVE	BIOSTOP
	K8-340P	K8-340V	K8-340B
	K8-341P	K8-341V	K8-341B
	K8-342P	K8-342V	K8-342B
	K8-343P	K8-343V	K8-343B
	K8-344P	K8-344V	K8-344B
	K8-345P	K8-345V	K8-345B
	weight 1144 g	weight 1156 g	weight 1274 g

BIOSTOP Aluminium
K8-340BA
K8-341BA
K8-342BA
K8-343BA
K8-344BA
K8-345BA
weight 1480 g



PTFE pps
code **K1-970**

weight: 151 g

VALVE pps
code **K1-980**

weight: 163 g

BIOSTOP pps
code **K1-990**

weight: 281 g

BIOSTOP aluminium
code **K1-990A**

weight: 434 g

SAFETY LIDS



code	color	weight
K6-410		903 g
K6-411		
K6-412		
K6-413		
K6-414		
K6-415		

Dimension: 483 x 290 mm

STANDARD MODEL 31

BIO-BARRIER MODEL 65

Polymer's PPSU Lids 99

WINDOW MODEL 121

B₃ barrier MODEL 141

PLASMA MODEL 175

A1 MODEL 187

Dental, Mini, Special 207


BASKETS 225

Autolock Mechanism Emulating Indicator 245

ACCESSORIES 253

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET



code	outside dimension
K2-1500	405 x 245 x h:30 mm
K2-1501	405 x 245 x h:50 mm
K2-1502	405 x 245 x h:70 mm
K2-1503	405 x 245 x h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1030	405 x 245 h:35 mm
K3-1031	405 x 245 h:55 mm
K3-1032	405 x 245 h:75 mm
K3-1033	405 x 245 h:105 mm
K3-1034	ONLY LID, for baskets



WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET




code	outside dimension
K2-1501 P	405 x 246 x h:50 mm
K2-1502 P	405 x 246 x h:70 mm
K2-1503 P	405 x 246 x h:100 mm



WIRE BASKET WITH LID






code	outside dimension
K3-1031 P	405 x 246 x h:55 mm
K3-1032 P	405 x 246 x h:75 mm
K3-1033 P	405 x 246 x h:105 mm
K3-1034 P	ONLY LID, for baskets




BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-728	411 x 259 h:44 mm
	K3-729	411 x 259 h:64 mm
	K3-730	411 x 259 h:84 mm
	K3-731	411 x 259 h:114 mm
Box 	K3-748	405 x 253 h:40 mm
	K3-749	405 x 253 h:60 mm
	K3-750	405 x 253 h:80 mm
	K3-751	405 x 253 h:110 mm
Lid 	K3-762	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B³ARRIER MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

DIVIDERS




K2-1540
405 x 250 x 80 mm
K2-1541
405 x 250 x 110 mm
K2-1542
405 x 250 x 130 mm

WIRE BASE



K2-1522
405 x 255 x 30 mm

DIVIDERS



K2-1530
405 x 250 x 80 mm
K2-1531
405 x 250 x 110 mm
K2-1532
405 x 250 x 130 mm

(-)

DRAPE RETAINER



K2-1521
405 x 255 x 30 mm

DRAPE RETAINER



K2-1520
405 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-524
380 x 230 mm
K2-525
440 x 230 mm







SILICONE MESH MAT



K2-534
395 x 245 mm







SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)
K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



SECURITY SEAL (red)
K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)



STERILE CONTAINER SYSTEMS



B₃^{Barrier} Container System

PTFE  Valve  Biostop

» 1/2 Half Size


1/2 BOX (B³ barrier model)



with K2-482 wire base.

outside dimension



L: 310 mm



W: 272 mm

inside dimension

L: 253 mm



W: 258 mm



Specifications		PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium
height					
h 110 mm		K8-600P	K8-600V	K8-600B	K8-600BA
h² 63 mm					
h 130 mm		K8-601P	K8-601V	K8-601B	K8-601BA
h² 81 mm					
h 150 mm		K8-602P	K8-602V	K8-602B	K8-602BA
h² 101 mm					
h 200 mm		K8-603P	K8-603V	K8-603B	K8-603BA
h² 153 mm					
h 250 mm		K8-604P	K8-604V	K8-604B	K8-604BA
h² 199 mm					

PTFE pps
code **K1-970**

weight: 151 g

VALVE pps
code **K1-980**

weight: 163 g

BIOSTOP pps
code **K1-990**

weight: 281 g


BIOSTOP aluminium
code **K1-990A**

weight: 434 g


1/2 BOX (non perforated)




outside dimension



outside dimension




inside dimension



code	outside dimension	inside dimension	weight
K6-605	310 x 272 h:100 mm	253 x 258 h:94 mm	1267 g
K6-606	310 x 272 h:116 mm	253 x 258 h:110 mm	1315 g
K6-607	310 x 272 h:138 mm	253 x 258 h:132 mm	1427 g
K6-608	310 x 272 h:190 mm	253 x 258 h:184 mm	1660 g
K6-609	310 x 272 h:235 mm	253 x 258 h:229 mm	1940 g

LID (B³ARRIER model)




color	PTFE	VALVE	BIOSTOP
	K8-630P	K8-630V	K8-630B
	K8-631P	K8-631V	K8-631B
	K8-632P	K8-632V	K8-632B
	K8-633P	K8-633V	K8-633B
	K8-634P	K8-634V	K8-634B
	K8-635P	K8-635V	K8-635B
	weight 835 g	weight 847 g	weight 965 g

BIOSTOP Aluminium
K8-630BA
K8-631BA
K8-632BA
K8-633BA
K8-634BA
K8-635BA
weight 1255 g



PTFE pps
code **K1-970**



weight: 151 g

VALVE pps
code **K1-980**



weight: 163 g

BIOSTOP pps
code **K1-990**



weight: 281 g

BIOSTOP aluminium
code **K1-990A**



weight: 434 g

SAFETY LIDS



code	color	weight
K6-700		775 g
K6-701		
K6-702		
K6-703		
K6-704		
K6-705		

Dimension: 317 x 285 mm

STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymer's PPSU Lids	99
WINDOW MODEL	121
B ³ ARRIER MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-490	246 x 246 x h:30 mm
K2-491	246 x 246 x h:50 mm
K2-492	246 x 246 x h:70 mm
K2-493	246 x 246 x h:100 mm


WIRE BASKET WITH LID



code	outside dimension
K3-1040	246 x 246 h:35 mm
K3-1041	246 x 246 h:55 mm
K3-1042	246 x 246 h:75 mm
K3-1043	246 x 246 h:105 mm
K3-1045	ONLY LID, for baskets


WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-491 P	246 x 246 x h:50 mm
K2-492 P	246 x 246 x h:70 mm
K2-493 P	246 x 246 x h:100 mm

WIRE BASKET WITH LID









code	outside dimension
K3-1041 P	246 x 246 x h:55 mm
K3-1042 P	246 x 246 x h:75 mm
K3-1043 P	246 x 246 x h:105 mm
K3-1045 P	ONLY LID, for baskets

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-732	250 x 259 h:44 mm
	K3-733	250 x 259 h:64 mm
	K3-734	250 x 259 h:84 mm
	K3-735	250 x 259 h:114 mm
Box 	K3-752	244 x 253 h:40 mm
	K3-753	244 x 253 h:60 mm
	K3-754	244 x 253 h:80 mm
	K3-755	244 x 253 h:110 mm
Lid 	K3-763	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER




code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



⦿ Grey colored recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymer's PPSU Lids	99
WINDOW MODEL	121
B ₃ Barrier MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253

DIVIDERS



K2-483
255 x 245 x 130 mm
K2-484
255 x 245 x 180 mm

WIRE BASE



K2-482
255 x 255 x 30 mm

(-)

RACK (for kerrison)



K3-1094
220 x 250 x 160 mm
• Holds 10 kerrison punches
• Fits into a 1/2 and 1/1 size
• 20 cm deep container
• Wire basket 1/2 50 mm
• Wire basket 1/1 50 mm
• Container 1/2 200 mm
• Container 1/1 200 mm

DRAPE RETAINER



K3-481
255 x 255 x 30 mm

DRAPE RETAINER



K2-480
255 x 255 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-521
250 x 235 mm







SILICONE MESH MAT



K2-530
250 x 240 mm







SILICONE HANDLE




K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

K2-660
100 pcs. made of plastic



SECURITY SEAL (red)

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)



STERILE CONTAINER SYSTEMS




B₃ Carrier Container System

PTFE  Valve  Biostop


» Extra Large Size

EXTRA LARGE BOX (B³ barrier model)

outside dimension



inside dimension



Specifications		PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium				
<p>height</p> <table border="1"> <tr> <td>h</td> <td>120 mm</td> </tr> <tr> <td>h²</td> <td>69 mm</td> </tr> </table>	h	120 mm	h ²	69 mm		K8-700P	K8-700V	K8-700B	K8-700BA
	h	120 mm							
h ²	69 mm								
<table border="1"> <tr> <td>h</td> <td>180 mm</td> </tr> <tr> <td>h²</td> <td>131 mm</td> </tr> </table>	h	180 mm	h ²	131 mm		K8-701P	K8-701V	K8-701B	K8-701BA
	h	180 mm							
h ²	131 mm								

PTFE pps
code **K1-970**

weight: 151 g

VALVE pps
code **K1-980**

weight: 163 g


BIOSTOP pps
code **K1-990**

weight: 281 g

BIOSTOP aluminium
code **K1-990A**


weight: 434 g

EXTRA LARGE BOX (non perforated)



code	outside dimension	inside dimension	weight
K6-402	600 x 365 h:105 mm	543 x 350 h:99 mm	2271 g
K6-403	600 x 365 h:167 mm	543 x 350 h:161 mm	2856 g

LID (B₃ARRIER model)



	PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium
	K8-326P	K8-326V	K8-326B	K8-326BA
	K8-327P	K8-327V	K8-327B	K8-327BA
	K8-328P	K8-328V	K8-328B	K8-328BA
	K8-329P	K8-329V	K8-329B	K8-329BA
	K8-330P	K8-330V	K8-330B	K8-330BA
	K8-331P	K8-331V	K8-331B	K8-331BA
	weight 1830 g	weight 1854 g	weight 2090 g	weight 2347 g

PTFE pps
code **K1-970**

weight: 151 g

VALVE pps
code **K1-980**

weight: 163 g

BIOSTOP pps
code **K1-990**

weight: 281 g

BIOSTOP aluminium
code **K1-990A**

weight: 434 g

STANDARD MODEL 31

BIO-BARRIER MODEL 65

Polymers PPSU Lids 99

WINDOW MODEL 121

B₃ARRIER MODEL 141

PLASMA MODEL 175

A1 MODEL 187

Dental, Mini, Special 207


BASKETS 225

Autolock Mechanism Emulating Indicator 245

ACCESSORIES 253

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET




code	outside dimension
K2-1701	533 x 337 h:50 mm
K2-1702	533 x 337 h:70 mm
K2-1703	533 x 337 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1704	533 x 337 h:55 mm
K3-1705	533 x 337 h:75 mm
K3-1706	533 x 337 h:105 mm
K3-1707	ONLY LID, for baskets



IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black


Coloured identification labels
Engraved to your specification








➤ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-701	539 x 346 h:44 mm
	K3-702	539 x 346 h:64 mm
	K3-703	539 x 346 h:84 mm
	K3-704	539 x 346 h:114 mm
Box 	K3-705	533 x 340 h:40 mm
	K3-706	533 x 340 h:60 mm
	K3-707	533 x 340 h:80 mm
	K3-708	533 x 340 h:110 mm
Lid 	K3-709	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B³ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

DIVIDERS



K2-1731
533 x 337 x 70 mm
K2-1732
533 x 337 x 120 mm

(-)

DIVIDERS



K2-1721
533 x 337 x 70 mm
K2-1722
533 x 337 x 120 mm

DRAPE RETAINER



K2-1712
533 x 337 x 30 mm


(-)

DRAPE RETAINER



K2-1711
533 x 337 mm

SILICONE MESH MAT









K2-535
527 x 335 mm

(-)

SILICONE HANDLE



K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)




K3-1120
245 x 130 x 70 mm







ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers

(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)
K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)
K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)
K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)
K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)
K2-660
100 pcs. made of plastic



SECURITY SEAL (red)
K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP
K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER
K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)



STERILE CONTAINER SYSTEMS





B₃ Carrier Container System

PTFE  Valve  Biostop

» Extra Long Size

EXTRA LONG BOX (B³ Barrier model)



Specifications		PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium			
height								
<table border="1"> <tr><td>h</td><td>140 mm</td></tr> <tr><td>h²</td><td>69 mm</td></tr> </table>	h	140 mm	h ²	69 mm	K8-2000P	K8-2000V	K8-2000B	K8-2000BA
h	140 mm							
h ²	69 mm							
<table border="1"> <tr><td>h</td><td>200 mm</td></tr> <tr><td>h²</td><td>131 mm</td></tr> </table>	h	200 mm	h ²	131 mm	K8-2001P	K8-2001V	K8-2001B	K8-2001BA
h	200 mm							
h ²	131 mm							

PTFE pps
code **K1-970**

weight: 151 g

VALVE pps
code **K1-980**

weight: 163 g


BIOSTOP pps
code **K1-990**

weight: 281 g


BIOSTOP aluminium
code **K1-990A**

weight: 434 g


EXTRA LONG BOX (non perforated)




outside dimension



outside dimension




inside dimension




code	outside dimension	inside dimension	weight
K6-2005	725 x 272 h:127 mm	687 x 258 h:121 mm	2446 g
K6-2006	725 x 272 h:192 mm	687 x 258 h:186 mm	2974 g

LID (B³ barrier model)


L: 726 mm




W: 285 mm



	PTFE	VALVE	BIOSTOP	
➤	K8-2120P	K8-2120V	K8-2120B	K8-2120BA
➤	K8-2121P	K8-2121V	K8-2121B	K8-2121BA
➤	K8-2122P	K8-2122V	K8-2122B	K8-2122BA
➤	K8-2123P	K8-2123V	K8-2123B	K8-2123BA
➤	K8-2124P	K8-2124V	K8-2124B	K8-2124BA
➤	K8-2125P	K8-2125V	K8-2125B	K8-2125BA
	weight 1386 g	weight 1810 g	weight 2047 g	weight 2303 g




BIOSTOP Aluminium



PTFE pps

code **K1-970**



weight: 151 g

VALVE pps

code **K1-980**



weight: 163 g

BIOSTOP pps


code **K1-990**



weight: 281 g

BIOSTOP aluminium

code **K1-990A**



weight: 434 g

STANDARD MODEL 31

BIO-BARRIER MODEL 65

Polymers PPSU Lids 99

WINDOW MODEL 121

B³ Barrier MODEL 141

PLASMA MODEL 175

A1 MODEL 187

Dental, Mini, Special 207

BASKETS 225

Autolock Mechanism Emulating Indicator 245


ACCESSORIES 253

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET




code	outside dimension
K2-1801	665 x 250 h:50 mm
K2-1802	665 x 250 h:70 mm
K2-1803	665 x 250 h:100 mm



WIRE BASKET WITH LID



code	outside dimension
K3-1804	665 x 250 h:55 mm
K3-1805	665 x 250 h:75 mm
K3-1806	665 x 250 h:105 mm
K3-1807	ONLY LID, for baskets



IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification








➤ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-715	671 x 259 h:44 mm
	K3-716	671 x 259 h:64 mm
	K3-717	671 x 259 h:84 mm
	K3-718	671 x 259 h:114 mm
Box 	K3-711	665 x 253 h:40 mm
	K3-712	665 x 253 h:60 mm
	K3-713	665 x 253 h:80 mm
	K3-714	665 x 253 h:110 mm
Lid 	K3-710	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND




code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

RACK (for endoscopy)



K3-1093

550 x 250 x 130 mm
(1 pcs)

- Holds 10 endoscopic instruments
- Fits into a Extra Long size 18 cm deep container
- Wire basket Extra Long 50 mm
- Container Extra Long 180 mm
- Silicone mat 340x230 (2pcs)

RACK (for kerrison)



K3-1094

220 x 250 x 160 mm
(2 pcs)

- Holds 10 kerrison punches
- Fits into a 1/2, 1/1 20 cm and Extra Long size 18 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm
- Wire basket Extra long 50 mm
- Container Extra long 180 mm

STANDARD MODEL
31

BIO-BARRIER MODEL
65

Polymer's PPSU Lids
99

WINDOW MODEL
121

B³ Barrier MODEL
141

PLASMA MODEL
175

A1 MODEL
187

Dental, Mini, Special
207

BASKETS
225

Autolock Mechanism Emulating Indicator
245

ACCESSORIES
253

DIVIDERS



K2-428
540 x 250 x 130 mm
K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm
K2-426
540 x 250 x 180 mm

ALUMINIUM BASKET (with lid)



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-522
340 x 230 mm
(2 pcs)







SILICONE MESH MAT



K2-536
658 x 247 mm







SILICONE HANDLE




K2-710 
K2-711 
K2-712 
K2-713 
K2-714 
K2-715 

IDENTIFICATION LABELS (aluminium)



K2-700 
K2-701 
K2-702 
K2-703 
K2-704 
K2-705 

LABELS (paper)



K2-673
100 pcs. With indicator.
For small size and special containers

LABELS (paper)



K2-672
100 pcs. With indicator.
For full and Half size containers


(-)

AUTO LOCK MECHANISM



K1-900
(2 Pcs)

EMULATING INDICATOR CARD (class 6)



K2-674
Paper 250 Pcs.



SECURITY SEAL (blue)

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

K2-664
100 pcs. made of plastic



SECURITY SEAL (blue)

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL (red)

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

K2-660
100 pcs. made of plastic



SECURITY SEAL (red)

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)



STANDARD MODEL	31
BIO-BARRIER MODEL	65
Polymers PPSU Lids	99
WINDOW MODEL	121
B ³ _{ARRIER} MODEL	141
PLASMA MODEL	175
A1 MODEL	187
Dental, Mini, Special	207
BASKETS	225
Autolock Mechanism Emulating Indicator	245
ACCESSORIES	253



STERILE CONTAINER SYSTEMS PLASMA MODEL



1/1 FULL SIZE



3/4 QUARTER SIZE



1/2 HALF SIZE



DENTAL MODEL



Mini MODEL



1/2 DENTAL MODEL



ENDO MODEL



TRAY LAPAROSCOPY

AYGÜN standard model is a container system that can be used with single use paper filter or reusable PTFE Teflon filter. It is produced with six different colored lids and this color coding provides easy distinctiveness. The labels on both sides also serve for that purpose. The silicone coated carrying handles have 90° mobility and its ergonomic design provides easy and secure carrying facilities. Its box design makes it stackable and its gasket system placed inside the lid and filter retainer system ensures perfect tightness. The boxes and lids of this container system are produced from special alloy raw materials which have 2mm thickness. The lock mechanism of this system provides excellent grip with the flexible construction. AYGÜN standard model container system can be supplied with perforated or non-perforated boxes and lids and also safety lids. This safety lids are designed so as not to interfere with sterilization and they provides protection to the perforated lid and the filter system against hard objects, liquids and dust as a second lid.



STERILE CONTAINER SYSTEMS



LOW TEMPERATURE STERILIZATION CONTAINERS

For STERRAD[®]



* STERRAD is a registered trademark owned by Johnson & Johnson Company.


1/1 (FULL SIZE)



W: 285 mm

L: 600 mm




code	outside dimension	Specifications
K6-040Z	600 x 285 h:110 mm	Lid (Perforated)
K6-046Z	600 x 285 h:135 mm	
K6-052Z	600 x 285 h:155 mm	

Ps: All container measurements cover the outer size of the lids.


BOX (perforated)



outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-100Z	600 x 272 h:100 mm	543 x 258 h:83 mm	2216 g
K6-101Z	600 x 272 h:116 mm	543 x 258 h:99 mm	2362 g
K6-102Z	600 x 272 h:138 mm	543 x 258 h:121 mm	2520 g

PERFORATED LIDS



code	weight
K6-120Z	1310 g

Dimension: 602 x 285 mm

SECURITY SEAL



K2-663Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

POLYPROPYLENE FILTER



K2-741Z
Single use 100 pcs.
Diameter: 184 mm
for hydrogen peroxide
plasma sterilization

LABEL



K2-672Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

LABEL




K2-673Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-460	540 x 245 h:30 mm
K2-461	540 x 245 h:50 mm
K2-462	540 x 245 h:70 mm
K2-463	540 x 245 h:100 mm
K3-1014	ONLY LID, for baskets
K2-450	480 x 245 h:30 mm
K2-451	480 x 245 h:50 mm
K2-452	480 x 245 h:70 mm
K2-453	480 x 245 h:100 mm
K3-1024	ONLY LID, for baskets




WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-461 P	540 x 245 h:50 mm
K2-462 P	540 x 245 h:70 mm
K2-463 P	540 x 245 h:100 mm
K3-1014 P	ONLY LID, for baskets
K2-451 P	480 x 245 h:50 mm
K2-452 P	480 x 245 h:70 mm
K2-453 P	480 x 245 h:100 mm
K3-1024 P	ONLY LID, for baskets




BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



code	outside dimension
K3-740	540 x 253 h:40 mm
K3-741	540 x 253 h:60 mm
K3-742	540 x 253 h:80 mm
K3-743	540 x 253 h:110 mm
K3-760	ONLY LID, for baskets

code	outside dimension
K3-744	485 x 253 h:40 mm
K3-745	485 x 253 h:60 mm
K3-746	485 x 253 h:80 mm
K3-747	485 x 253 h:110 mm
K3-761	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND




code	height
K3-766	5 mm

3/4 (QUARTER SIZE)



W: 285 mm

L: 475 mm




code	outside dimension	Specifications
K6-260Z	475 x 285 h:110 mm	Lid (Perforated)
K6-266Z	475 x 285 h:130 mm	
K6-272Z	475 x 285 h:155 mm	

Ps: All container measurements cover the outer size of the lids.

BOX (perforated)




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-300Z	475 x 272 h:100 mm	422 x 258 h:83 mm	1792 g
K6-301Z	475 x 272 h:116 mm	422 x 258 h:99 mm	1836 g
K6-302Z	475 x 272 h:138 mm	422 x 258 h:121 mm	1980 g
K6-303Z	475 x 272 h:185 mm	422 x 258 h:168 mm	2240 g

PERFORATED LIDS



code	weight
K6-340Z	1014 g

Dimension: 477 x 285 mm

SECURITY SEAL



K2-663Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

POLYPROPYLENE FILTER




K2-741Z
Single use 100 pcs.
Diameter: 184 mm
for hydrogen peroxide
plasma sterilization

LABEL



K2-672Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

LABEL




K2-673Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-1500	405 x 245 h:30 mm
K2-1501	405 x 245 h:50 mm
K2-1502	405 x 245 h:70 mm
K2-1503	405 x 245 h:100 mm
K3-1034	ONLY LID, for baskets




WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



code	outside dimension
K2-1501 P	405 x 246 h:50 mm
K2-1502 P	405 x 246 h:70 mm
K2-1503 P	405 x 246 h:100 mm
K3-1034 P	ONLY LID, for baskets




BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box	K3-748	405 x 253 h:40 mm
	K3-749	405 x 253 h:60 mm
	K3-750	405 x 253 h:80 mm
	K3-751	405 x 253 h:110 mm
Lid	K3-762	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-766	5 mm




1/2 (HALF SIZE)



W: 280 mm

L: 310 mm




code	outside dimension	Specifications
K6-530Z	310 x 280 h:110 mm	Lid (Perforated)
K6-536Z	310 x 280 h:130 mm	
K6-542Z	310 x 280 h:150 mm	

Ps: All container measurements cover the outer size of the lids.

BOX (perforated)




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-600Z	310 x 272 h:100 mm	253 x 258 h:83 mm	1385 g
K6-601Z	310 x 272 h:116 mm	253 x 258 h:99 mm	1417 g
K6-602Z	310 x 272 h:138 mm	253 x 258 h:121 mm	1590 g

PERFORATED LIDS



code	weight
K6-630Z	727 g

Dimension: 305 x 280 mm

SECURITY SEAL



K2-663Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

POLYPROPYLENE FILTER



K2-741Z
Single use 100 pcs.
Diameter: 184 mm
for hydrogen peroxide
plasma sterilization

LABEL



K2-672Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

LABEL



K2-673Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K2-490	246 x 246 x h:30 mm
K2-491	246 x 246 x h:50 mm
K2-492	246 x 246 x h:70 mm
K2-493	246 x 246 x h:100 mm
K3-1045	ONLY LID, for baskets



WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET




code	outside dimension
K2-491 P	246 x 246 x h:50 mm
K2-492 P	246 x 246 x h:70 mm
K2-493 P	246 x 246 x h:100 mm
K3-1045 P	ONLY LID, for baskets




BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box	K3-752	244 x 253 h:40 mm
	K3-753	244 x 253 h:60 mm
	K3-754	244 x 253 h:80 mm
	K3-755	244 x 253 h:110 mm
Lid	K3-763	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND




code	height
K3-766	5 mm



DENTAL MODEL




code	outside dimension	Specifications
K6-1820Z	325 x 192 x 55 mm	Lid (Perforated)
K6-1826Z	325 x 192 x 70 mm	
K6-1832Z	325 x 192 x 135 mm	

BOX (perforated)



code	outside dimension	weight
K6-1860Z	323 x 186 x 43 mm	493 g
K6-1861Z	323 x 186 x 58 mm	535 g
K6-1862Z	323 x 186 x 122 mm	745 g

PERFORATED LIDS



code	weight
K6-1880Z	638 g

Dimension: 325 x 192 mm

POLYPROPYLENE FILTER



K3-615Z
Single use 100 pcs.
Dimension: 165 x 235 mm
for hydrogen peroxide plasma sterilization


BASKET (with stand)



code	outside dimension
K3-736	275 x 175 x 53 mm
K3-737	275 x 175 x 113 mm

MINI MODEL



code	outside dimension	Specifications
K6-1920Z	315 x 142 x 45 mm	Lid (Perforated)
K6-1926Z	315 x 142 x 70 mm	
K6-1932Z	315 x 142 x 100 mm	

BOX (perforated)



code	outside dimension	weight
K6-1960Z	315 x 132 x 32 mm	338 g
K6-1961Z	315 x 132 x 63 mm	432 g
K6-1962Z	315 x 132 x 92 mm	523 g

PERFORATED LIDS



code	weight
K6-1970Z	513 g

Dimension: 320 x 142 mm

POLYPROPYLENE FILTER



K2-761Z
Single use 100 pcs.
Dimension: 230 x 120 mm
for hydrogen peroxide plasma sterilization


BASKET (with stand)



code	outside dimension
K3-738	265 x 125 x 63 mm

1/2 DENTAL MODEL



code	outside dimension	Specifications
K6-1520Z	227 x 166 x 65 mm	Lid (Perforated)
K6-1526Z	227 x 166 x 100 mm	 Box (Perforated)
K6-1532Z	227 x 166 x 130 mm	

BOX (perforated)



code	outside dimension	weight
K6-1560Z	227 x 162 x 57 mm	386 g
K6-1561Z	227 x 162 x 88 mm	463 g
K6-1562Z	227 x 162 x 122 mm	525 g

PERFORATED LIDS



code	weight
K6-1570Z	488 g

Dimension: 220 x 170 mm

POLYPROPYLENE FILTER



K2-780Z

Single use 100 pcs.
Dimension: 130 x 110 mm
for hydrogen peroxide plasma sterilization

BASKET



code	outside dimension
K3-786	191 x 130 x 34 mm

Without silicone fixation systems



code	outside dimension
K3-786K	191 x 130 x 36 mm

Basket with silicone fixation systems
Holds 12 instruments with Ø 5 mm

SECURITY SEAL



K2-663Z

100 pcs. with indicator.
for hydrogen peroxide plasma sterilization

LABEL



K2-673Z

100 pcs. with indicator.
for hydrogen peroxide plasma sterilization

ENDO MODEL



code	outside dimension	Specifications
K6-1400Z	535 x 160 x 75 mm	Lid (Perforated)
K6-1406Z	535 x 160 x 100 mm	Box (Perforated)

BOX (perforated)



code	outside dimension	weight
K6-1100Z	528 x 145 x 64 mm	676 g
K6-1101Z	528 x 145 x 88 mm	786 g

PERFORATED LIDS



code	weight
K6-1000Z	795 g

Dimension: 532 x 160 mm

POLYPROPYLENE FILTER



K2-761Z
Single use 100 pcs.
Dimension: 230 x 120 mm
for hydrogen peroxide plasma sterilization

BASKET (with stand)




code	outside dimension
K3-1054	492 x 134 x 55 mm
K3-1055	492 x 134 x 65 mm

LABEL



K2-672Z
100 pcs. with indicator.
for hydrogen peroxide plasma sterilization

LABEL



K2-673Z
100 pcs. with indicator.
for hydrogen peroxide plasma sterilization

TRAY LAPAROSCOPY



color	code	outside dimension
Grey	KP-1398Z	505 x 80 x 80 mm
	KP-1399Z	505 x 155 x 80 mm
Yellow	KP-1400Z	505 x 80 x 80 mm
	KP-1401Z	505 x 155 x 80 mm
Blue	KP-1402Z	505 x 80 x 80 mm
	KP-1403Z	505 x 155 x 80 mm
Red	KP-1404Z	505 x 80 x 80 mm
	KP-1405Z	505 x 155 x 80 mm
Black	KP-1406Z	505 x 80 x 80 mm
	KP-1407Z	505 x 155 x 80 mm
Transparent	KP-1408Z	505 x 80 x 80 mm
	KP-1409Z	505 x 155 x 80 mm

STERILE CONTAINER SYSTEMS A1 MODEL



1/1 FULL SIZE



3/4 QUARTER SIZE



1/2 HALF SIZE

Aygün A1 model sterilization container systems basically have similar features with standard model sterilization container systems. It has been designed by restricting some features of standard model which will not risk any of sterilization necessities. When compared to standard model sterilization container systems there is no colorful lid option in this model and coloring parts are carried out to label plates. It can be supplied with five main colors except for black. Moreover the handles of this model are not silicone coated and this model cannot be supplied with perforated boxes and more than 200 mm deep boxes. Instead in order to increase its competition power, the filter retainer of this sterilization container model is made of aluminum. Similar to other models, Aygün A1 model sterilization container systems are manufactured as three different length, width and height. All models and sizes have specific baskets and accessories which can be viewed in following parts.



STERILE CONTAINER SYSTEMS



A1 Model

» *1/1 Full Size*


1/1 FULL SIZE























W: 285 mm

L: 600 mm

Lid (Perforated)




Box (Non Perforated)

h:110 mm	 K6-010E	 K6-011E	 K6-012E	 K6-013E	 K6-014E
h:135 mm	 K6-016E	 K6-017E	 K6-018E	 K6-019E	 K6-020E
h:155 mm	 K6-022E	 K6-023E	 K6-024E	 K6-025E	 K6-026E
h:205 mm	 K6-028E	 K6-029E	 K6-030E	 K6-031E	 K6-032E



BOX (non perforated)



outside dimension	inside dimension	weight
600 x 272 h:100 mm	543 x 258 h:94 mm	1900 g
600 x 272 h:116 mm	543 x 258 h:110 mm	2096 g
600 x 272 h:138 mm	543 x 258 h:132 mm	2205 g
600 x 272 h:190 mm	543 x 258 h:184 mm	2648 g

PERFORATED LID



Dimension: 602 x 285 mm
Weight : 1300 g

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
	K3-740	540 x 253 h:40 mm
	K3-741	540 x 253 h:60 mm
	K3-742	540 x 253 h:80 mm
	K3-743	540 x 253 h:110 mm

STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



STAND



code	height
K3-766	5 mm




BASKET MADE FROM STAINLESS STEEL WIRE MESH




code	outside dimension
K2-460	540 x 245 h:30 mm
K2-461	540 x 245 h:50 mm
K2-462	540 x 245 h:70 mm
K2-463	540 x 245 h:100 mm

SILICONE MAT



K2-526
520 x 230 mm
K2-528
475 x 230 mm

SILICONE MESH MAT



K2-531
485 x 250 mm

SILICONE HANDLE



K2-710	
K2-711	
K2-712	
K2-713	
K2-714	
K2-715	

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
Diameter: 184 mm

ALUMINIUM FILTER RETAINER




K2-722
Diameter: 189 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS (aluminium)



K2-700	
K2-701	
K2-702	
K2-703	
K2-704	
K2-705	

LABELS (paper)



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS (paper)



K2-672
100 pcs. With indicator.

For full and
Half size containers

SECURITY SEAL (blue)



K2-663
100 pcs. with indicator.
made of plastic

SECURITY SEAL (blue)



K2-664
100 pcs. made of plastic

SECURITY SEAL (blue)



K2-661
100 pcs. with number.
made of plastic

SECURITY SEAL (red)



K2-662
100 pcs. with indicator.
made of plastic

SECURITY SEAL (red)



K2-660
100 pcs. made of plastic

SECURITY SEAL (red)



K2-665
100 pcs. with number.
made of plastic

A1 MODEL

1/1 full size



STERILE CONTAINER SYSTEMS



A1 Model

» *3/4 Quarter Size*


3/4 QUARTER SIZE















W: 285 mm

L: 475 mm

Lid (Perforated)






Box (Non Perforated)

h: 110 mm	 K6-240E	 K6-241E	 K6-242E	 K6-243E	 K6-244E
h: 130 mm	 K6-246E	 K6-247E	 K6-248E	 K6-249E	 K6-250E
h: 155 mm	 K6-252E	 K6-253E	 K6-254E	 K6-255E	 K6-256E



BOX (non perforated)



outside dimension	inside dimension	weight
475 x 272 h:100 mm	422 x 258 h:94 mm	1609 g
475 x 272 h:116 mm	422 x 258 h:110 mm	1714 g
475 x 272 h:138 mm	422 x 258 h:132 mm	1842 g

PERFORATED LID



Dimension: 477 x 285 mm
Weight : 1009 g

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
<p>Box</p>	K3-748	405 x 253 h:40 mm
	K3-749	405 x 253 h:60 mm
	K3-750	405 x 253 h:80 mm
	K3-751	405 x 253 h:110 mm

STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm




STAND



code	height
K3-766	5 mm



BASKET MADE FROM STAINLESS STEEL WIRE MESH




code	outside dimension
K2-1500	405 x 245 x h:30 mm
K2-1501	405 x 245 x h:50 mm
K2-1502	405 x 245 x h:70 mm
K2-1503	405 x 245 x h:100 mm

SILICONE MAT



K2-524
380 x 230 mm
K2-525
440 x 230 mm

SILICONE MESH MAT



K2-531
485 x 250 mm

SILICONE HANDLE



K2-710	
K2-711	
K2-712	
K2-713	
K2-714	
K2-715	

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 184 mm

ALUMINIUM FILTER RETAINER




K2-722
Diameter: 189 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS (aluminium)



K2-700	
K2-701	
K2-702	
K2-703	
K2-704	
K2-705	

LABELS (paper)



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS (paper)



K2-672
100 pcs. With indicator.

For full and
Half size containers

SECURITY SEAL (blue)



K2-663
100 pcs. with indicator.
made of plastic

SECURITY SEAL (blue)



K2-664
100 pcs. made of plastic

SECURITY SEAL (blue)



K2-661
100 pcs. with number.
made of plastic

SECURITY SEAL (red)



K2-662
100 pcs. with indicator.
made of plastic

SECURITY SEAL (red)



K2-660
100 pcs. made of plastic

SECURITY SEAL (red)



K2-665
100 pcs. with number.
made of plastic

A1 MODEL

3/4 Quarter size



STERILE CONTAINER SYSTEMS




A1 Model

» *1/2 Half Size*

1/2 HALF SIZE



W: 280 mm























L: 310 mm



Lid (Perforated)



Box (Non Perforated)


h:110 mm	 K6-500E	 K6-501E	 K6-502E	 K6-503E	 K6-504E
h:130 mm	 K6-506E	 K6-507E	 K6-508E	 K6-509E	 K6-510E
h:150 mm	 K6-512E	 K6-513E	 K6-514E	 K6-515E	 K6-516E
h:200 mm	 K6-518E	 K6-519E	 K6-520E	 K6-521E	 K6-522E




BOX (non perforated)




outside dimension



outside dimension



inside dimension



outside dimension	inside dimension	weight
310 x 272 h:100 mm	253 x 258 h:94 mm	1267 g
310 x 272 h:116 mm	253 x 258 h:110 mm	1315 g
310 x 272 h:138 mm	253 x 258 h:132 mm	1427 g
310 x 272 h:190 mm	253 x 258 h:184 mm	1660 g

PERFORATED LID



Dimension: 312 x 280 mm
Weight : 722 g

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
	K3-752	244 x 253 h:40 mm
	K3-753	244 x 253 h:60 mm
	K3-754	244 x 253 h:80 mm
	K3-755	244 x 253 h:110 mm

STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



STAND



code	height
K3-766	5 mm



BASKET MADE FROM STAINLESS STEEL WIRE MESH




code	outside dimension
K2-490	246 x 246 x h:30 mm
K2-491	246 x 246 x h:50 mm
K2-492	246 x 246 x h:70 mm
K2-493	246 x 246 x h:100 mm

SILICONE MAT



K2-521
250 x 235 mm

SILICONE MESH MAT



K2-530
250 x 240 mm

SILICONE HANDLE



K2-710	
K2-711	
K2-712	
K2-713	
K2-714	
K2-715	

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 184 mm

ALUMINIUM FILTER RETAINER




K2-722
Diameter: 189 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS (aluminium)



LABELS (paper)



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS (paper)



K2-672
100 pcs. With indicator.

For full and
Half size containers

SECURITY SEAL (blue)



K2-663
100 pcs. with indicator.
made of plastic

SECURITY SEAL (blue)



K2-664
100 pcs. made of plastic

SECURITY SEAL (blue)



K2-661
100 pcs. with number.
made of plastic

SECURITY SEAL (red)



K2-662
100 pcs. with indicator.
made of plastic

SECURITY SEAL (red)



K2-660
100 pcs. made of plastic

SECURITY SEAL (red)



K2-665
100 pcs. with number.
made of plastic

A1 MODEL

1/2 half size



STERILE CONTAINER SYSTEMS




Dental, Mini & Special Model






















LARGE DENTAL MODEL CONTAINER



W: 255 mm


L: 380 mm



Specifications		Lid (Perforated)	
			
Height	Box (Non Perforated)		
	h: 115 mm		K6-1600
K6-1601			
K6-1602			
K6-1603			
K6-1604			
h: 130 mm		K6-1605	
		K6-1606	
		K6-1607	
		K6-1608	
		K6-1609	
h: 150 mm		K6-1610	
		K6-1611	
		K6-1612	
		K6-1613	
		K6-1614	
		K6-1615	
		K6-1616	
		K6-1617	

Ps: All container measurements cover the outer size of the lids.

BOX (non perforated)



code	outside dimension	inside dimension	weight
K6-1665	380 x 244 h:100 mm	330 x 234 h:94 mm	1370 g
K6-1666	380 x 244 h:116 mm	330 x 234 h:112 mm	1465 g
K6-1667	380 x 244 h:138 mm	330 x 234 h:130 mm	1542 g

PERFORATED LIDS



code	color	weight
K6-1680		835 g
K6-1681		
K6-1682		
K6-1683		
K6-1684		
K6-1685		

Dimension: 380 x 255 mm

LID-BARRIER SYSTEM




code	color	weight
K7-1680		969 g
K7-1681		
K7-1682		
K7-1683		
K7-1684		
K7-1685		

Dimension: 380 x 255 mm

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



code	outside dimension
K3-2000	323 x 222 h:50 mm
K3-2001	323 x 222 h:70 mm
K3-2002	323 x 222 h:100 mm

WIRE BASKET WITH LID



code	outside dimension
K3-2010	323 x 222 h:55 mm
K3-2011	323 x 222 h:75 mm
K3-2012	323 x 222 h:105 mm
K3-2013	ONLY LID, for baskets

SILICONE MAT



K2-532
280 x 200 mm

DISPOSAL STAMP



K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.

LABEL HOLDER



K2-716
50 x 35 x 13 mm
Holder for identification labels

PAPER FILTER




K2-740
Single use 100 pcs with indicator. Aygun mark.
• Diameter: 184 mm

TEFLON FILTER



K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER




K2-730

IDENTIFICATION LABELS (aluminium)



K2-700 (Red)
K2-701 (Blue)
K2-702 (Green)
K2-703 (Yellow)
K2-704 (Grey)
K2-705 (Black)

LABELS (paper)



K2-673
100 pcs. With indicator.

LABELS (paper)



K2-672
100 pcs. With indicator.

SECURITY SEAL (blue)



K2-663
100 pcs. with indicator.
made of plastic

SECURITY SEAL (blue)



K2-664
100 pcs. made of plastic

SECURITY SEAL (blue)



K2-661
100 pcs. with number.
made of plastic

SECURITY SEAL (red)



K2-662
100 pcs. with indicator.
made of plastic

SECURITY SEAL (red)



K2-660
100 pcs. made of plastic

SECURITY SEAL (red)







K2-665
100 pcs. with number.
made of plastic

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET (with stand)



	code	outside dimension
Box and Lid 	K3-774	320 x 220 h:63 mm
	K3-775	320 x 220 h:83 mm
	K3-776	320 x 220 h:113 mm
Box 	K3-771	315 x 215 h:60 mm
	K3-772	315 x 215 h:80 mm
	K3-773	315 x 215 h:110 mm
Lid 	K3-770	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm

STAND



code	height
K3-768	10 mm

STAND



code	height
K3-766	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS



code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification




⦿ Grey colored recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

Specifications	Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)	Lid (with barrier)	Lid (with barrier)
Sizes	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Non Perforated)	Box (with barrier)
325 X 192 X 55 mm 	K6-1800 K6-1801 K6-1802 K6-1803 K6-1804 K6-1805	K6-1820 K6-1821 K6-1822 K6-1823 K6-1824 K6-1825	K6-1840 K6-1841 K6-1842 K6-1843 K6-1844 K6-1845	K7-1800 K7-1801 K7-1802 K7-1803 K7-1804 K7-1805	N/A
325 X 190 X 70 mm 	K6-1806 K6-1807 K6-1808 K6-1809 K6-1810 K6-1811	K6-1826 K6-1827 K6-1828 K6-1829 K6-1830 K6-1831	K6-1846 K6-1847 K6-1848 K6-1849 K6-1850 K6-1851	K7-1806 K7-1807 K7-1808 K7-1809 K7-1810 K7-1811	K7-1826 K7-1827 K7-1828 K7-1829 K7-1830 K7-1831
325 X 190 X 135 mm 	K6-1812 K6-1813 K6-1814 K6-1815 K6-1816 K6-1817	K6-1832 K6-1833 K6-1834 K6-1835 K6-1836 K6-1837	K6-1852 K6-1853 K6-1854 K6-1855 K6-1856 K6-1857	K7-1812 K7-1813 K7-1814 K7-1815 K7-1816 K7-1817	K7-1832 K7-1833 K7-1834 K7-1835 K7-1836 K7-1837

Ps: All container measurements cover size of filter based lids.

WIRE BASKET (with lid)



code	outside dimension
K3-611	270 x 175 x h:45 mm

WIRE BASKET



code	outside dimension
K3-1070	270 x 170 x h:38 mm

STORAGE FRAME



code	outside dimension
K3-609	273 x 180 x 13 mm

SILICONE MAT




code	outside dimension
K2-529	260 x 180 mm

DRAPE RETAINER




code	outside dimension
K3-610	277 x 175 mm

FILTERS



code **K3-612**
Dimension: 165 x 235 mm
Single use **paper filter** 100 pcs.
With indicator, Aygun mark.




code **K3-615**
Dimension: 165 x 235 mm
Single use **paper filter** 100 pcs.
With indicator, No marking.



code **K2-743**
Dimension: 150 x 233 mm
Teflon Filter
Number of sterilization cycle > 2000

PERFORATED BOTTOMS



code	K6-1860
outside dimension	320 x 186 x h ¹ :43 mm
inside dimension	278 x 184 x h ² :28 mm
weight	493 g



code	K6-1861
outside dimension	320 x 186 x h ¹ :58 mm
inside dimension	278 x 184 x h ² :46 mm
weight	535 g




code	K6-1863
outside dimension	320 x 186 x h ¹ :102 mm
inside dimension	278 x 184 x h ² :93 mm
weight	658 g



code	K6-1862
outside dimension	320 x 186 x h ¹ :122 mm
inside dimension	278 x 184 x h ² :110 mm
weight	745 g

SOLID BOTTOMS



code	K6-1865
outside dimension	320 x 186 x h ¹ :43 mm
inside dimension	278 x 184 x h ² :38 mm
weight	355 g



code	K6-1866
outside dimension	320 x 186 x h ¹ :59 mm
inside dimension	278 x 184 x h ² :54 mm
weight	415 g



code	K6-1868
outside dimension	320 x 186 x h ¹ :102 mm
inside dimension	278 x 184 x h ² :98 mm
weight	560 g



code	K6-1867
outside dimension	320 x 186 x h ¹ :122 mm
inside dimension	278 x 184 x h ² :118 mm
weight	634 g

PERFORATED LIDS



code	color	weight
K6-1880		638 g
K6-1881		
K6-1882		
K6-1883		
K6-1884		
K6-1885		

Dimension: 325 x 192 mm

REMOVAL LIDS (non perforated)



code	color	weight
K6-1870		516 g
K6-1871		
K6-1872		
K6-1873		
K6-1874		
K6-1875		





























































Dimension: 325 x 192 mm

BIO-BARRIER LIDS




code	color	weight
K7-1880		862 g
K7-1881		
K7-1882		
K7-1883		
K7-1884		
K7-1885		

Dimension: 325 x 192 mm

Specifications →	Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)	
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	
Sizes 232 X 174 X 63 mm 232 X 174 X 100 mm 232 X 174 X 130 mm				
		K6-1500  K6-1501  K6-1502  K6-1503  K6-1504  K6-1505 	K6-1520  K6-1521  K6-1522  K6-1523  K6-1524  K6-1525 	K6-1540  K6-1541  K6-1542  K6-1543  K6-1544  K6-1545 
		K6-1506  K6-1507  K6-1508  K6-1509  K6-1510  K6-1511 	K6-1526  K6-1527  K6-1528  K6-1529  K6-1530  K6-1531 	K6-1546  K6-1547  K6-1548  K6-1549  K6-1550  K6-1551 
	K6-1512  K6-1513  K6-1514  K6-1515  K6-1516  K6-1517 	K6-1532  K6-1533  K6-1534  K6-1535  K6-1536  K6-1537 	K6-1552  K6-1553  K6-1554  K6-1555  K6-1556  K6-1557 	


Ps: All container measurements cover the outer size of the lids.

WIRE BASKET (with lid)




code	outside dimension
K2-995	175 x 153 x h:45 mm

WIRE BASKET




code	outside dimension
K3-1079	175 x 144 x h:40 mm

STORAGE FRAME




code	outside dimension
K3-608	170 x 140 mm

SILICONE MAT




code	outside dimension
K2-519	160 x 135 mm

DRAPE RETAINER



code	outside dimension
K3-607	170 x 140 mm

PERFORATED BOTTOMS



code	K6-1560
outside dimension	227 x 162 x h ¹ :57 mm
inside dimension	190 x 158 x h ² :40 mm
weight	386 g




code	K6-1561
outside dimension	227 x 162 x h ¹ :88 mm
inside dimension	190 x 158 x h ² :80 mm
weight	463 g



code	K6-1562
outside dimension	227 x 162 x h ¹ :122 mm
inside dimension	190 x 158 x h ² :110 mm
weight	525 g

SOLID BOTTOMS



code	K6-1565
outside dimension	227 x 162 x h ¹ :57 mm
inside dimension	190 x 158 x h ² :48 mm
weight	233 g




code	K6-1566
outside dimension	227 x 162 x h ¹ :88 mm
inside dimension	190 x 158 x h ² :88 mm
weight	325 g



code	K6-1567
outside dimension	227 x 162 x h ¹ :122 mm
inside dimension	190 x 158 x h ² :118 mm
weight	382 g

FILTERS



code **K2-781**
Dimension: 130 x 130 mm
Single use **paper filter** 100 pcs.
With indicator, Aygun mark.



code **K2-780**
Dimension: 130 x 130 mm
Single use **paper filter** 100 pcs.
With indicator, No marking.



code **K2-782**
Dimension: 130 x 130 mm
Teflon Filter
Number of sterilization cycle > 2000

PERFORATED LIDS

code	color	weight
K6-1570		488 g
K6-1571		
K6-1572		
K6-1573		
K6-1574		
K6-1575		

Dimension: 232 x 174 mm



REMOVAL LIDS (non perforated)

code	color	weight
K6-1580		360 g
K6-1581		
K6-1582		
K6-1583		
K6-1584		
K6-1585		

Dimension: 232 x 174 mm



Specifications	Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)	Lid (with barrier)	Lid (with barrier)
Sizes	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Non Perforated)	Box (with barrier)
315 X 142 X 45 mm 	K6-1900	K6-1920	K6-1940	K7-1900	N/A
	K6-1901	K6-1921	K6-1941	K7-1901	
	K6-1902	K6-1922	K6-1942	K7-1902	
	K6-1903	K6-1923	K6-1943	K7-1903	
	K6-1904	K6-1924	K6-1944	K7-1904	
	K6-1905	K6-1925	K6-1945	K7-1905	
315 X 142 X 70 mm 	K6-1906	K6-1926	K6-1946	K7-1906	K7-1926
	K6-1907	K6-1927	K6-1947	K7-1907	K7-1927
	K6-1908	K6-1928	K6-1948	K7-1908	K7-1928
	K6-1909	K6-1929	K6-1949	K7-1909	K7-1929
	K6-1910	K6-1930	K6-1950	K7-1910	K7-1930
	K6-1911	K6-1931	K6-1951	K7-1911	K7-1931
315 X 142 X 100 mm 	K6-1912	K6-1932	K6-1952	K7-1912	K7-1932
	K6-1913	K6-1933	K6-1953	K7-1913	K7-1933
	K6-1914	K6-1934	K6-1954	K7-1914	K7-1934
	K6-1915	K6-1935	K6-1955	K7-1915	K7-1935
	K6-1916	K6-1936	K6-1956	K7-1916	K7-1936
	K6-1917	K6-1937	K6-1957	K7-1917	K7-1937

Ps: All container measurements cover size of filter based lids.

WIRE BASKET (with lid)



code	outside dimension
K2-993	268 x 127 x h:47 mm

WIRE BASKET



code	outside dimension
K3-1073	268 x 117 x h:43 mm

WIRE BASE



code	outside dimension
K2-992	270 x 125 mm

SILICONE MAT



code	outside dimension
K2-520	275 x 125 mm

DRAPE RETAINER



code	outside dimension
K2-990	270 x 125 mm


PORTABLE CARRIER (for small containers)



code	K2-991
Width	325 mm
Height	328 mm
Depth	145 mm

Wire suspenders, adjustable as required. Adjusting key of suspender is included.

PERFORATED BOTTOMS



code	K6-1960
outside dimension	315 x 132 x h ¹ :32 mm
inside dimension	273 x 128 x h ² :18 mm
weight	338 g




code	K6-1961
outside dimension	315 x 132 x h ¹ :63 mm
inside dimension	273 x 128 x h ² :48 mm
weight	432 g



code	K6-1962
outside dimension	315 x 132 x h ¹ :92 mm
inside dimension	273 x 128 x h ² :78 mm
weight	523 g

SOLID BOTTOMS



code	K6-1965
outside dimension	315 x 132 x h ¹ :32 mm
inside dimension	273 x 128 x h ² :30 mm
weight	232 g



code	K6-1966
outside dimension	315 x 132 x h ¹ :63 mm
inside dimension	273 x 128 x h ² :58 mm
weight	315 g



code	K6-1967
outside dimension	315 x 132 x h ¹ :92 mm
inside dimension	273 x 128 x h ² :90 mm
weight	419 g

FILTERS



code	K2-760
Dimension:	230 x 120 mm
Single use	paper filter 100 pcs.
	With indicator, Aygun mark.



code	K2-761
Dimension:	230 x 120 mm
Single use	paper filter 100 pcs.
	With indicator, No marking.



code	K2-744
Dimension:	215 x 100 mm
	Teflon Filter
	Number of sterilization cycle > 2000

PERFORATED LIDS



code	color	weight
K6-1970		513 g
K6-1971		
K6-1972		
K6-1973		
K6-1974		
K6-1975		

Dimension: 315 x 140 mm

REMOVAL LIDS (non perforated)



code	color	weight
K6-1980		412 g
K6-1981		
K6-1982		
K6-1983		
K6-1984		
K6-1985		

Dimension: 315 x 140 mm

BIO-BARRIER LIDS



code	color	weight
K7-1970		686 g
K7-1971		
K7-1972		
K7-1973		
K7-1974		
K7-1975		

Dimension: 315 x 142 mm

Specifications		Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)	Lid (with barrier)	Lid (with barrier)
Sizes		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Non Perforated)	Box (with barrier)
		297 X 280 X 75 mm	 K6-1710 K6-1711 K6-1712 K6-1713 K6-1714 K6-1715	K6-1730 K6-1731 K6-1732 K6-1733 K6-1734 K6-1735	K6-1750 K6-1751 K6-1752 K6-1753 K6-1754 K6-1755	K7-1710 K7-1711 K7-1712 K7-1713 K7-1714 K7-1715
297 X 280 X 90 mm	 K6-1716 K6-1717 K6-1718 K6-1719 K6-1720 K6-1721	K6-1736 K6-1737 K6-1738 K6-1739 K6-1740 K6-1741	K6-1756 K6-1757 K6-1758 K6-1759 K6-1760 K6-1761	K7-1716 K7-1717 K7-1718 K7-1719 K7-1720 K7-1721	K7-1736 K7-1737 K7-1738 K7-1739 K7-1740 K7-1741	

Ps: All container measurements cover the outer size of the lids.

WIRE BASKET



code	outside dimension
K2-490	246 x 246 x h:30 mm
K2-491	246 x 246 x h:50 mm

SILICONE MAT



code	outside dimension
K2-521	250 x 235 mm

WIRE BASE



code	outside dimension
K2-482	255 x 255 x 30 mm

PAPER FILTER



code	K2-740
Diameter	184 mm


Single use 100 pcs with indicator. Aygun mark.

DRAPE RETAINER



code	outside dimension
K2-480	255 x 255 mm

PAPER FILTER



code	K2-741
Diameter	184 mm

Single use 100 pcs with indicator. No marking.

DRAPE RETAINER



code	outside dimension
K2-481	255 x 255 x 30 mm


TEFLON FILTER



code	K2-742
Diameter	194 mm

Number of sterilization cycle > 2000

PERFORATED BOTTOMS




code	K6-1770
outside dimension	295 x 270 x h ¹ :60 mm
inside dimension	258 x 260 x h ² :40 mm
weight	771 g



code	K6-1771
outside dimension	295 x 270 x h ¹ :72 mm
inside dimension	258 x 260 x h ² :52 mm
weight	789 g

SOLID BOTTOMS



code	K6-1775
outside dimension	295 x 270 x h ¹ :60 mm
inside dimension	258 x 260 x h ² :56 mm
weight	614 g



code	K6-1776
outside dimension	295 x 270 x h ¹ :72 mm
inside dimension	258 x 260 x h ² :66 mm
weight	697 g

PERFORATED LIDS



code	color	weight
K6-1780		720 g
K6-1781		
K6-1782		
K6-1783		
K6-1784		
K6-1785		

Dimension: 292 x 280 mm

REMOVAL LIDS (non perforated)



code	color	weight
K6-1790		617 g
K6-1791		
K6-1792		
K6-1793		
K6-1794		
K6-1795		

Dimension: 292 x 280 mm

BIO-BARRIER LIDS



code	color	weight
K7-1780		965 g
K7-1781		
K7-1782		
K7-1783		
K7-1784		
K7-1785		

Dimension: 292 x 280 mm

SAFETY LIDS





code	color	weight
K6-1418		630 g
K6-1419		
K6-1420		
K6-1421		
K6-1422		
K6-1423		


BIO-BARRIER SAFETY LID




code	color	weight
K7-1418		670 g
K7-1419		
K7-1420		
K7-1421		
K7-1422		
K7-1423		


ENDO MODEL CONTAINER





color	Specifications	code	outside dimension
	Lid (Perforated)	K6-1400	535 x 160 h:75 mm
	Box (Perforated)	K6-1406	535 x 160 h:100 mm
	Lid (Perforated)	K6-1412	535 x 160 h:75 mm
	Box (Non Perforated)	K6-1432	535 x 160 h:100 mm


color	Specifications	code	outside dimension
	Lid (Perforated)	K6-1401	535 x 160 h:75 mm
	Box (Perforated)	K6-1407	535 x 160 h:100 mm
	Lid (Perforated)	K6-1413	535 x 160 h:75 mm
	Box (Non Perforated)	K6-1433	535 x 160 h:100 mm

color	Specifications	code	outside dimension
	Lid (Perforated)	K6-1402	535 x 160 h:75 mm
	Box (Perforated)	K6-1408	535 x 160 h:100 mm
	Lid (Perforated)	K6-1414	535 x 160 h:75 mm
	Box (Non Perforated)	K6-1434	535 x 160 h:100 mm

color	Specifications	code	outside dimension
	Lid (Perforated)	K6-1403	535 x 160 h:75 mm
	Box (Perforated)	K6-1409	535 x 160 h:100 mm
	Lid (Perforated)	K6-1415	535 x 160 h:75 mm
	Box (Non Perforated)	K6-1435	535 x 160 h:100 mm

color	Specifications	code	outside dimension
	Lid (Perforated)	K6-1404	535 x 160 h:75 mm
	Box (Perforated)	K6-1410	535 x 160 h:100 mm
	Lid (Perforated)	K6-1416	535 x 160 h:75 mm
	Box (Non Perforated)	K6-1436	535 x 160 h:100 mm

color	Specifications	code	outside dimension
	Lid (Perforated)	K6-1405	535 x 160 h:75 mm
	Box (Perforated)	K6-1411	535 x 160 h:100 mm
	Lid (Perforated)	K6-1417	535 x 160 h:75 mm
	Box (Non Perforated)	K6-1437	535 x 160 h:100 mm



PERFORATED BOTTOMS



code	outside dimension	weight
K6-1100	528 x 145 h:64 mm	676 g
K6-1101	528 x 145 h:88 mm	786 g

SOLID BOTTOMS



code	outside dimension	weight
K6-1105	528 x 145 h:64 mm	668 g
K6-1106	528 x 145 h:88 mm	778 g

PERFORATED LIDS




Dimension: 532 x 160 mm

code	color	weight
K6-1000		795 g
K6-1001		
K6-1002		
K6-1003		
K6-1004		
K6-1005		

FILTERS



code **K2-760**
Dimension: 230 x 120 mm
Single use **paper filter** 100 pcs.
With indicator, Aygun mark.




code **K2-761**
Dimension: 230 x 120 mm
Single use **paper filter** 100 pcs.
With indicator, No marking.



code **K2-744**
Dimension: 215 x 100 mm
Teflon Filter
Number of sterilization cycle > 2000

LABELS (paper)




K2-673
100 pcs. With indicator.

LABELS (paper)




K2-672
100 pcs. With indicator.

IDENTIFICATION LABELS (aluminium)



K2-700	
K2-701	
K2-702	
K2-703	
K2-704	
K2-705	

BASKET (with stand)



code	outside dimension
K3-1054	492 x 134 x 55 mm
K3-1055	492 x 134 x 65 mm









































TRAY LAPAROSCOPY

PPSU
Polymer



color	code	outside dimension
Grey	KP-1398Z	505 x 80 x 80 mm
	KP-1399Z	505 x 155 x 80 mm
Yellow	KP-1400Z	505 x 80 x 80 mm
	KP-1401Z	505 x 155 x 80 mm
Blue	KP-1402Z	505 x 80 x 80 mm
	KP-1403Z	505 x 155 x 80 mm
Red	KP-1404Z	505 x 80 x 80 mm
	KP-1405Z	505 x 155 x 80 mm
Black	KP-1406Z	505 x 80 x 80 mm
	KP-1407Z	505 x 155 x 80 mm
Transparent	KP-1408Z	505 x 80 x 80 mm
	KP-1409Z	505 x 155 x 80 mm

IMPLANT MODEL CONTAINERS







































Specifications		Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)
		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)
300 X 150 X 75 mm 	Sizes	K5-010 	K5-022 	K5-034 
		K5-011 	K5-023 	K5-035 
		K5-012 	K5-024 	K5-036 
		K5-013 	K5-025 	K5-037 
		K5-014 	K5-026 	K5-038 
		K5-015 	K5-027 	K5-039 
500 X 170 X 75 mm 	Sizes	K5-016 	K5-028 	K5-040 
		K5-017 	K5-029 	K5-041 
		K5-018 	K5-030 	K5-042 
		K5-019 	K5-031 	K5-043 
		K5-020 	K5-032 	K5-044 
		K5-021 	K5-033 	K5-045 

No filter



Ps: All container measurements cover the outer size of the lids.

MINI IMPLANT MODEL CONTAINERS




























Specifications		Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)
		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)
160 X 72 X 57 mm 	Sizes	K5-200 	K5-212 	K5-224 
		K5-201 	K5-213 	K5-225 
		K5-202 	K5-214 	K5-226 
		K5-203 	K5-215 	K5-227 
		K5-204 	K5-216 	K5-228 
		K5-205 	K5-217 	K5-229 
200 X 147 X 57 mm 	Sizes	K5-206 	K5-218 	K5-230 
		K5-207 	K5-219 	K5-231 
		K5-208 	K5-220 	K5-232 
		K5-209 	K5-221 	K5-233 
		K5-210 	K5-222 	K5-234 
		K5-211 	K5-223 	K5-235 

No filter



Ps: All container measurements cover the outer size of the lids.

SCOPY MODEL CONTAINERS




























Specifications ↻		Lid (Perforated)	Lid (Perforated)
			
Sizes ↻		Box (Non Perforated)	Box (Perforated)
		260 X 70 X 60 mm 	K5-060 
K5-061 	K5-073 		
K5-062 	K5-074 		
K5-063 	K5-075 		
K5-064 	K5-076 		
K5-065 	K5-077 		
455 X 80 X 70 mm 	K5-066 	K5-078 	
	K5-067 	K5-079 	
	K5-068 	K5-080 	
	K5-069 	K5-081 	
	K5-070 	K5-082 	
	K5-071 	K5-083 	



↻ Ps: All container measurements cover the outer size of the lids.

No filter

SCOPY MODEL CONTAINERS (with silicon holders)

Specifications ↻		Lid (Perforated)	Lid (Perforated)
			
Sizes ↻		Box (Non Perforated)	Box (Perforated)
		275 X 70 X 65 mm 	K5-100 
K5-101 	K5-116 		
K5-102 	K5-117 		
K5-103 	K5-118 		
K5-104 	K5-119 		
K5-105 	K5-120 		
470 X 82 X 74 mm 	K5-106 	K5-121 	
	K5-107 	K5-122 	
	K5-108 	K5-123 	
	K5-109 	K5-124 	
	K5-110 	K5-125 	
	K5-111 	K5-126 	




↻ Ps: All container measurements cover the outer size of the lids.



BRUSH MODEL CONTAINERS



Container for brush 280 x 293 x 85 mm
With wall mounting fixtures,
Maximum 20 brushes can be stored in container
In order to take the brush, please move the handle under
the container to right or left direction.




STERILE CONTAINER SYSTEMS




BASKETS

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET WITH LID




code	outside dimension
K3-1010	540 x 245 h:35 mm
K3-1011	540 x 245 h:55 mm
K3-1012	540 x 245 h:75 mm
K3-1013	540 x 245 h:105 mm
K3-1014	ONLY LID, for baskets




code	outside dimension
K3-1020	480 x 245 h:35 mm
K3-1021	480 x 245 h:55 mm
K3-1022	480 x 245 h:75 mm
K3-1023	480 x 245 h:105 mm
K3-1024	ONLY LID, for baskets




code	outside dimension
K3-1030	405 x 245 h:35 mm
K3-1031	405 x 245 h:55 mm
K3-1032	405 x 245 h:75 mm
K3-1033	405 x 245 h:105 mm
K3-1034	ONLY LID, for baskets




code	outside dimension
K3-1040	246 x 246 h:35 mm
K3-1041	246 x 246 h:55 mm
K3-1042	246 x 246 h:75 mm
K3-1043	246 x 246 h:105 mm
K3-1045	ONLY LID, for baskets




Mesh grid




WIRE BASKETS




code	outside dimension
K2-460	540 x 245 h:30 mm
K2-461	540 x 245 h:50 mm
K2-462	540 x 245 h:70 mm
K2-463	540 x 245 h:100 mm




code	outside dimension
K2-450	480 x 245 h:30 mm
K2-451	480 x 245 h:50 mm
K2-452	480 x 245 h:70 mm
K2-453	480 x 245 h:100 mm



code	outside dimension
K2-1500	405 x 245 x h:30 mm
K2-1501	405 x 245 x h:50 mm
K2-1502	405 x 245 x h:70 mm
K2-1503	405 x 245 x h:100 mm



code	outside dimension
K2-490	246 x 246 x h:30 mm
K2-491	246 x 246 x h:50 mm
K2-492	246 x 246 x h:70 mm
K2-493	246 x 246 x h:100 mm



BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET WITH LID




code	outside dimension
K3-2010	300 x 220 h:55 mm
K3-2011	300 x 220 h:75 mm
K3-2012	300 x 220 h:105 mm
K3-2013	ONLY LID, for baskets




code	outside dimension
K3-1704	533 x 337 h:55 mm
K3-1705	533 x 337 h:75 mm
K3-1706	533 x 337 h:105 mm
K3-1707	ONLY LID, for baskets




code	outside dimension
K3-1804	665 x 250 h:55 mm
K3-1805	665 x 250 h:75 mm
K3-1806	665 x 250 h:105 mm
K3-1807	ONLY LID, for baskets





Mesh grid



WIRE BASKETS





code	outside dimension
K3-2000	300 x 220 h:50 mm
K3-2001	300 x 220 h:70 mm
K3-2002	300 x 220 h:100 mm



code	outside dimension
K2-1701	533 x 337 h:50 mm
K2-1702	533 x 337 h:70 mm
K2-1703	533 x 337 h:100 mm



code	outside dimension
K2-1801	665 x 250 h:50 mm
K2-1802	665 x 250 h:70 mm
K2-1803	665 x 250 h:100 mm



WIRE BASKET WITH PERFORATED METAL PLATE


WIRE BASKET WITH LID




code	outside dimension
K3-1011 P	540 x 245 h:55 mm
K3-1012 P	540 x 245 h:75 mm
K3-1013 P	540 x 245 h:105 mm
K3-1014 P	ONLY LID, for baskets




code	outside dimension
K3-1021 P	480 x 245 h:55 mm
K3-1022 P	480 x 245 h:75 mm
K3-1023 P	480 x 245 h:105 mm
K3-1024 P	ONLY LID, for baskets




code	outside dimension
K3-1031 P	405 x 246 x h:55 mm
K3-1032 P	405 x 246 x h:75 mm
K3-1033 P	405 x 246 x h:105 mm
K3-1034 P	ONLY LID, for baskets




code	outside dimension
K3-1041 P	246 x 246 x h:55 mm
K3-1042 P	246 x 246 x h:75 mm
K3-1043 P	246 x 246 x h:105 mm
K3-1045 P	ONLY LID, for baskets



Side Plate
304 ss sheet



Base
304 ss wire mesh



WIRE BASKETS



code	outside dimension
K2-461 P	540 x 245 h:50 mm
K2-462 P	540 x 245 h:70 mm
K2-463 P	540 x 245 h:100 mm



code	outside dimension
K2-451 P	480 x 245 h:50 mm
K2-452 P	480 x 245 h:70 mm
K2-453 P	480 x 245 h:100 mm














code	outside dimension
K2-1501 P	405 x 246 x h:50 mm
K2-1502 P	405 x 246 x h:70 mm
K2-1503 P	405 x 246 x h:100 mm




code	outside dimension
K2-491 P	246 x 246 x h:50 mm
K2-492 P	246 x 246 x h:70 mm
K2-493 P	246 x 246 x h:100 mm





BASKET MADE FROM STAINLESS STEEL SHEET (WITH STAND)

 Sizes	Specifications 	h=1 (mm)	h=2 (mm)	Box and Lid	Box	Lid
						
671 x 259 x h  ▶ <i>For Extra Long Model</i>		40 mm	44 mm	K3-715	K3-711	K3-710
		60 mm	64 mm	K3-716	K3-712	
		80 mm	84 mm	K3-717	K3-713	
		110 mm	114 mm	K3-718	K3-714	
539 x 346 x h  ▶ <i>For Extra Large Model</i>		40 mm	44 mm	K3-701	K3-705	K3-709
		60 mm	64 mm	K3-702	K3-706	
		80 mm	84 mm	K3-703	K3-707	
		110 mm	114 mm	K3-704	K3-708	
546 x 259 x h  ▶ <i>For 1/1 Model</i>		40 mm	44 mm	K3-720	K3-740	K3-760
		60 mm	64 mm	K3-721	K3-741	
		80 mm	84 mm	K3-722	K3-742	
		110 mm	114 mm	K3-723	K3-743	
491 x 259 x h  ▶ <i>For 1/1 Model</i>		40 mm	44 mm	K3-724	K3-744	K3-761
		60 mm	64 mm	K3-725	K3-745	
		80 mm	84 mm	K3-726	K3-746	
		110 mm	114 mm	K3-727	K3-747	





Sizes	Specifications	h=1 (mm)	h=2 (mm)	Box and Lid	Box	Lid
411 x 259 x h ► For 3/4 Model 		40 mm	44 mm	K3-728	K3-748	K3-762
		60 mm	64 mm	K3-729	K3-749	
		80 mm	84 mm	K3-730	K3-750	
		110 mm	114 mm	K3-731	K3-751	
250 x 259 x h ► For 1/2 Model 		40 mm	44 mm	K3-732	K3-752	K3-763
		60 mm	64 mm	K3-733	K3-753	
		80 mm	84 mm	K3-734	K3-754	
		110 mm	114 mm	K3-735	K3-755	
320 x 220 x h ► For Large Dental Model 		60 mm	63 mm	K3-774	K3-771	K3-770
		80 mm	83 mm	K3-775	K3-772	
		110 mm	113 mm	K3-776	K3-773	
275 x 175 x h ► For Dental Model 		45 mm	53 mm	K3-736	K3-756	K3-764
		105 mm	113 mm	K3-737	K3-757	
265 x 125 x h ► For Small Model 		60 mm	63 mm	K3-738	K3-758	K3-765

STAND



code	height
K3-767	20 mm

STAND






code	height
K3-768	10 mm

STAND

code	height
K3-766	5 mm



DENTAL BASKETS & TRAYS



code	outside dimension
K3-780K	274 x 180 x 34 mm

Basket with silicone fixation systems
Holds 17 instruments with Ø 5 mm



code	outside dimension
K3-780	274 x 180 x 32 mm

Without silicone fixation systems



code	outside dimension
K3-781K	274 x 180 x 44 mm

Basket with silicone fixation systems
Holds 17 instruments with Ø 5 mm



code	outside dimension
K3-781	274 x 180 x 42 mm
K3-782	274 x 180 x 62 mm

Without silicone fixation systems



code	outside dimension
K3-783K	274 x 88 x 46 mm

Basket with silicone fixation systems
Holds 8 instruments with Ø 5 mm



code	outside dimension
K3-784K	240 x 76 x 30 mm

Basket with blue silicone mat



code	outside dimension
K3-785K	188 x 86 x 36 mm

Basket with silicone fixation systems
Holds 8 instruments with Ø 5 mm



code	outside dimension
K3-785	188 x 86 x 32 mm

Basket with blue silicone mat



code	outside dimension
K3-787	138 x 124 x 48 mm

Without silicone fixation systems



code	outside dimension
K3-788	146 x 46 x 28 mm

Without silicone fixation systems



code	outside dimension
K3-789	86 x 46 x 28 mm

Without silicone fixation systems
Bottom 2 mm, lid 4 mm perforation



code	outside dimension
K3-786K	191 x 130 x 36 mm

Basket with silicone fixation systems
Holds 12 instruments with Ø 5 mm



code	outside dimension
K3-786	191 x 130 x 34 mm

Without silicone fixation systems



code	outside dimension
K3-790K	186 x 72 x 24 mm

Tray with silicone fixation system.
Holds 5 instruments.



code	outside dimension
K3-791K	186 x 99 x 24 mm

Tray with silicone fixation system.
Holds 7 instruments.



code	outside dimension
K3-792K	186 x 137 x 24 mm

Tray with silicone fixation system.
Holds 10 instruments.





code	outside dimension
K3-793K	286 x 192 x 34 mm


Tray with silicone fixation system.
Holds 20 instruments.

WIRE BASKETS

Mesh grid





code	outside dimension
K2-993	268 x 127 x h:47 mm




code	outside dimension
K3-1073	268 x 117 x h:43 mm

WIRE BASKETS


Mesh grid




code	outside dimension
K3-611	270 x 175 x h:45 mm



code	outside dimension
K3-1070	270 x 170 x h:38 mm




code	outside dimension
K2-995	175 x 153 x h:45 mm




code	outside dimension
K3-1079	175 x 144 x h:40 mm

SMALL FINE MESH BASKETS WITH LID



code	outside dimension
K3-1100	30 x 30 x 30 mm
K3-1101	40 x 40 x 20 mm
K3-1102	40 x 40 x 40 mm
K3-1103	60 x 60 x 20 mm
K3-1104	60 x 60 x 40 mm
K3-1105	60 x 60 x 60 mm
K3-1106	80 x 80 x 20 mm
K3-1107	80 x 40 x 40 mm
K3-1108	80 x 80 x 40 mm
K3-1109	80 x 80 x 60 mm
K3-1110	80 x 80 x 80 mm
K3-1111	100 x 100 x 10 mm
K3-1112	120 x 120 x 30 mm
K3-1113	120 x 120 x 60 mm
K3-1114	120 x 120 x 80 mm
K3-1115	240 x 240 x 30 mm
K3-1116	240 x 240 x 60 mm
K3-1117	240 x 240 x 80 mm
K3-1118	240 x 240 x 100 mm

Mesh grid

LAUNDRY BASKETS



code	outside dimension
K3-1080	600 x 400 x 150 mm
K3-1081	600 x 400 x 300 mm




code	outside dimension
K3-1085	600 x 400 x 150 mm
K3-1086	600 x 400 x 300 mm

WIRE NET BASKET




code	outside dimension
K3-1200	250 x 170 x 70 mm
K3-1201	340 x 250 x 70 mm
K3-1202	450 x 340 x 70 mm

LID FOR WIRE NET BASKET




code	outside dimension
K3-1203	250 x 170 mm
K3-1204	340 x 250 mm
K3-1205	450 x 340 mm

STE BASKETS



Standard

code	outside dimension
K3-1206	575 x 280 x 135 mm
K3-1207	575 x 280 x 265 mm



Front access


code	outside dimension
K3-1208	575 x 280 x 265 mm

SPRI BASKETS



Double Frame with Folding Handle

code	outside dimension
K3-1210	585 x 395 x 100 mm
K3-1211	585 x 395 x 195 mm



With Single Frame

code	outside dimension
K3-1230	600 x 300 x 40 mm
K3-1231	600 x 300 x 50 mm
K3-1232	600 x 300 x 100 mm
K3-1233	600 x 300 x 130 mm
K3-1234	600 x 300 x 150 mm
K3-1235	600 x 300 x 180 mm
K3-1236	600 x 300 x 200 mm
K3-1237	600 x 400 x 100 mm
K3-1238	600 x 400 x 130 mm
K3-1239	600 x 400 x 150 mm
K3-1240	600 x 400 x 180 mm
K3-1241	600 x 400 x 200 mm


DRAPE



code	sizes	model
K2-1600	130 x 60 cm	for 1/1 Model
K2-1601	140 x 100 cm	
K2-1602	185 x 45 cm	
K2-1603	180 x 60 cm	for 3/4 Model
K2-1615	140 x 100 cm	
K2-1630	90 x 60 cm	for 1/2 Model
K2-1631	90 x 80 cm	
K2-1632	130 x 45 cm	
K2-1633	130 x 60 cm	for Flat Model
K2-1640	90 x 60 cm	
K2-1641	90 x 80 cm	
K2-1650	60 x 40 cm	for Mini Model
K2-1660	60 x 40 cm	for Dental Model
K2-1661	65 x 65 cm	
K2-1662	85 x 85 cm	

ENDOSCOPE BASKETS

304 ss wire mesh



code	outside dimension
K3-1050	670 x 80 x 52 mm
K3-1051	460 x 80 x 52 mm
K3-1052	290 x 80 x 52 mm



code	outside dimension
K3-1062	640 x 150 x 77 mm

ALUMINIUM BASKET, WITH LID



code	outside dimension
K3-1119	245 x 130 x 55 mm



code	outside dimension
K3-1120	245 x 130 x 70 mm




code	outside dimension
K3-1121	245 x 130 x 105 mm



Washer Tube for K-WIRES

The Aygün washer tube systems are designed in order to safely keep, healthfully wash and sterile the K-Wires used especially in orthopedic (trauma) surgery.



code	outside dimension
K4-1051	460 x 100 x 64 mm

K-Wires stainless steel basket with lid.



code	outside dimension
K4-1052	265 x 72 x 64 mm

K-Wires stainless steel basket with lid.

WASHER TUBE FOR K-WIRES


The Aygün washer tube systems are designed in order to safely keep, healthfully wash and sterile the K-Wires used especially in orthopedic (trauma) surgery.

The Aygün washer tubes systems have a special design for getting maximum efficiency.


The dividing part inside the tube provides protection of 4 different diameter wires without intermixing.

With the help of inner tube placed in the middle of the divider, the high pressure water coming of the washer machine flows from inside to outside.


By this way, the wires inside the tube are washed by inside-out and outside-in flow and the disinfection process is completed efficiently.




- ▶ The system has 2 different lengths as option.
- ▶ Every tube has 4 different tanks for 4 different diameter wires.
- ▶ The system has been designed suitable for 12 different diameter from 0,6 mm to 3 mm.



code	length	suitable wire diameters
KA-100	150 mm	Ø 0,60 mm Ø 0,80 mm Ø 1,00 mm Ø 1,20 mm
KB-100	150 mm	Ø 1,25 mm Ø 1,40 mm Ø 1,50 mm Ø 1,60 mm
KC-100	150 mm	Ø 1,80 mm Ø 2,00 mm Ø 2,50 mm Ø 3,00 mm
KLA-100	300 mm	Ø 0,60 mm Ø 0,80 mm Ø 1,00 mm Ø 1,20 mm
KLB-100	300 mm	Ø 1,25 mm Ø 1,40 mm Ø 1,50 mm Ø 1,60 mm
KLC-100	300 mm	Ø 1,80 mm Ø 2,00 mm Ø 2,50 mm Ø 3,00 mm



Our wire mesh and perforated sheet baskets can be manufactured in any size.



Please contact for detailed information.

STERILE CONTAINER SYSTEMS



code

K1-900 (2 Pcs)

Modular Auto Lock Mechanism

GENERAL INFORMATION ABOUT MODULAR AUTO LOCK MECHANISM




WHAT IS AUTO LOCK MECHANISM?

Auto lock mechanism is a heat-sensitive automatic locking system developed in order to ease sterilization control by R&D department.



Modular auto lock system designed to be usable with different container systems which are belongs to different brands like shown below.



This system has been developed in accordance with the requirements of sterilization to be used in a steam autoclave for our container systems. Auto lock is a system designed in reusable property instead of disposable plastic products that are used as security locks in containers. The system has been tested in our own facilities 5000 cycles and has successfully passed all tests. Minimum expected life of the system is 5000 sterilizations. During this time system is usable without the need for any maintenance or service.

Picture 1 (Closed position)



HOW DOES AUTO LOCK MECHANISM WORK?

The average temperature in the autoclave during sterilization is at the level of 135 ° C degrees.

As the temperature in the autoclave begins to rise above 100 degrees, automatic locking mechanism located on the box is activated. When the mechanism is activated, the red movable locking shaft in it is going forward (Picture 1). When the movable locking shaft is going forward, it blocks the locking mechanism in lid and so it prevents uncontrolled opening of the lid.

WARNING: It's possible to move the movable shaft with only the effect of temperature. It's not possible under normal conditions to activate (to be brought into locked position) lock mechanism.

The process of the system becoming inactive is as following: After sterilization process has been completed and container has been removed from the autoclave, the container and Auto Lock system are allowed to cool between 5 and 10 minutes. Then the red movable locking shaft is pushed back with the help of fingers (Picture 3). Thus, lid closure of the container ceases to be blocked and comes to opened position.

When the container enters into each sterilization, these processes are repeated in the same manner.

When the user sees that Auto Lock mechanism is activated (Picture 1), he/she can understand that the container has entered to the sterilization process. If Auto lock mechanism is inactive (Picture 2), it means that this container has been previously opened.

WHAT ARE THE ADVANTAGES OF MODULAR AUTO LOCK MECHANISM?

- ▶ Because of system being reusable, it is more economical when you compare with plastic security seal usage.
- ▶ System is modular, so it can be usable with different brand products. In this reason, so many users can make use of system advantages.
- ▶ After the usage of disposable products, plastic material harms the nature. Because of reusable property of auto lock mechanism and because of recycling raw material inside, system does not harm the nature.
- ▶ Disposable products have many disadvantages such as purchasing, storage and inventory tracking. Auto Lock mechanism saves the user from this workload and cost.
- ▶ Disposable products must be attached to the (2) container(s) prior to each sterilization and this leads to loss of time for the employees.
- ▶ Auto Lock Mechanism removes the difficulties faced during the use of security seals. In breakdown condition, because of product is not fixed on the container, system can be easily serviceable or changeable so container does not needs replacing.

Picture 2 (Open position)



Picture 3





Picture 4 (Plastic security seal)



All our container systems with Auto Lock mechanism are designed to be used also with plastic security seal when necessary (Picture 4).

ASSEMBLY AND DISASSEMBLY OF MODULAR AUTO LOCK MECHANISM



Due to container model that system will be assembled plastic washer should be removed or stay in place.



Locking clamp should be removed from the groove before assembly.



Then it should be placed to the container label part as shown picture.



When you sure that product is snug, locking clamp should be placed through the arrow direction.



Please be sure that locking stamp is forwarded to the end of the clamp groove and it is locked.

Lock mechanism should be in open position for the disassembly process (Picture 2).

It is not possible to make disassembly on closed position (Picture 1).

When you sure that lock mechanism is on open position, locking clamp can be removable by pulling backward through the reverse direction of the locking direction.



It is not possible to make disassembly on closed position

Closed position Picture 1

STERILE CONTAINER SYSTEMS



Window For Emulating Indicator

WINDOW FOR EMULATING INDICATOR

Picture 1



Patent Pending

We continue to produce solution for the sterilization management requirements with our 25 years of experience in medical industry.

For this purpose, we have developed emulating indicator window for the sterile container systems.



AIM OF THE WINDOW FOR EMULATING INDICATOR

Emulating indicators are used for the load sterilization monitorization while surgical instruments are loaded to containers in central sterilization services department (CSSD). (Picture 2)

During standard container usage it is not possible to see indicator results without opening the lid. When set is decided to use in surgery if result is negative and also if there is no alternative set, surgery is delaying and problems occurs in implementations.

Picture 2



EMULATING INDICATOR

K2-674 Paper 250 Pcs.

Result of the emulating indicator can observed after cycle easily from the window on the container case. In negative conditions, sterilization processes are repeated before send set to usage. By this way waste of time prohibited and it can help to avoid troubles before start.

NO RISK...

WINDOW FOR EMULATING INDICATOR

- ▶ Transparent PPSU polymer material is used on window part of the system which is suitable to autoclave. PPSU polymer material has resistance to scoring and impact also it is a special material which has heat resistance up to 330°
- ▶ Silicon joint is used between window and box to avoid sterilization risk inside the container and security is provided %100 by 4 pieces rivet connection.
- ▶ All other parts used in the system is manufactured from anodized aluminum and stainless steel.
- ▶ Indicator is designed to place the box from two directions. Also there is a spring mechanism to immobilize indicator because of the pressure inside the indicator placed sections. This spring mechanism and the immobilization property from the two side of indicator are provided to use different branded indicators to use in this system together.



USAGE OF WINDOW FOR EMULATING INDICATOR


- 1 Emulating indicator before placing materials to sterilize inside the box for the sterilization purpose is placed inside the box as below. (Picture 3)
- 2 When you placed indicator band inside the box, you should be sure that placed references and indicator should appears. You should specify the suitable position by reciprocating motions or rotating reverse the indicator band.
- 3 After you placed indicator band fairly, you can start sterilization process by placing materials to sterilize after closing the lid.



Picture 3




STERILE CONTAINER SYSTEMS



ACCESSORIES

LABELS (paper)



K2-673
100 pcs. With indicator.

For small size and special containers




K2-672
100 pcs. With indicator.

For full and Half size containers



IDENTIFICATION LABELS (aluminium)



code	color
K2-700	Red
K2-701	Blue
K2-702	Green
K2-703	Yellow
K2-704	Grey
K2-705	Black

Coloured identification labels
Engraved to your specifications
Maximum 16 letters



IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
K2-560	Red
K2-561	Blue
K2-562	Green
K2-563	Yellow
K2-564	Grey
K2-565	Black

LABELS




code	color
K2-570	Red
K2-571	Blue
K2-572	Green
K2-573	Yellow
K2-574	Grey
K2-575	Black

Coloured identification labels
Engraved to your specification



➡ Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

EMULATING INDICATOR



K2-674
Paper 250 Pcs.



The Aygün chemical indicator strips are Class 6 emulating indicators designed for use in prevacuum steam sterilizers operating at 134 °C for 3,5 minutes or 121 °C for 15 minutes.

The Aygün chemical indicator strips integrate all the critical parameters of the steam sterilization cycle and test your sterilization processes according to these parameters (temperature, saturated steam and exposure time).



Simply place the indicator strip in window specially designed for emulating indicator or any desired location while loading the sterilizer.

After exposure to specific conditions, the liquid goes through a permanent color change (from pink to black) that indicates sterilization parameters have been met. If the color is not black, then it suggests inadequate sterilization. In that case, items must be resterilized (per hospital policy) with new/unused indicator strips.



The Aygün chemical indicator strips are suitable for use in any container system.

Once the indicator ink has changed color, there will be no reverse change. The ink contains no heavy metals.

The lamination of these indicators provides the maximum safety for direct contact with the indicator.

The Aygün chemical indicators are non-toxic and free of lead or heavy metals.

Meets the requirements for ISO 11140-1 standard.

Strips can be kept for documentation.

DISPOSAL STAMP



K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER



K2-716
50 x 35 x 13 mm
Holder for identification labels




STORAGE STAND



K2-691
390 x 85 x 153 mm



DISPENSER (for identification labels)



K2-690
212 x 53 x 92 mm



K2-680
108 x 53 x 92 mm

SECURITY SEAL



K2-663 *Blue*
 100 pcs. with indicator.
 made of plastic



K2-664 *Blue*
 100 pcs. made of plastic



K2-661 *Blue*
 100 pcs. with number.
 made of plastic



K2-662 *Red*
 100 pcs. with indicator.
 made of plastic



K2-660 *Red*
 100 pcs. made of plastic



K2-665 *Red*
 100 pcs. with number.
 made of plastic



AUTO LOCK MECHANISM



K1-900
 (2 Pcs)



What is Auto Lock Mechanism?

Auto lock mechanism is a heat-sensitive automatic locking system developed in order to ease sterilization control by R&D department.

Modular auto lock system designed to be usable with different container systems which are belongs to different brands like shown below.

This system has been developed in accordance with the requirements of sterilization to be used in a steam autoclave for our container systems. Auto lock is a system designed in reusable property instead of disposable plastic products that are used as security locks in containers. The system has been tested in our own facilities 5000 cycles and has successfully passed all tests. Minimum expected life of the system is 5000 sterilizations. During this time system is usable without the need for any maintenance or service.




SILICONE HOSE

Silicone handle has available in six different colors



SILICONE HANDLE





- K2-710** Red
- K2-711** Yellow
- K2-712** Green
- K2-713** Blue
- K2-714** Grey
- K2-715** Black



Silicone handle has available in six different colors and detachable by user.

Patent No: 200801401






PAPER FILTER



code **K2-740**
Diameter 184 mm

Single use 100 pcs with indicator. Aygun mark.


PAPER FILTER



code **K2-741**
Diameter 184 mm

Single use 100 pcs with indicator. No marking.

TEFLON FILTER



code **K2-742**
Diameter 194 mm

Number of sterilization cycle > 2000



1/1



3/4



1/2



Extra Long Model



Extra Large Model



Large Dental Model

PAPER FILTER




code **K3-612**

Dimension 165 x 235 mm

Single use 100 pcs with indicator. Aygun mark.

PAPER FILTER



code **K3-615**

Dimension 165 x 235 mm

Single use 100 pcs with indicator. No marking.

TEFLON FILTER




code **K2-743**

Dimension 150 x 233 mm

Number of sterilization cycle > 2000

Dental Model



PAPER FILTER



code **K2-760**

Dimension 230 x 120 mm

Single use 100 pcs with indicator. Aygun mark.

PAPER FILTER



code **K2-761**

Dimension 230 x 120 mm

Single use 100 pcs with indicator. No marking.

TEFLON FILTER



code **K2-744**

Dimension 215 x 100 mm

Number of sterilization cycle > 2000

Mini Model



PAPER FILTER




code **K2-781**

Dimension 130 x 130 mm

Single use 100 pcs with indicator. Aygun mark.

PAPER FILTER



code **K2-780**

Dimension 130 x 130 mm

Single use 100 pcs with indicator. No marking.

TEFLON FILTER




code **K2-782**

Dimension 130 x 130 mm

Number of sterilization cycle > 2000

1/2 Dental Model





code **K2-720**


Diameter 186 mm

Filter Retainer,
for 1/1, 3/4, 1/2, Extra large,
Extra long, Large dental

code **K2-721**

Diameter 186 mm


For PTFE Teflon filter
for 1/1, 3/4, 1/2, Extra large,
Extra long, Large dental



code **K2-730**

Dimension 200 x 200 x 64 mm

Filter Dispenser



code **K2-1715**

Dimension 247 x 172 mm

Filter Retainer,
for Dental model



code **K2-1708**

Dimension 250 x 177 x 40 mm

Filter Dispenser



code **K2-1716**

Dimension 243 x 120 mm

Filter Retainer,
for Mini model



code **K2-1709**

Dimension 250 x 127 x 53 mm

Filter Dispenser



code **K2-1717**

Dimension 162 x 144 mm

Filter Retainer,
for 1/2 Dental model




code **K2-1710**


Dimension 169 x 151 x 53 mm

Filter Dispenser

SILICONE MATS



code	dimension
K2-519	160 x 135 mm
K2-520	275 x 125 mm
K2-521	250 x 235 mm
K2-522	340 x 230 mm (2 pcs)
K2-523	300 x 300 mm
K2-524	380 x 230 mm
K2-525	440 x 230 mm
K2-526	520 x 230 mm
K2-527	230 x 220 mm
K2-528	475 x 230 mm
K2-529	260 x 180 mm
K2-532	280 x 200 mm



code	dimension
K2-530	250 x 240 mm
K2-531	485 x 250 mm
K2-533	534 x 247 mm
K2-534	395 x 245 mm
K2-535	527 x 335 mm
K2-536	658 x 247 mm

Silicone Mesh Mat,
Enables surgical instruments to be stored without slip and dry well.



code	outside dimension
K3-1090	505 x 250 x 125 mm


Rack, for endoscopy

- Holds 10 endoscopic instruments
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 520 x 230 mm

code	outside dimension
K3-1093	550 x 250 x 130 mm

Rack, for endoscopy

- Holds 10 endoscopic instruments
- Fits into a Extra Long size 18 cm deep container
- Wire basket Extra Long 50 mm
- Container Extra Long 180 mm
- Silicone mat 340x230 (2pcs)





code	outside dimension
K3-1092	515 x 250 x 165 mm

Rack, for arthroscopy

- Holds 20 arthroscopy punches
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 440 x 230 mm




code	outside dimension
K3-1094	220 x 250 x 160 mm

Rack, for Kerrison

- Holds 10 Kerrison punches
- Fits into a 1/2, 1/1 20 cm and Extra Long size 18 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Wire basket Extra long 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm
- Container Extra long 180 mm

SILICONE FIXATION SYSTEM



RAIL



code	length
K1-1601	250 x 9 mm
K1-1602	158 x 9 mm
K1-1603	123 x 9 mm
K1-1604	97 x 9 mm
K1-1605	73 x 9 mm
K1-1606	23,5 x 9 mm


Can be manufactured in any size demanded

code	
K1-680-02 (1 piece)	 Kep nut
K1-680-03 (1 piece)	 Screw




With rail, screw and nut

code	length	height
K12-100	250 mm	45 mm
K12-101	152 mm	45 mm
K12-102	125 mm	45 mm
K12-145	97 mm	45 mm




Actual Size



With rail, screw and nut

code	length	height
K12-109	238 mm	45 mm
K12-110	158 mm	45 mm
K12-111	112 mm	45 mm
K12-148	77 mm	45 mm




Actual Size



code	length	height
K12-106	238 mm	45 mm
K12-107	150 mm	45 mm
K12-108	119 mm	45 mm
K12-147	87 mm	45 mm

With rail, screw and nut




Actual Size



code	length	height
K12-103	240 mm	45 mm
K12-104	150 mm	45 mm
K12-105	120 mm	45 mm
K12-146	90 mm	45 mm

With rail, screw and nut




Actual Size



code	length	height
K12-112	178 mm	24 mm

Instruments holder, from Ø 3 to 8 mm
With rail, screw and nut




Actual Size



code	length	height
K12-113	73 mm	24 mm

Instruments holder,
Ø 5 mm
With rail, screw and nut




Actual Size



code	length	height
K12-114	73 mm	24 mm

Instruments holder,
Ø 3 mm
With rail, screw and nut




Actual Size



code	length	height
K12-115	178 mm	34 mm

Instruments holder, from Ø 3 to 15 mm
With rail, screw and nut




Actual Size



code	length	height
K12-116	121 mm	22 mm

With rail, screw and nut




Actual Size



code	length	height
K12-117	123 mm	22 mm

With rail, screw and nut




Actual Size



code	length	height
K12-124	178 mm	24 mm

Instruments holder, from Ø 3 mm
With rail, screw and nut




Actual Size



code	length	height
K12-125	178 mm	24 mm


Instruments holder, from Ø 5 mm
With rail, screw and nut



Actual Size



code	length	height
K12-142	40 mm	25 mm




Actual Size



code	length	height
K12-126	23.5 mm	25 mm

Ø 10,5 mm
With rail, screw and nut




Actual Size



code	length	height
K12-127	23.5 mm	25 mm

Ø 8 mm
With rail, screw and nut




Actual Size



code	length	height
K12-128	23.5 mm	25 mm

Ø 13 mm
With rail, screw and nut




Actual Size



code	length	height
K12-129	23.5 mm	25 mm

Ø 5 mm
With rail, screw and nut




Actual Size



code	length	height
K12-130	72 mm	34 mm

Endoscope holder, double
One side Ø 12 mm open
One side from Ø 3 to Ø 15 mm closed
With rail, screw and nut




Actual Size



code	length	height
K12-141	72 mm	34 mm

Endoscope holder, double
One side Ø 12 mm open
One side from Ø 3 to Ø 8 mm closed
With rail, screw and nut




Actual Size



code	length	height
K12-131	72 mm	34 mm

Instruments holder
from Ø 3 to Ø 15 mm
With rail, screw and nut




Actual Size



code	length	height
K12-132	72 mm	24 mm

Instruments holder,
from Ø 3 to Ø 8 mm
With rail, screw and nut




Actual Size



code	length	height
K12-133	38 mm	24 mm

Endoscope holder, double
one side from Ø 3 to Ø 8 mm
With rail, screw and nut




Actual Size



code	length	height
K12-134	28 mm	34 mm

Endoscope holder, single
one side Ø 12 mm open
one side from Ø 3 to Ø 15 mm
With rail, screw and nut




Actual Size



code	length	height
K12-135	38 mm	33 mm

Endoscope holder, Ø 4 mm closed
With rail, screw and nut




Actual Size



code	length	height
K12-136	38 mm	33 mm

Endoscope holder, Ø 6 mm closed
With rail, screw and nut




Actual Size



code	length	height
K12-137	38 mm	33 mm

Endoscope holder, Ø 8 mm closed
With rail, screw and nut




Actual Size



code	length	height
K12-138	38 mm	33 mm

Endoscope holder, Ø 12 mm closed
With rail, screw and nut




Actual Size



code	length	height
K12-139	38 mm	33 mm

Endoscope holder, Ø 12 mm open
With rail, screw and nut




Actual Size



code	length	height
K12-140	38 mm	33 mm

Endoscope holder, Ø 15 mm open
With rail, screw and nut



Actual Size



K2-650
Holding pin for divider



K2-651
Holding pin for instruments



K2-588
Fixation clamp





K2-645
DIVIDER
50 x 20 mm

K2-646
DIVIDER
130 x 20 mm

K2-647
DIVIDER
225 x 20 mm

K2-648
DIVIDER
460 x 20 mm



FIXATION CLAMP



K2-580
Ø 7 - 12 mm



K2-581
Ø 12 - 16 mm



K2-582
Ø 16 - 26 mm



K2-583
Ø 26 - 36 mm



K2-584
Ø 36 - 45 mm





code	outside dimension
K8-508	98 x 43 x 44 mm

Rack for 24 burrs with shanks Ø 2.35 mm



code	outside dimension
K8-509	163 x 103 x 40 mm

Rack for 15 pcs of instruments




code	outside dimension
K8-511	218 x 22 x 54 mm

Rack for 12 pcs of instruments



code	outside dimension
K8-490	218 x 45 x 52 mm

Tilttable holding device for 6 micro heads





code	outside dimension
K2-600	40 x 5 x 18 mm

DIVIDER (use with K2-601 and K2-602)




code	outside dimension
K2-601	230 x 26 mm
K2-602	470 x 26 mm

Sliding rails with securing screws




code	outside dimension
K2-604	230 x 26 mm
K2-605	470 x 26 mm

Limiting bar, with security screws




code	outside dimension
K2-607	233 x 30 mm

Spiral holding device





code	outside dimension
K2-609	116 x 30 mm





code	outside dimension
K2-615	112 x 18 mm
K2-616	172 x 18 mm
K2-617	232 x 18 mm
K2-618	472 x 18 mm

Limiting bar



code
K2-620

Spiral holding



code	outside dimension
K2-622	223 x 30 mm

Spiral holding



code	outside dimension
K2-625	126 x 30 mm

Spiral holding

SPREY OIL



code
K8-510

SILICONE GASKETS FOR LIDS



code
K3-1000


Silicone adhesive with silicone gun
310 ml ± 5%




code	model	size
K3-948	Large Dental silicone gasket	118 cm
K3-949	1/2 Dental silicone gasket	72 cm
K3-950	Mini silicone gasket	77 cm
K3-951	Dental silicone gasket	89 cm
K3-952	Flat silicone gasket	101 cm
K3-953	1/2 silicone gasket	101 cm
K3-954	3/4 silicone gasket	136 cm
K3-955	1/1 silicone gasket	158 cm
K3-956	Extra Large silicone gasket	180 cm
K3-957	Extra Long silicone gasket	185 cm
K3-958	Endo silicone gasket	130 cm

For mounting, K3-1000 silicone adhesive is used

TROLLEYS



code
K2-802



code
K2-803

GOODS COMPATIBILITY TABLE

1/1 MODEL CONTAINER



	K6-100	K6-101	K6-102	K6-103	K6-104	K6-105	K6-106	K6-107	K6-108	K6-109	K6-120,125	K6-230,235	K1-900	K2-450	K2-451	K2-452	K2-453	K2-460	K2-461	K2-462	K2-463	K3-1010	K3-1011	K3-1012	K3-1013	K3-1020	K3-1021	K3-1022	K3-1023	K2-451 P	K2-452 P	K2-453 P	K2-461 P	K2-462 P	K2-463 P	K3-1011 P	K3-1012 P	K3-1013 P	K3-1021 P	K3-1022 P	K3-1023 P											
1/1 MODEL	K6-010,015 / K6-150,155					✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓									
	K6-016,021 / K6-156,161						✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
	K6-022,027 / K6-162,167							✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
	K6-028,033 / K6-168,173								✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
	K6-034,039 / K6-174,179									✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
	K6-040,045 / K6-180,185	✓										✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
	K6-046,051 / K6-186,191		✓									✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	K6-052,057 / K6-192,197			✓								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-058,063 / K6-198,203				✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	K6-064,069 / K6-204,209					✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

3/4 MODEL CONTAINER



	K6-300	K6-301	K6-302	K6-305	K6-306	K6-307	K6-340,345	K6-410,415	K1-900	K2-1500	K2-1501	K2-1502	K2-1503	K3-1030	K3-1031	K3-1032	K3-1033	K2-1501 P	K2-1502 P	K2-1503 P	K3-1031 P	K3-1032 P	K3-1033 P	K3-728	K3-729	K3-730	K3-731	K3-748	K3-749	K3-750	K3-751																			
3/4 MODEL	K6-240,245 / K6-350,355			✓			✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																
	K6-246,251 / K6-356,361				✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓															
	K6-252,257 / K6-362,367					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
	K6-260,265 / K6-370,375	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	K6-266,271 / K6-376,381		✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	K6-272,277 / K6-382,387			✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

1/2 MODEL CONTAINER



	K6-600	K6-601	K6-602	K6-603	K6-604	K6-605	K6-606	K6-607	K6-608	K6-609	K6-630,635	K6-700,705	K1-900	K2-490	K2-491	K2-492	K2-493	K3-1040	K3-1041	K3-1042	K2-491 P	K2-492 P	K2-493 P	K3-1041 P	K3-1042 P	K3-1043 P	K3-732	K3-733	K3-734	K3-735	K3-752																							
1/2 MODEL	K6-500,505 / K6-640,645					✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
	K6-506,511 / K6-646,651						✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
	K6-512,517 / K6-652,657							✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	K6-518,523 / K6-658,663								✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-524,529 / K6-664,669									✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-530,535 / K6-670,675	✓										✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-536,541 / K6-676,681		✓									✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-542,547 / K6-682,687			✓								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-548,553 / K6-688,693				✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	K6-554,559 / K6-694,699					✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

GOODS COMPATIBILITY TABLE

DENTAL MODEL CONTAINER



		K6-1860	K6-1861	K6-1862	K6-1865	K6-1866	K6-1867	K6-1880	K7-1880	K3-1070	K3-611	K3-609	K3-610	K2-529	K3-612	K3-615	K2-743	K2-1660	K2-1661	K2-1662		
DENTAL MODEL	K6-1800,1806				✓			✓	✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-1806,1811					✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-1812,1817						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-1820,1825	✓						✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-1826,1831		✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	K6-1832,1837			✓					✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

MINI MODEL CONTAINER



		K6-1960	K6-1961	K6-1962	K6-1965	K6-1966	K6-1967	K6-1980	K3-1073	K2-993	K2-990	K2-991	K2-992	K2-520	K2-760	K2-761	K2-744	K2-1650		
MINI MODEL	K6-1900,1906				✓			✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-1906,1911					✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-1912,1917						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-1920,1925	✓						✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	
	K6-1926,1931		✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	K6-1932,1937			✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

STERILE CONTAINER SYSTEMS



INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE
K1-557-00	258	K2-460	36, 70, 227	K2-563	37, 71, 254
K1-557-01	258	K2-461	36, 70, 227	K2-564	37, 71, 254
K1-557-02	258	K2-461 P	36, 70, 231	K2-565	37, 71, 254
K1-557-03	258	K2-462	36, 70, 227	K2-570	37, 71, 254
K1-557-04	258	K2-462 P	36, 70, 231	K2-571	37, 71, 254
K1-557-05	258	K2-463	36, 70, 227	K2-572	37, 71, 254
K1-557-06	258	K2-463 P	36, 70, 231	K2-573	37, 71, 254
K1-680-02	266	K2-480	50, 84, 160, 218	K2-574	37, 71, 254
K1-680-03	266	K2-481	218	K2-575	37, 71, 254
K1-900	38, 245, 257	K2-482	50, 84, 160, 218	K2-580	272
K1-970	144, 145	K2-483	50, 84, 160	K2-581	272
K1-980	144, 145	K2-484	50, 84, 160	K2-582	272
K1-990	144, 145	K2-490	48, 82, 218, 227	K2-583	272
K1-990A	144, 145	K2-491	48, 82, 218, 227	K2-584	272
K1-1601	266	K2-491 P	48, 82, 231	K2-588	272
K1-1602	266	K2-492	48, 82, 227	K2-600	274
K1-1603	266	K2-492 P	48, 82, 231	K2-601	274
K1-1604	266	K2-493	48, 82, 227	K2-602	274
K1-1605	266	K2-493 P	48, 82, 231	K2-604	274
K1-1606	266	K2-519	214, 263	K2-605	274
K2-044	224	K2-520	216, 263	K2-607	274
K2-045	224	K2-521	50, 84, 218, 263	K2-609	274
K2-046	224	K2-522	62, 96, 263	K2-615	275
K2-047	224	K2-523	263	K2-616	275
K2-048	224	K2-524	44, 78, 263	K2-617	275
K2-049	224	K2-525	44, 78, 263	K2-618	275
K2-400	38, 72, 148	K2-526	38, 72, 263	K2-620	275
K2-420	38, 72, 148	K2-527	263	K2-622	275
K2-425	38, 62, 72, 96, 148	K2-528	38, 72, 263	K2-625	275
K2-426	38, 62, 72, 96, 148	K2-529	212, 263	K2-645	272
K2-428	38, 62, 72, 96, 148	K2-530	50, 84, 263	K2-646	272
K2-429	38, 62, 72, 96, 148	K2-531	38, 72, 263	K2-647	272
K2-440	38, 62, 72, 96, 148	K2-532	210, 263	K2-648	272
K2-450	36, 70, 227	K2-533	38, 72, 263	K2-650	272
K2-451	36, 70, 227	K2-534	44, 78, 263	K2-651	272
K2-451 P	36, 70, 231	K2-535	56, 90, 263	K2-660	38, 257
K2-452	36, 70, 227	K2-536	62, 96, 263	K2-661	38, 257
K2-452 P	36, 70, 231	K2-560	37, 71, 254	K2-662	38, 257
K2-453	36, 70, 227	K2-561	37, 71, 254	K2-663	38, 257
K2-453 P	36, 70, 231	K2-562	37, 71, 254	K2-663Z	178, 185

CODE	PAGE	CODE	PAGE	CODE	PAGE
K2-664	38, 257	K2-782	215, 261	K2-1703	54, 88, 229
K2-665	38, 257	K2-802	277	K2-1708	262
K2-672	38, 254	K2-803	277	K2-1709	262
K2-672Z	178, 186	K2-990	216	K2-1710	262
K2-673	38, 254	K2-991	216	K2-1711	56, 90, 166
K2-673Z	178, 185, 186	K2-992	216	K2-1712	56, 90, 166
K2-674	38, 250, 255	K2-993	216, 236	K2-1715	262
K2-680	256	K2-995	214, 236	K2-1716	262
K2-690	256	K2-1500	42, 76, 227	K2-1717	262
K2-691	256	K2-1501	42, 76, 227	K2-1721	56, 90, 166
K2-700	38, 254	K2-1501 P	42, 76, 231	K2-1722	56, 90, 166
K2-701	38, 254	K2-1502	42, 76, 227	K2-1731	56, 90, 166
K2-702	38, 254	K2-1502 P	42, 76, 231	K2-1732	56, 90, 166
K2-703	38, 254	K2-1503	42, 76, 227	K2-1801	60, 94, 229
K2-704	38, 254	K2-1503 P	42, 76, 231	K2-1802	60, 94, 229
K2-705	38, 254	K2-1520	44, 78, 154	K2-1803	60, 94, 229
K2-710	38, 259	K2-1521	44, 78, 154	K3-481	50, 84, 160
K2-711	38, 259	K2-1522	44, 78, 154	K3-607	214
K2-712	38, 259	K2-1530	44, 78, 154	K3-608	214
K2-713	38, 259	K2-1531	44, 78, 154	K3-609	212
K2-714	38, 259	K2-1532	44, 78, 154	K3-610	212
K2-715	38, 259	K2-1540	44, 78, 154	K3-611	212, 236
K2-716	38, 256	K2-1541	44, 78, 154	K3-612	212, 261
K2-717	38, 256	K2-1542	44, 78, 154	K3-615	212, 261
K2-720	262	K2-1600	239	K3-615Z	184
K2-721	262	K2-1601	239	K3-701	55, 89, 232
K2-722	193, 199, 205	K2-1602	239	K3-702	55, 89, 232
K2-730	38, 262	K2-1603	239	K3-703	55, 89, 232
K2-740	38, 260	K2-1615	239	K3-704	55, 89, 232
K2-741	260	K2-1630	239	K3-705	55, 89, 232
K2-741Z	178	K2-1631	239	K3-706	55, 89, 232
K2-742	38, 260	K2-1632	239	K3-707	55, 89, 232
K2-743	212, 261	K2-1633	239	K3-708	55, 89, 232
K2-744	217, 221, 261	K2-1640	239	K3-709	55, 89, 232
K2-760	217, 221, 261	K2-1641	239	K3-710	61, 95, 232
K2-761	217, 221, 261	K2-1650	239	K3-711	61, 95, 232
K2-761Z	184, 186	K2-1660	239	K3-712	61, 95, 232
K2-780	215, 261	K2-1662	239	K3-713	61, 95, 232
K2-780Z	185	K2-1701	54, 88, 229	K3-714	61, 95, 232
K2-781	215, 261	K2-1702	54, 88, 229	K3-715	61, 95, 232

CODE	PAGE	CODE	PAGE	CODE	PAGE
K3-716	61, 95, 232	K3-758	233	K3-953	276
K3-717	61, 95, 232	K3-760	37, 71, 232	K3-954	276
K3-718	61, 95, 232	K3-761	37, 71, 232	K3-955	276
K3-720	37, 71, 232	K3-762	43, 77, 233	K3-956	276
K3-721	37, 71, 232	K3-763	49, 83, 233	K3-957	276
K3-722	37, 71, 232	K3-764	233	K3-958	276
K3-723	37, 71, 232	K3-765	233	K3-1000	276
K3-724	37, 71, 232	K3-766	37, 233	K3-1010	36, 70, 226
K3-725	37, 71, 232	K3-767	37, 233	K3-1011	36, 70, 226
K3-726	37, 71, 232	K3-768	37, 233	K3-1011 P	36, 70, 230
K3-727	37, 71, 232	K3-770	211, 233	K3-1012	36, 70, 226
K3-728	43, 77, 233	K3-771	211, 233	K3-1012 P	36, 70, 230
K3-729	43, 77, 233	K3-772	211, 233	K3-1013	36, 70, 226
K3-730	43, 77, 233	K3-773	211, 233	K3-1013 P	36, 70, 230
K3-731	43, 77, 233	K3-774	211, 233	K3-1014	36, 70, 226
K3-732	49, 83, 233	K3-775	211, 233	K3-1014 P	36, 70, 230
K3-733	49, 83, 233	K3-776	211, 233	K3-1020	36, 70, 226
K3-734	49, 83, 233	K3-780	234	K3-1021	36, 70, 226
K3-735	49, 83, 233	K3-780K	234	K3-1021 P	36, 70, 230
K3-736	184, 233	K3-781	234	K3-1022	36, 70, 226
K3-737	184, 233	K3-781K	234	K3-1022 P	36, 70, 230
K3-738	184, 233	K3-782	234	K3-1023	36, 70, 226
K3-740	37, 71, 232	K3-783K	234	K3-1023 P	36, 70, 230
K3-741	37, 71, 232	K3-784K	234	K3-1024	36, 70, 226
K3-742	37, 71, 232	K3-785	234	K3-1024 P	36, 70, 230
K3-743	37, 71, 232	K3-785K	234	K3-1030	42, 76, 226
K3-744	37, 71, 232	K3-786	185, 235	K3-1031	42, 76, 226
K3-745	37, 71, 232	K3-786K	185, 235	K3-1031 P	42, 76, 230
K3-746	37, 71, 232	K3-787	235	K3-1032	42, 76, 226
K3-747	37, 71, 232	K3-788	235	K3-1032 P	42, 76, 230
K3-748	43, 77, 233	K3-789	235	K3-1033	42, 76, 226
K3-749	43, 77, 233	K3-790K	235	K3-1033 P	42, 76, 230
K3-750	43, 77, 233	K3-791K	235	K3-1034	42, 76, 226
K3-751	43, 77, 233	K3-792K	235	K3-1034 P	42, 76, 230
K3-752	49, 83, 233	K3-793K	235	K3-1040	48, 82, 226
K3-753	49, 83, 233	K3-948	276	K3-1041	48, 82, 226
K3-754	49, 83, 233	K3-949	276	K3-1041 P	48, 82, 230
K3-755	49, 83, 233	K3-950	276	K3-1042	48, 82, 226
K3-756	233	K3-951	276	K3-1042 P	48, 82, 230
K3-757	233	K3-952	276	K3-1043	48, 82, 226

CODE	PAGE	CODE	PAGE	CODE	PAGE
K3-1043 P	48, 82, 230	K3-1120	38, 241	K4-1051	242
K3-1045	48, 82, 226	K3-1121	38, 241	K4-1052	242
K3-1045 P	48, 82, 230	K3-1200	238	K5-010	222
K3-1050	240	K3-1201	238	K5-011	222
K3-1051	240	K3-1202	238	K5-012	222
K3-1052	240	K3-1203	238	K5-013	222
K3-1054	186, 221	K3-1204	238	K5-014	222
K3-1055	186, 221	K3-1205	238	K5-015	222
K3-1062	240	K3-1206	238	K5-016	222
K3-1070	212, 236	K3-1207	238	K5-017	222
K3-1073	216, 236	K3-1208	238	K5-018	222
K3-1079	214, 236	K3-1210	239	K5-019	222
K3-1080	238	K3-1211	239	K5-020	222
K3-1081	238	K3-1230	239	K5-021	222
K3-1085	238	K3-1231	239	K5-022	222
K3-1086	238	K3-1232	239	K5-023	222
K3-1090	38, 72, 148, 264	K3-1233	239	K5-024	222
K3-1092	265	K3-1234	239	K5-025	222
K3-1093	61, 95, 171, 264	K3-1235	239	K5-026	222
K3-1094	50, 61, 84, 95, 160	K3-1236	239	K5-027	222
K3-1100	237	K3-1237	239	K5-028	222
K3-1101	237	K3-1238	239	K5-029	222
K3-1102	237	K3-1239	239	K5-030	222
K3-1103	237	K3-1240	239	K5-031	222
K3-1104	237	K3-1241	239	K5-032	222
K3-1105	237	K3-1704	54, 88, 228	K5-033	222
K3-1106	237	K3-1705	54, 88, 228	K5-034	222
K3-1107	237	K3-1706	54, 88, 228	K5-035	222
K3-1108	237	K3-1707	54, 88, 228	K5-036	222
K3-1109	237	K3-1804	60, 94, 228	K5-037	222
K3-1110	237	K3-1805	60, 94, 228	K5-038	222
K3-1111	237	K3-1806	60, 94, 228	K5-039	222
K3-1112	237	K3-1807	60, 94, 228	K5-040	222
K3-1113	237	K3-2000	210, 229	K5-041	222
K3-1114	237	K3-2001	210, 229	K5-042	222
K3-1115	237	K3-2002	210, 229	K5-043	222
K3-1116	237	K3-2010	210, 228	K5-044	222
K3-1117	237	K3-2011	210, 228	K5-045	222
K3-1118	237	K3-2012	210, 228	K5-060	223
K3-1119	38, 241	K3-2013	210, 228	K5-061	223

CODE	PAGE	CODE	PAGE	CODE	PAGE
K5-062	223	K5-121	223	K5-234	222
K5-063	223	K5-122	223	K5-235	222
K5-064	223	K5-123	223	K6-010	34
K5-065	223	K5-124	223	K6-010D	124
K5-066	223	K5-125	223	K6-010E	190
K5-067	223	K5-126	223	K6-011	34
K5-068	223	K5-200	222	K6-011D	124
K5-069	223	K5-201	222	K6-011E	190
K5-070	223	K5-202	222	K6-012	34
K5-071	223	K5-203	222	K6-012D	124
K5-072	223	K5-204	222	K6-012E	190
K5-073	223	K5-205	222	K6-013	34
K5-074	223	K5-206	222	K6-013D	124
K5-075	223	K5-207	222	K6-013E	190
K5-076	223	K5-208	222	K6-014	34
K5-077	223	K5-209	222	K6-014D	124
K5-078	223	K5-210	222	K6-014E	190
K5-079	223	K5-211	222	K6-015	34
K5-080	223	K5-212	222	K6-015D	124
K5-081	223	K5-213	222	K6-016	34
K5-082	223	K5-214	222	K6-016D	124
K5-083	223	K5-215	222	K6-016E	190
K5-100	223	K5-216	222	K6-017	34
K5-101	223	K5-217	222	K6-017D	124
K5-102	223	K5-218	222	K6-017E	190
K5-103	223	K5-219	222	K6-018	34
K5-104	223	K5-220	222	K6-018D	124
K5-105	223	K5-221	222	K6-018E	190
K5-106	223	K5-222	222	K6-019	34
K5-107	223	K5-223	222	K6-019D	124
K5-108	223	K5-224	222	K6-019E	190
K5-109	223	K5-225	222	K6-020	34
K5-110	223	K5-226	222	K6-020D	124
K5-111	223	K5-227	222	K6-020E	190
K5-115	223	K5-228	222	K6-021	34
K5-116	223	K5-229	222	K6-021D	124
K5-117	223	K5-230	222	K6-022	34
K5-118	223	K5-231	222	K6-022D	124
K5-119	223	K5-232	222	K6-022E	190
K5-120	223	K5-233	222	K6-023	34

CODE	PAGE	CODE	PAGE	CODE	PAGE
K6-023D	124	K6-039	34	K6-101Z	178
K6-023E	190	K6-039D	124	K6-102	35, 103
K6-024	34	K6-040	34	K6-102D	125
K6-024D	124	K6-040Z	178	K6-102Z	178
K6-024E	190	K6-041	34	K6-103	35, 103
K6-025	34	K6-042	34	K6-103D	125
K6-025D	124	K6-043	34	K6-104	35, 103
K6-025E	190	K6-044	34	K6-104D	125
K6-026	34	K6-045	34	K6-105	35, 69, 103
K6-026D	124	K6-046	34	K6-106	35, 69, 103
K6-026E	190	K6-046Z	178	K6-107	35, 69, 103
K6-027	34	K6-047	34	K6-108	35, 69, 103
K6-027D	124	K6-048	34	K6-109	35, 69, 103
K6-028	34	K6-049	34	K6-120	35
K6-028D	124	K6-050	34	K6-120D	125
K6-028E	190	K6-051	34	K6-120Z	178
K6-029	34	K6-052	34	K6-121	35
K6-029D	124	K6-052Z	178	K6-121D	125
K6-029E	190	K6-053	34	K6-122	35
K6-030	34	K6-054	34	K6-122D	125
K6-030D	124	K6-055	34	K6-123	35
K6-030E	190	K6-056	34	K6-123D	125
K6-031	34	K6-057	34	K6-124	35
K6-031D	124	K6-058	34	K6-124D	125
K6-031E	190	K6-059	34	K6-125	35
K6-032	34	K6-060	34	K6-125D	125
K6-032D	124	K6-061	34	K6-130	35
K6-032E	190	K6-062	34	K6-131	35
K6-033	34	K6-063	34	K6-132	35
K6-033D	124	K6-064	34	K6-133	35
K6-034	34	K6-065	34	K6-134	35
K6-034D	124	K6-066	34	K6-135	35
K6-035	34	K6-067	34	K6-136	52
K6-035D	124	K6-068	34	K6-137	52
K6-036	34	K6-069	34	K6-138	52
K6-036D	124	K6-100	35, 103	K6-139	52
K6-037	34	K6-100D	125	K6-140	52
K6-037D	124	K6-100Z	178	K6-141	52
K6-038	34	K6-101	35, 103	K6-142	52
K6-038D	124	K6-101D	125	K6-143	52

CODE	PAGE	CODE	PAGE	CODE	PAGE
K6-144	52	K6-186	34	K6-234	35, 145
K6-145	52	K6-187	34	K6-235	35, 145
K6-146	52	K6-188	34	K6-240	40
K6-147	52	K6-189	34	K6-240D	130
K6-150	34	K6-190	34	K6-240E	196
K6-151	34	K6-191	34	K6-241	40
K6-152	34	K6-192	34	K6-241D	130
K6-153	34	K6-193	34	K6-241E	196
K6-154	34	K6-194	34	K6-242	40
K6-155	34	K6-195	34	K6-242D	130
K6-156	34	K6-196	34	K6-242E	196
K6-157	34	K6-197	34	K6-243	40
K6-158	34	K6-198	34	K6-243D	130
K6-159	34	K6-199	34	K6-243E	196
K6-160	34	K6-200	34	K6-244	40
K6-161	34	K6-201	34	K6-244D	130
K6-162	34	K6-202	34	K6-244E	196
K6-163	34	K6-203	34	K6-245	40
K6-164	34	K6-204	34	K6-245D	130
K6-165	34	K6-205	34	K6-246	40
K6-166	34	K6-206	34	K6-246D	130
K6-167	34	K6-207	34	K6-246E	196
K6-168	34	K6-208	34	K6-247	40
K6-169	34	K6-209	34	K6-247D	130
K6-170	34	K6-210	52	K6-247E	196
K6-171	34	K6-211	52	K6-248	40
K6-172	34	K6-212	52	K6-248D	130
K6-173	34	K6-213	52	K6-248E	196
K6-174	34	K6-214	52	K6-249	40
K6-175	34	K6-215	52	K6-249D	130
K6-176	34	K6-216	52	K6-249E	196
K6-177	34	K6-217	52	K6-250	40
K6-178	34	K6-218	52	K6-250D	130
K6-179	34	K6-219	52	K6-250E	196
K6-180	34	K6-220	52	K6-251	40
K6-181	34	K6-221	52	K6-251D	130
K6-182	34	K6-230	35, 145	K6-252	40
K6-183	34	K6-231	35, 145	K6-252D	130
K6-184	34	K6-232	35, 145	K6-252E	196
K6-185	34	K6-233	35, 145	K6-253	40

CODE	PAGE	CODE	PAGE	CODE	PAGE
K6-253D	130	K6-302	41, 109	K6-345D	131
K6-253E	196	K6-302D	131	K6-350	40
K6-254	40	K6-302Z	180	K6-351	40
K6-254D	130	K6-303	41, 109	K6-352	40
K6-254E	196	K6-303D	131	K6-353	40
K6-255	40	K6-303Z	180	K6-354	40
K6-255D	130	K6-305	41, 75, 109	K6-355	40
K6-255E	196	K6-306	41, 75, 109	K6-356	40
K6-256	40	K6-307	41, 75, 109	K6-357	40
K6-256D	130	K6-308	41, 75, 109	K6-358	40
K6-256E	196	K6-320	41	K6-359	40
K6-257	40	K6-321	41	K6-360	40
K6-257D	130	K6-322	41	K6-361	40
K6-260	40	K6-323	41	K6-362	40
K6-260Z	180	K6-324	41	K6-363	40
K6-261	40	K6-325	41	K6-364	40
K6-262	40	K6-326	53	K6-365	40
K6-263	40	K6-327	53	K6-366	40
K6-264	40	K6-328	53	K6-367	40
K6-265	40	K6-329	53	K6-370	40
K6-266	40	K6-330	53	K6-371	40
K6-266Z	180	K6-331	53	K6-372	40
K6-267	40	K6-332	53	K6-373	40
K6-268	40	K6-333	53	K6-374	40
K6-269	40	K6-334	53	K6-375	40
K6-270	40	K6-335	53	K6-376	40
K6-271	40	K6-336	53	K6-377	40
K6-272	40	K6-337	53	K6-378	40
K6-272Z	180	K6-340	41	K6-379	40
K6-273	40	K6-340D	131	K6-380	40
K6-274	40	K6-340Z	180	K6-381	40
K6-275	40	K6-341	41	K6-382	40
K6-276	40	K6-341D	131	K6-383	40
K6-277	40	K6-342	41	K6-384	40
K6-300	41, 109	K6-342D	131	K6-385	40
K6-300D	131	K6-343	41	K6-386	40
K6-300Z	180	K6-343D	131	K6-387	40
K6-301	41, 109	K6-344	41	K6-400	53
K6-301D	131	K6-344D	131	K6-401	53
K6-301Z	180	K6-345	41	K6-402	53, 87, 163

CODE	PAGE	CODE	PAGE	CODE	PAGE
K6-403	53, 87, 163	K6-511D	136	K6-526D	136
K6-410	41, 151	K6-512	46	K6-527	46
K6-411	41, 151	K6-512D	136	K6-527D	136
K6-412	41, 151	K6-512E	202	K6-528	46
K6-413	41, 151	K6-513	46	K6-528D	136
K6-414	41, 151	K6-513D	136	K6-529	46
K6-415	41, 151	K6-513E	202	K6-529D	136
K6-500	46	K6-514	46	K6-530	46
K6-500D	136	K6-514D	136	K6-530Z	182
K6-500E	202	K6-514E	202	K6-531	46
K6-501	46	K6-515	46	K6-532	46
K6-501D	136	K6-515D	136	K6-533	46
K6-501E	202	K6-515E	202	K6-534	46
K6-502	46	K6-516	46	K6-535	46
K6-502D	136	K6-516D	136	K6-536	46
K6-502E	202	K6-516E	202	K6-536Z	182
K6-503	46	K6-517	46	K6-537	46
K6-503D	136	K6-517D	136	K6-538	46
K6-503E	202	K6-518	46	K6-539	46
K6-504	46	K6-518D	136	K6-540	46
K6-504D	136	K6-518E	202	K6-541	46
K6-504E	202	K6-519	46	K6-542	46
K6-505	46	K6-519D	136	K6-542Z	182
K6-505D	136	K6-519E	202	K6-543	46
K6-506	46	K6-520	46	K6-544	46
K6-506D	136	K6-520D	136	K6-545	46
K6-506E	202	K6-520E	202	K6-546	46
K6-507	46	K6-521	46	K6-547	46
K6-507D	136	K6-521D	136	K6-548	46
K6-507E	202	K6-521E	202	K6-549	46
K6-508	46	K6-522	46	K6-550	46
K6-508D	136	K6-522D	136	K6-551	46
K6-508E	202	K6-522E	202	K6-552	46
K6-509	46	K6-523	46	K6-553	46
K6-509D	136	K6-523D	136	K6-554	46
K6-509E	202	K6-524	46	K6-555	46
K6-510	46	K6-524D	136	K6-556	46
K6-510D	136	K6-525	46	K6-557	46
K6-510E	202	K6-525D	136	K6-558	46
K6-511	46	K6-526	46	K6-559	46

CODE	PAGE	CODE	PAGE	CODE	PAGE
K6-600	47, 115	K6-643	46	K6-683	46
K6-600D	137	K6-644	46	K6-684	46
K6-600Z	182	K6-645	46	K6-685	46
K6-601	47, 115	K6-646	46	K6-686	46
K6-601D	137	K6-647	46	K6-687	46
K6-601Z	182	K6-648	46	K6-688	46
K6-602	47, 115	K6-649	46	K6-689	46
K6-602D	137	K6-650	46	K6-690	46
K6-602Z	182	K6-651	46	K6-691	46
K6-603	47, 115	K6-652	46	K6-692	46
K6-603D	137	K6-653	46	K6-693	46
K6-604	47, 115	K6-654	46	K6-694	46
K6-604D	137	K6-655	46	K6-695	46
K6-605	47, 81, 115	K6-656	46	K6-696	46
K6-606	47, 81, 115	K6-657	46	K6-697	46
K6-607	47, 81, 115	K6-658	46	K6-698	46
K6-608	47, 81, 115	K6-659	46	K6-699	46
K6-609	47, 81, 115	K6-660	46	K6-700	47, 157
K6-620	47	K6-661	46	K6-701	47, 157
K6-621	47	K6-662	46	K6-702	47, 157
K6-622	47	K6-663	46	K6-703	47, 157
K6-623	47	K6-664	46	K6-704	47, 157
K6-624	47	K6-665	46	K6-705	47, 157
K6-625	47	K6-666	46	K6-1000	221
K6-630	47	K6-667	46	K6-1000Z	186
K6-630D	137	K6-668	46	K6-1001	221
K6-630Z	182	K6-669	46	K6-1002	221
K6-631	47	K6-670	46	K6-1003	221
K6-631D	137	K6-671	46	K6-1004	221
K6-632	47	K6-672	46	K6-1005	221
K6-632D	137	K6-673	46	K6-1100	221
K6-633	47	K6-674	46	K6-1100Z	186
K6-633D	137	K6-675	46	K6-1101	221
K6-634	47	K6-676	46	K6-1101Z	186
K6-634D	137	K6-677	46	K6-1105	221
K6-635	47	K6-678	46	K6-1106	221
K6-635D	137	K6-679	46	K6-1400	220
K6-640	46	K6-680	46	K6-1400Z	186
K6-641	46	K6-681	46	K6-1401	220
K6-642	46	K6-682	46	K6-1402	220

CODE	PAGE	CODE	PAGE	CODE	PAGE
K6-1403	220	K6-1512	214	K6-1553	214
K6-1404	220	K6-1513	214	K6-1554	214
K6-1405	220	K6-1514	214	K6-1555	214
K6-1406	220	K6-1515	214	K6-1556	214
K6-1406Z	186	K6-1516	214	K6-1557	214
K6-1407	220	K6-1517	214	K6-1560	215
K6-1408	220	K6-1520	214	K6-1560Z	185
K6-1409	220	K6-1520Z	185	K6-1561	215
K6-1410	220	K6-1521	214	K6-1561Z	185
K6-1411	220	K6-1522	214	K6-1562	215
K6-1412	220	K6-1523	214	K6-1562Z	185
K6-1413	220	K6-1524	214	K6-1565	215
K6-1414	220	K6-1525	214	K6-1566	215
K6-1415	220	K6-1526	214	K6-1567	215
K6-1416	220	K6-1526Z	185	K6-1570	215
K6-1417	220	K6-1527	214	K6-1570Z	185
K6-1418	219	K6-1528	214	K6-1571	215
K6-1419	219	K6-1529	214	K6-1572	215
K6-1420	219	K6-1530	214	K6-1573	215
K6-1421	219	K6-1531	214	K6-1574	215
K6-1422	219	K6-1532	214	K6-1575	215
K6-1423	219	K6-1532Z	185	K6-1580	215
K6-1432	220	K6-1533	214	K6-1581	215
K6-1433	220	K6-1534	214	K6-1582	215
K6-1434	220	K6-1535	214	K6-1583	215
K6-1435	220	K6-1536	214	K6-1584	215
K6-1436	220	K6-1537	214	K6-1585	215
K6-1437	220	K6-1540	214	K6-1600	208
K6-1500	214	K6-1541	214	K6-1601	208
K6-1501	214	K6-1542	214	K6-1602	208
K6-1502	214	K6-1543	214	K6-1603	208
K6-1503	214	K6-1544	214	K6-1604	208
K6-1504	214	K6-1545	214	K6-1605	208
K6-1505	214	K6-1546	214	K6-1606	208
K6-1506	214	K6-1547	214	K6-1607	208
K6-1507	214	K6-1548	214	K6-1608	208
K6-1508	214	K6-1549	214	K6-1609	208
K6-1509	214	K6-1550	214	K6-1610	208
K6-1510	214	K6-1551	214	K6-1611	208
K6-1511	214	K6-1552	214	K6-1612	208

CODE	PAGE	CODE	PAGE	CODE	PAGE
K6-1613	208	K6-1752	218	K6-1814	212
K6-1614	208	K6-1753	218	K6-1815	212
K6-1615	208	K6-1754	218	K6-1816	212
K6-1616	208	K6-1755	218	K6-1817	212
K6-1617	208	K6-1756	218	K6-1820	212
K6-1665	209	K6-1757	218	K6-1820Z	184
K6-1666	209	K6-1758	218	K6-1821	212
K6-1667	209	K6-1759	218	K6-1822	212
K6-1680	209	K6-1760	218	K6-1823	212
K6-1681	209	K6-1761	218	K6-1824	212
K6-1682	209	K6-1770	219	K6-1825	212
K6-1683	209	K6-1771	219	K6-1826	212
K6-1684	209	K6-1775	219	K6-1826Z	184
K6-1685	209	K6-1776	219	K6-1827	212
K6-1710	218	K6-1780	219	K6-1828	212
K6-1711	218	K6-1781	219	K6-1829	212
K6-1712	218	K6-1782	219	K6-1830	212
K6-1713	218	K6-1783	219	K6-1831	212
K6-1714	218	K6-1784	219	K6-1832	212
K6-1715	218	K6-1785	219	K6-1832Z	184
K6-1716	218	K6-1790	219	K6-1833	212
K6-1717	218	K6-1791	219	K6-1834	212
K6-1718	218	K6-1792	219	K6-1835	212
K6-1719	218	K6-1793	219	K6-1836	212
K6-1720	218	K6-1794	219	K6-1837	212
K6-1721	218	K6-1795	219	K6-1840	212
K6-1730	218	K6-1800	212	K6-1841	212
K6-1731	218	K6-1801	212	K6-1842	212
K6-1732	218	K6-1802	212	K6-1843	212
K6-1733	218	K6-1803	212	K6-1844	212
K6-1734	218	K6-1804	212	K6-1845	212
K6-1735	218	K6-1805	212	K6-1846	212
K6-1736	218	K6-1806	212	K6-1847	212
K6-1737	218	K6-1807	212	K6-1848	212
K6-1738	218	K6-1808	212	K6-1849	212
K6-1739	218	K6-1809	212	K6-1850	212
K6-1740	218	K6-1810	212	K6-1851	212
K6-1741	218	K6-1811	212	K6-1852	212
K6-1750	218	K6-1812	212	K6-1853	212
K6-1751	218	K6-1813	212	K6-1854	212

CODE	PAGE	CODE	PAGE	CODE	PAGE
K6-1855	212	K6-1913	216	K6-1954	216
K6-1856	212	K6-1914	216	K6-1955	216
K6-1857	212	K6-1915	216	K6-1956	216
K6-1860	213	K6-1916	216	K6-1957	216
K6-1860Z	184	K6-1917	216	K6-1960	217
K6-1861	213	K6-1920	216	K6-1960Z	184
K6-1861Z	184	K6-1920Z	184	K6-1961	217
K6-1862	213	K6-1921	216	K6-1961Z	184
K6-1862Z	184	K6-1922	216	K6-1962	217
K6-1863	213	K6-1923	216	K6-1962Z	184
K6-1865	213	K6-1924	216	K6-1965	217
K6-1866	213	K6-1925	216	K6-1966	217
K6-1867	213	K6-1926	216	K6-1967	217
K6-1868	213	K6-1926Z	184	K6-1970	217
K6-1870	213	K6-1927	216	K6-1970Z	184
K6-1871	213	K6-1928	216	K6-1971	217
K6-1872	213	K6-1929	216	K6-1972	217
K6-1873	213	K6-1930	216	K6-1973	217
K6-1874	213	K6-1931	216	K6-1974	217
K6-1875	213	K6-1932	216	K6-1975	217
K6-1880	213	K6-1932Z	184	K6-1980	217
K6-1880Z	184	K6-1933	216	K6-1981	217
K6-1881	213	K6-1934	216	K6-1982	217
K6-1882	213	K6-1935	216	K6-1983	217
K6-1883	213	K6-1936	216	K6-1984	217
K6-1884	213	K6-1937	216	K6-1985	217
K6-1885	213	K6-1940	216	K6-2000	59
K6-1900	216	K6-1941	216	K6-2001	59
K6-1901	216	K6-1942	216	K6-2005	59, 93, 169
K6-1902	216	K6-1943	216	K6-2006	59, 93, 169
K6-1903	216	K6-1944	216	K6-2010	58
K6-1904	216	K6-1945	216	K6-2011	58
K6-1905	216	K6-1946	216	K6-2012	58
K6-1906	216	K6-1947	216	K6-2013	58
K6-1907	216	K6-1948	216	K6-2014	58
K6-1908	216	K6-1949	216	K6-2015	58
K6-1909	216	K6-1950	216	K6-2016	58
K6-1910	216	K6-1951	216	K6-2017	58
K6-1911	216	K6-1952	216	K6-2018	58
K6-1912	216	K6-1953	216	K6-2019	58

CODE	PAGE	CODE	PAGE	CODE	PAGE
K6-2020	58	K7-024	68	K7-064	68
K6-2021	58	K7-025	68	K7-065	68
K6-2040	58	K7-026	68	K7-066	68
K6-2041	58	K7-027	68	K7-067	68
K6-2042	58	K7-028	68	K7-068	68
K6-2043	58	K7-029	68	K7-069	68
K6-2044	58	K7-030	68	K7-100	69
K6-2045	58	K7-031	68	K7-101	69
K6-2046	58	K7-032	68	K7-102	69
K6-2047	58	K7-033	68	K7-103	69
K6-2048	58	K7-034	68	K7-104	69
K6-2049	58	K7-035	68	K7-120	69
K6-2050	58	K7-036	68	K7-121	69
K6-2051	58	K7-037	68	K7-122	69
K6-2120	59	K7-038	68	K7-123	69
K6-2121	59	K7-039	68	K7-124	69
K6-2122	59	K7-040	68	K7-125	69
K6-2123	59	K7-041	68	K7-136	86
K6-2124	59	K7-042	68	K7-137	86
K6-2125	59	K7-043	68	K7-138	86
K6-2130	59	K7-044	68	K7-139	86
K6-2131	59	K7-045	68	K7-140	86
K6-2132	59	K7-046	68	K7-141	86
K6-2133	59	K7-047	68	K7-142	86
K6-2134	59	K7-048	68	K7-143	86
K6-2135	59	K7-049	68	K7-144	86
K7-010	68	K7-050	68	K7-145	86
K7-011	68	K7-051	68	K7-146	86
K7-012	68	K7-052	68	K7-147	86
K7-013	68	K7-053	68	K7-150	68
K7-014	68	K7-054	68	K7-151	68
K7-015	68	K7-055	68	K7-152	68
K7-016	68	K7-056	68	K7-153	68
K7-017	68	K7-057	68	K7-154	68
K7-018	68	K7-058	68	K7-155	68
K7-019	68	K7-059	68	K7-156	68
K7-020	68	K7-060	68	K7-157	68
K7-021	68	K7-061	68	K7-158	68
K7-022	68	K7-062	68	K7-159	68
K7-023	68	K7-063	68	K7-160	68

CODE	PAGE	CODE	PAGE	CODE	PAGE
K7-161	68	K7-201	68	K7-261	74
K7-162	68	K7-202	68	K7-262	74
K7-163	68	K7-203	68	K7-263	74
K7-164	68	K7-204	68	K7-264	74
K7-165	68	K7-205	68	K7-265	74
K7-166	68	K7-206	68	K7-266	74
K7-167	68	K7-207	68	K7-267	74
K7-168	68	K7-208	68	K7-268	74
K7-169	68	K7-209	68	K7-269	74
K7-170	68	K7-210	86	K7-270	74
K7-171	68	K7-211	86	K7-271	74
K7-172	68	K7-212	86	K7-272	74
K7-173	68	K7-213	86	K7-273	74
K7-174	68	K7-214	86	K7-274	74
K7-175	68	K7-215	86	K7-275	74
K7-176	68	K7-216	86	K7-276	74
K7-177	68	K7-217	86	K7-277	74
K7-178	68	K7-218	86	K7-300	75
K7-179	68	K7-219	86	K7-301	75
K7-180	68	K7-220	86	K7-302	75
K7-181	68	K7-221	86	K7-303	75
K7-182	68	K7-240	74	K7-326	87
K7-183	68	K7-241	74	K7-327	87
K7-184	68	K7-242	74	K7-328	87
K7-185	68	K7-243	74	K7-329	87
K7-186	68	K7-244	74	K7-330	87
K7-187	68	K7-245	74	K7-331	87
K7-188	68	K7-246	74	K7-340	75
K7-189	68	K7-247	74	K7-341	75
K7-190	68	K7-248	74	K7-342	75
K7-191	68	K7-249	74	K7-343	75
K7-192	68	K7-250	74	K7-344	75
K7-193	68	K7-251	74	K7-345	75
K7-194	68	K7-252	74	K7-350	74
K7-195	68	K7-253	74	K7-351	74
K7-196	68	K7-254	74	K7-352	74
K7-197	68	K7-255	74	K7-353	74
K7-198	68	K7-256	74	K7-354	74
K7-199	68	K7-257	74	K7-355	74
K7-200	68	K7-260	74	K7-356	74

CODE	PAGE	CODE	PAGE	CODE	PAGE
K7-357	74	K7-411	75	K7-533	80
K7-358	74	K7-412	81	K7-534	80
K7-359	74	K7-413	81	K7-535	80
K7-360	74	K7-414	81	K7-536	80
K7-361	74	K7-415	81	K7-537	80
K7-362	74	K7-416	81	K7-538	80
K7-363	74	K7-417	81	K7-539	80
K7-364	74	K7-500	80	K7-540	80
K7-365	74	K7-501	80	K7-541	80
K7-366	74	K7-502	80	K7-542	80
K7-367	74	K7-503	80	K7-543	80
K7-370	74	K7-504	80	K7-544	80
K7-371	74	K7-505	80	K7-545	80
K7-372	74	K7-506	80	K7-546	80
K7-373	74	K7-507	80	K7-547	80
K7-374	74	K7-508	80	K7-548	80
K7-375	74	K7-509	80	K7-549	80
K7-376	74	K7-510	80	K7-550	80
K7-377	74	K7-511	80	K7-551	80
K7-378	74	K7-512	80	K7-552	80
K7-379	74	K7-513	80	K7-553	80
K7-380	74	K7-514	80	K7-554	80
K7-381	74	K7-515	80	K7-555	80
K7-382	74	K7-516	80	K7-556	80
K7-383	74	K7-517	80	K7-557	80
K7-384	74	K7-518	80	K7-558	80
K7-385	74	K7-519	80	K7-559	80
K7-386	74	K7-520	80	K7-600	81
K7-387	74	K7-521	80	K7-601	81
K7-400	69	K7-522	80	K7-602	81
K7-401	69	K7-523	80	K7-603	81
K7-402	69	K7-524	80	K7-604	81
K7-403	69	K7-525	80	K7-630	81
K7-404	69	K7-526	80	K7-631	81
K7-405	69	K7-527	80	K7-632	81
K7-406	75	K7-528	80	K7-633	81
K7-407	75	K7-529	80	K7-634	81
K7-408	75	K7-530	80	K7-635	81
K7-409	75	K7-531	80	K7-640	80
K7-410	75	K7-532	80	K7-641	80

CODE	PAGE	CODE	PAGE	CODE	PAGE
K7-642	80	K7-682	80	K7-1802	212
K7-643	80	K7-683	80	K7-1803	212
K7-644	80	K7-684	80	K7-1804	212
K7-645	80	K7-685	80	K7-1805	212
K7-646	80	K7-686	80	K7-1806	212
K7-647	80	K7-687	80	K7-1807	212
K7-648	80	K7-688	80	K7-1808	212
K7-649	80	K7-689	80	K7-1809	212
K7-650	80	K7-690	80	K7-1810	212
K7-651	80	K7-691	80	K7-1811	212
K7-652	80	K7-692	80	K7-1812	212
K7-653	80	K7-693	80	K7-1813	212
K7-654	80	K7-694	80	K7-1814	212
K7-655	80	K7-695	80	K7-1815	212
K7-656	80	K7-696	80	K7-1816	212
K7-657	80	K7-697	80	K7-1817	212
K7-658	80	K7-698	80	K7-1826	212
K7-659	80	K7-699	80	K7-1827	212
K7-660	80	K7-700	87	K7-1828	212
K7-661	80	K7-701	87	K7-1829	212
K7-662	80	K7-1418	219	K7-1830	212
K7-663	80	K7-1419	219	K7-1831	212
K7-664	80	K7-1420	219	K7-1832	212
K7-665	80	K7-1421	219	K7-1833	212
K7-666	80	K7-1422	219	K7-1834	212
K7-667	80	K7-1423	219	K7-1835	212
K7-668	80	K7-1680	209	K7-1836	212
K7-669	80	K7-1681	209	K7-1837	212
K7-670	80	K7-1682	209	K7-1880	213
K7-671	80	K7-1683	209	K7-1881	213
K7-672	80	K7-1684	209	K7-1882	213
K7-673	80	K7-1685	209	K7-1883	213
K7-674	80	K7-1780	219	K7-1884	213
K7-675	80	K7-1781	219	K7-1885	213
K7-676	80	K7-1782	219	K7-1900	216
K7-677	80	K7-1783	219	K7-1901	216
K7-678	80	K7-1784	219	K7-1902	216
K7-679	80	K7-1785	219	K7-1903	216
K7-680	80	K7-1800	212	K7-1904	216
K7-681	80	K7-1801	212	K7-1905	216

CODE	PAGE	CODE	PAGE	CODE	PAGE
K7-1906	216	K7-2018	92	K8-104P	144
K7-1907	216	K7-2019	92	K8-104V	144
K7-1908	216	K7-2020	92	K8-120B	145
K7-1909	216	K7-2021	92	K8-120BA	145
K7-1910	216	K7-2040	92	K8-120P	145
K7-1911	216	K7-2041	92	K8-120V	145
K7-1912	216	K7-2042	92	K8-121B	145
K7-1913	216	K7-2043	92	K8-121BA	145
K7-1914	216	K7-2044	92	K8-121P	145
K7-1915	216	K7-2045	92	K8-121V	145
K7-1916	216	K7-2046	92	K8-122B	145
K7-1917	216	K7-2047	92	K8-122BA	145
K7-1926	216	K7-2048	92	K8-122P	145
K7-1927	216	K7-2049	92	K8-122V	145
K7-1928	216	K7-2050	92	K8-123B	145
K7-1929	216	K7-2051	92	K8-123BA	145
K7-1930	216	K7-2120	93	K8-123P	145
K7-1931	216	K7-2121	93	K8-123V	145
K7-1932	216	K7-2122	93	K8-124B	145
K7-1933	216	K7-2123	93	K8-124BA	145
K7-1934	216	K7-2124	93	K8-124P	145
K7-1935	216	K7-2125	93	K8-124V	145
K7-1936	216	K8-100B	144	K8-125B	145
K7-1937	216	K8-100BA	144	K8-125BA	145
K7-1970	217	K8-100P	144	K8-125P	145
K7-1971	217	K8-100V	144	K8-125V	145
K7-1972	217	K8-101B	144	K8-300B	150
K7-1973	217	K8-101BA	144	K8-300BA	150
K7-1974	217	K8-101P	144	K8-300P	150
K7-1975	217	K8-101V	144	K8-300V	150
K7-2000	93	K8-102B	144	K8-301B	150
K7-2001	93	K8-102BA	144	K8-301BA	150
K7-2010	92	K8-102P	144	K8-301P	150
K7-2011	92	K8-102V	144	K8-301V	150
K7-2012	92	K8-103B	144	K8-302B	150
K7-2013	92	K8-103BA	144	K8-302BA	150
K7-2014	92	K8-103P	144	K8-302P	150
K7-2015	92	K8-103V	144	K8-302V	150
K7-2016	92	K8-104B	144	K8-326B	163
K7-2017	92	K8-104BA	144	K8-326BA	163

CODE	PAGE	CODE	PAGE	CODE	PAGE
K8-326P	163	K8-344P	151	K8-632BA	157
K8-326V	163	K8-344V	151	K8-632P	157
K8-327B	163	K8-345B	151	K8-632V	157
K8-327BA	163	K8-345BA	151	K8-633B	157
K8-327P	163	K8-345P	151	K8-633BA	157
K8-327V	163	K8-345V	151	K8-633P	157
K8-328B	163	K8-490	273	K8-633V	157
K8-328BA	163	K8-508	273	K8-634B	157
K8-328P	163	K8-509	273	K8-634BA	157
K8-328V	163	K8-510	276	K8-634P	157
K8-329B	163	K8-511	273	K8-634V	157
K8-329BA	163	K8-600B	156	K8-635B	157
K8-329P	163	K8-600BA	156	K8-635BA	157
K8-329V	163	K8-600P	156	K8-635P	157
K8-330B	163	K8-600V	156	K8-635V	157
K8-330BA	163	K8-601B	156	K8-700B	162
K8-330P	163	K8-601BA	156	K8-700BA	162
K8-330V	163	K8-601P	156	K8-700P	162
K8-331B	163	K8-601V	156	K8-700V	162
K8-331BA	163	K8-602B	156	K8-701B	162
K8-331P	163	K8-602BA	156	K8-701BA	162
K8-331V	163	K8-602P	156	K8-701P	162
K8-340B	151	K8-602V	156	K8-701V	162
K8-340BA	151	K8-603B	156	K8-2000B	168
K8-340P	151	K8-603BA	156	K8-2000BA	168
K8-340V	151	K8-603P	156	K8-2000P	168
K8-341B	151	K8-603V	156	K8-2000V	168
K8-341BA	151	K8-604B	156	K8-2001B	168
K8-341P	151	K8-604BA	156	K8-2001BA	168
K8-341V	151	K8-604P	156	K8-2001P	168
K8-342B	151	K8-604V	156	K8-2001V	168
K8-342BA	151	K8-630B	157	K8-2120B	169
K8-342P	151	K8-630BA	157	K8-2120BA	169
K8-342V	151	K8-630P	157	K8-2120P	169
K8-343B	151	K8-630V	157	K8-2120V	169
K8-343BA	151	K8-631B	157	K8-2121B	169
K8-343P	151	K8-631BA	157	K8-2121BA	169
K8-343V	151	K8-631P	157	K8-2121P	169
K8-344B	151	K8-631V	157	K8-2121V	169
K8-344BA	151	K8-632B	157	K8-2122B	169

CODE	PAGE	CODE	PAGE	CODE	PAGE
K8-2122BA	169	K12-131	270	KP6-028	102
K8-2122P	169	K12-132	270	KP6-029	102
K8-2122V	169	K12-133	270	KP6-030	102
K8-2123B	169	K12-134	270	KP6-031	102
K8-2123BA	169	K12-135	271	KP6-032	102
K8-2123P	169	K12-136	271	KP6-033	102
K8-2123V	169	K12-137	271	KP6-034	102
K8-2124B	169	K12-138	271	KP6-035	102
K8-2124BA	169	K12-139	271	KP6-036	102
K8-2124P	169	K12-140	271	KP6-037	102
K8-2124V	169	K12-141	270	KP6-038	102
K8-2125B	169	K12-142	269	KP6-039	102
K8-2125BA	169	K12-145	266	KP6-040	102
K8-2125P	169	K12-146	267	KP6-041	102
K8-2125V	169	K12-147	267	KP6-042	102
K12-100	266	K12-148	266	KP6-043	102
K12-101	266	KA-100	243	KP6-044	102
K12-102	266	KB-100	243	KP6-045	102
K12-103	267	KC-100	243	KP6-046	102
K12-104	267	KLA-100	243	KP6-047	102
K12-105	267	KLB-100	243	KP6-048	102
K12-106	267	KLC-100	243	KP6-049	102
K12-107	267	KP6-010	102	KP6-050	102
K12-108	267	KP6-011	102	KP6-051	102
K12-109	266	KP6-012	102	KP6-052	102
K12-110	266	KP6-013	102	KP6-053	102
K12-111	266	KP6-014	102	KP6-054	102
K12-112	267	KP6-015	102	KP6-055	102
K12-113	267	KP6-016	102	KP6-056	102
K12-114	268	KP6-017	102	KP6-057	102
K12-115	268	KP6-018	102	KP6-058	102
K12-116	268	KP6-019	102	KP6-059	102
K12-117	268	KP6-020	102	KP6-060	102
K12-124	268	KP6-021	102	KP6-061	102
K12-125	269	KP6-022	102	KP6-062	102
K12-126	269	KP6-023	102	KP6-063	102
K12-127	269	KP6-024	102	KP6-064	102
K12-128	269	KP6-025	102	KP6-065	102
K12-129	269	KP6-026	102	KP6-066	102
K12-130	270	KP6-027	102	KP6-067	102

CODE	PAGE	CODE	PAGE	CODE	PAGE
KP6-068	102	KP6-274	108	KP6-530	114
KP6-069	102	KP6-275	108	KP6-531	114
KP6-120	103	KP6-276	108	KP6-532	114
KP6-121	103	KP6-277	108	KP6-533	114
KP6-122	103	KP6-340	109	KP6-534	114
KP6-123	103	KP6-341	109	KP6-535	114
KP6-124	103	KP6-342	109	KP6-536	114
KP6-125	103	KP6-343	109	KP6-537	114
KP6-240	108	KP6-344	109	KP6-538	114
KP6-241	108	KP6-345	109	KP6-539	114
KP6-242	108	KP6-500	114	KP6-540	114
KP6-243	108	KP6-501	114	KP6-541	114
KP6-244	108	KP6-502	114	KP6-542	114
KP6-245	108	KP6-503	114	KP6-543	114
KP6-246	108	KP6-504	114	KP6-544	114
KP6-247	108	KP6-505	114	KP6-545	114
KP6-248	108	KP6-506	114	KP6-546	114
KP6-249	108	KP6-507	114	KP6-547	114
KP6-250	108	KP6-508	114	KP6-548	114
KP6-251	108	KP6-509	114	KP6-549	114
KP6-252	108	KP6-510	114	KP6-550	114
KP6-253	108	KP6-511	114	KP6-551	114
KP6-254	108	KP6-512	114	KP6-552	114
KP6-255	108	KP6-513	114	KP6-553	114
KP6-256	108	KP6-514	114	KP6-554	114
KP6-257	108	KP6-515	114	KP6-555	114
KP6-260	108	KP6-516	114	KP6-556	114
KP6-261	108	KP6-517	114	KP6-557	114
KP6-262	108	KP6-518	114	KP6-558	114
KP6-263	108	KP6-519	114	KP6-559	114
KP6-264	108	KP6-520	114	KP6-630	115
KP6-265	108	KP6-521	114	KP6-631	115
KP6-266	108	KP6-522	114	KP6-632	115
KP6-267	108	KP6-523	114	KP6-633	115
KP6-268	108	KP6-524	114	KP6-634	115
KP6-269	108	KP6-525	114	KP6-635	115
KP6-270	108	KP6-526	114	KP7-010	102
KP6-271	108	KP6-527	114	KP7-011	102
KP6-272	108	KP6-528	114	KP7-012	102
KP6-273	108	KP6-529	114	KP7-013	102

CODE	PAGE	CODE	PAGE	CODE	PAGE
KP7-014	102	KP7-055	102	KP7-261	108
KP7-016	102	KP7-056	102	KP7-262	108
KP7-017	102	KP7-057	102	KP7-263	108
KP7-018	102	KP7-058	102	KP7-264	108
KP7-019	102	KP7-059	102	KP7-265	108
KP7-020	102	KP7-060	102	KP7-266	108
KP7-021	102	KP7-061	102	KP7-267	108
KP7-022	102	KP7-062	102	KP7-268	108
KP7-023	102	KP7-063	102	KP7-269	108
KP7-024	102	KP7-064	102	KP7-270	108
KP7-025	102	KP7-065	102	KP7-271	108
KP7-026	102	KP7-066	102	KP7-272	108
KP7-027	102	KP7-067	102	KP7-273	108
KP7-028	102	KP7-068	102	KP7-274	108
KP7-029	102	KP7-069	102	KP7-275	108
KP7-030	102	KP7-120	103	KP7-276	108
KP7-031	102	KP7-121	103	KP7-277	108
KP7-032	102	KP7-122	103	KP7-340	109
KP7-033	102	KP7-123	103	KP7-341	109
KP7-034	102	KP7-124	103	KP7-342	109
KP7-035	102	KP7-125	103	KP7-343	109
KP7-036	102	KP7-240	108	KP7-344	109
KP7-037	102	KP7-241	108	KP7-345	109
KP7-038	102	KP7-242	108	KP7-500	114
KP7-039	102	KP7-243	108	KP7-501	114
KP7-040	102	KP7-244	108	KP7-502	114
KP7-041	102	KP7-245	108	KP7-503	114
KP7-042	102	KP7-246	108	KP7-504	114
KP7-043	102	KP7-247	108	KP7-505	114
KP7-044	102	KP7-248	108	KP7-506	114
KP7-045	102	KP7-249	108	KP7-507	114
KP7-046	102	KP7-250	108	KP7-508	114
KP7-047	102	KP7-251	108	KP7-509	114
KP7-048	102	KP7-252	108	KP7-510	114
KP7-049	102	KP7-253	108	KP7-511	114
KP7-050	102	KP7-254	108	KP7-512	114
KP7-051	102	KP7-255	108	KP7-513	114
KP7-052	102	KP7-256	108	KP7-514	114
KP7-053	102	KP7-257	108	KP7-515	114
KP7-054	102	KP7-260	108	KP7-516	114

CODE	PAGE	CODE	PAGE	CODE	PAGE
KP7-517	114	KP7-557	114	KT6-506	114
KP7-518	114	KP7-558	114	KT6-512	114
KP7-519	114	KP7-559	114	KT6-518	114
KP7-520	114	KP7-630	115	KT6-524	114
KP7-521	114	KP7-631	115	KT6-530	114
KP7-522	114	KP7-632	115	KT6-536	114
KP7-523	114	KP7-633	115	KT6-542	114
KP7-524	114	KP7-634	115	KT6-548	114
KP7-525	114	KP7-635	115	KT6-554	114
KP7-526	114	KP-1398Z	186, 221	KT6-630	115
KP7-527	114	KP-1399Z	186, 221	KT7-010	102
KP7-528	114	KP-1400Z	186, 221	KT7-016	102
KP7-529	114	KP-1401Z	186, 221	KT7-022	102
KP7-530	114	KP-1402Z	186, 221	KT7-028	102
KP7-531	114	KP-1403Z	186, 221	KT7-034	102
KP7-532	114	KP-1404Z	186, 221	KT7-040	102
KP7-533	114	KP-1405Z	186, 221	KT7-046	102
KP7-534	114	KP-1406Z	186, 221	KT7-052	102
KP7-535	114	KP-1407Z	186, 221	KT7-058	102
KP7-536	114	KP-1408Z	186, 221	KT7-064	102
KP7-537	114	KP-1409Z	186, 221	KT7-120	103
KP7-538	114	KT6-010	102	KT7-240	108
KP7-539	114	KT6-016	102	KT7-246	108
KP7-540	114	KT6-022	102	KT7-252	108
KP7-541	114	KT6-028	102	KT7-260	108
KP7-542	114	KT6-034	102	KT7-266	108
KP7-543	114	KT6-040	102	KT7-272	108
KP7-544	114	KT6-046	102	KT7-340	109
KP7-545	114	KT6-052	102	KT7-500	114
KP7-546	114	KT6-058	102	KT7-506	114
KP7-547	114	KT6-064	102	KT7-512	114
KP7-548	114	KT6-120	103	KT7-518	114
KP7-549	114	KT6-240	108	KT7-524	114
KP7-550	114	KT6-246	108	KT7-530	114
KP7-551	114	KT6-252	108	KT7-536	114
KP7-552	114	KT6-260	108	KT7-542	114
KP7-553	114	KT6-266	108	KT7-548	114
KP7-554	114	KT6-272	108	KT7-554	114
KP7-555	114	KT6-340	109	KT7-630	115
KP7-556	114	KT6-500	114		