

RBS™ *Rotating Blade System*
Rotating to the new cutting edge



Intraluminal Stapler for Single Use

TOUCHSTONE

Listening for the future ...

Worldwide Exclusive Features



Bendos™
Suture Pilot Hole

- facilitate to insert gastric feeding tube



ASL™
Auto Safety Lock

- Prevent 2nd mis-firing and easily manipulate
- Provide the audible feedback to withdraw the device



RBS™
Rotating Blade System

- Advance technology beyond the conventional chopping to reduce leakage and bleeding
- Scientific rotating degrees to optimize the cutting performance

Endoscopic Circular Stapler Curved

- 440 SST cutting blade, Ti-alloy staples and other core components are all from the United States
- Better materials and manufacturing process than other branded staplers

TOUCHSTONE - Precision Machining



Giant 1 - Iron Casting



Giant 2 - Plastic Injection Molding



Clinical Benefit & Evidence

"With the Touchstone it is a major advantage that stapler cannot 'fire' twice. Once fired, the knife is blocked preventing any damage to the anastomosis," added Dr Steffen. "In addition, the gun has a rotating blade (a cutting knife) and this allows you to withdraw the stapler with ease without damaging the anastomosis. From the 100 bariatric patients, we have had zero leaks and zero bleeding"




By Dr. Rudolf Steffen, Center of Excellence Hospital for Bariatric Surgery Beau-Site Clinic, Berne, Switzerland.
Bariatric News, Issue 4, March, 2010

Between October 2011 and January 2013 we performed 71 LRYGB with the ECSC25 (Touchstone) and 77 LRYGB with the 25 ILS (Ethicon). No anastomotic leak was observed in both groups. There was no significant difference in overall complications between the two groups (6.4% for the ILS vs 5.6% for the ECSC, $p=0.867$, respectively).



IFSO 2013, presented by Prof. Carl Millert, the head of Surgical Department, Hallein Clinic, Austria

Bendos™ Hole: Facilitate to insert gastric feeding tube to avoid damaging the anastomosis.



CSC

TOUCHSTONE®

ECSC**CSC**

Intraluminal Stapler for Single Use

Product Code	Colour Code	Staple Quantity	Anvil Diameter	Blade Diameter
ECSC21	Orange	16	21mm	13.0mm
ECSC25	White	20	25mm	17.0mm
ECSC29	Blue	24	29mm	20.5mm
ECSC33	Green	28	33mm	24.8mm
CSC21	Orange	16	21mm	13.0mm
CSC25	White	20	25mm	17.0mm
CSC29	Blue	24	29mm	20.5mm
CSC33	Green	28	33mm	24.8mm

Protected by one or more of the following Patents:

200710191747.X 200710190987.8 200710191026.9 200710192011.4 200710190965.1 200520074202.7 200520072023.X 200620076828.6 200610041509.6 200820031086.4 200510038780.X 200520068606.5
 200520070443.4 200520074201.2 200520074204.6 200520139870.3 200520139728.9 200520139783.8 200520139784.2 200520139726.X 200620073826.1 200620125458.0 200520139868.6
 200620125462.7 200620078175.5 200710191957.9

TOUCHSTONE[®]

Touchstone International Medical Science Co., Ltd.

21A Science Plaza, International Science Park,
 No.1355 Jinjihu Avenue, Suzhou, 215021, P.R.China
 Tel: +86 512 6299 1933; 6299 1939



CE 0123

Manufacturing Licence: SSYJXSCX 2007-0043

Product Registration Certificate: SSYJX(Zhun)Zi 2010 No.2080966(G2011-96)

Product Standard: YZB/Su 0398-2011